

**BEFORE THE PUBLIC UTILITIES COMMISSION
OF THE STATE OF CALIFORNIA**

Order Instituting Rulemaking to Examine
Electric Utility De Energization of Power
Lines in Dangerous Conditions.

R.18-12-005

(Filed December 13, 2018)

**SAN DIEGO GAS & ELECTRIC COMPANY (U 902-E)
PUBLIC SAFETY POWER SHUTOFF POST-EVENT GROUP REPORT
FOR JANUARY 20 – JANUARY 24, 2025**

Laura M. Fulton
San Diego Gas & Electric Company
8330 Century Park Court, #CP32D
San Diego, CA 92123
Telephone: (858) 654-1759
Fax: (619) 699-5027
Email: LFulton@sdge.com

Attorney for:
SAN DIEGO GAS & ELECTRIC COMPANY

February 24, 2025

**BEFORE THE PUBLIC UTILITIES COMMISSION
OF THE STATE OF CALIFORNIA**

Order Instituting Rulemaking to Examine
Electric Utility De Energization of Power
Lines in Dangerous Conditions.

R.18-12-005

(Filed December 13, 2018)

**SAN DIEGO GAS & ELECTRIC COMPANY (U 902-E)
PUBLIC SAFETY POWER SHUTOFF POST-EVENT GROUP REPORT
FOR JANUARY 7 – JANUARY 16, 2025**

In compliance with California Public Utilities Commission Public Safety Power Shutoff (PSPS) Order Instituting Rulemaking Phase 1 Decision (D.) 19-05-042, Phase 2 D.20-05-051, Phase 3 D.21-06-034 and PSPS Order Instituting Investigation D.21-06-014, San Diego Gas & Electric Company (SDG&E) hereby submits this report (Attachment A hereto) regarding the Public Safety Power Shutoff (PSPS) event that occurred in SDG&E's service territory on January 20, 2025 – January 24, 2025. In accordance with D.19-05-042 and D.21-06-014, this report is being distributed to the service lists for the following Commission rulemaking proceedings: R.18-10-007 and R.18-12-005 as well as all lead affected local and county public safety partners.

Pursuant to the October 14, 2021 email ruling of ALJ Valerie Kao, SDG&E hereby provides the following link to access and download the attachments (geodatabase files and Excel workbook) to its PSPS Post-Event Report: <https://www.sdge.com/wildfire-safety/psps-more-info>.

Respectfully submitted,

By: /s/ Laura M. Fulton

Laura M. Fulton
San Diego Gas & Electric Company
8330 Century Park Court, #CP32D
San Diego, CA 92123
Telephone: (858) 654-1759
Fax: (619) 699-5027
Email: LFulton@sdge.com

Attorney for: San Diego Gas & Electric Company

February 24, 2025

Attachment A

**San Diego Gas & Electric Company
Public Safety Power Shutoff Post-Event Report
for January 20, 2025 – January 24, 2025**



Clay Faber
Director – Regulatory Affairs
San Diego Gas & Electric Company

8330 Century Park Court
San Diego, CA 92123

cfaber@sdge.com

February 24, 2025

Lee Palmer
Director – Safety and Enforcement Division
California Public Utilities Commission
505 Van Ness Avenue
San Francisco, CA 94102

**Re: SDG&E Public Safety Power Shutoff Post-Event Report for January 20 –
January 24**

Dear Director Palmer:

Pursuant to Ordering Paragraph (OP) 2 of Commission Decision (D.) 12-04-024, Section II.A of Commission Resolution ESRB-8, D.19-05-042, D.20-05-051, D.21-06-014 and D.21-06-034, San Diego Gas & Electric Company (SDG&E) submits this report regarding the Public Safety Power Shutoff (PSPS) event that occurred in SDG&E's service territory on January 20, 2025 – January 24, 2025. As noted in the PSPS reporting requirements, this report has been verified by an SDG&E officer in accordance with Rule 1.11 of the Commission's Rules of Practice and Procedure.

If you have any questions regarding this report, please contact Kris Bourbois at kbourbois@sdge.com.

Sincerely,

/s/ Clay Faber

Clay Faber

Director – Regulatory Affairs

Table of Contents

Section 1 – Executive Summary 1

Section 2 – Decision-Making Process 4

Section 3 – De-energized Time, Place, Duration and Customers 27

Section 4 – Damage and Hazards to Overhead Facilities 30

Section 5 – Notifications..... 38

Section 6 – Local and State Public Safety Partner Engagement..... 44

Section 7 – Complaints and Claims 66

Section 8 – Power Restoration..... 68

Section 9 – Community Resource Centers 69

Section 10 – Mitigations to Reduce Impact..... 73

Section 11 – Lessons Learned from this Event..... 80

Section 12 – Other Relevant Information 82

Officer Verification 84

Appendix..... A-1-7

Appendix 1 – Customer Notifications: Descriptions, Dates, Times, and Scripts of Notifications

Appendix 2 – Public Safety Partner Notifications: Descriptions, Dates, Times, and Copies of Notifications

Appendix 3 – CPUC Notifications: Descriptions, Dates, Times, and Copies of Notifications

Appendix 4 – AFN Community Based Organization (CBO) Notifications: Descriptions, Dates, Times, and Copies of Notifications

Appendix 5 – PSPS Event Data Workbook (Excel File Filed Via CD-ROM)

Appendix 6 – De-energized Areas Zipped Geodatabase File (Filed Via CD-ROM)

Appendix 7 – Damages and Hazards Zipped Geodatabase File (Filed Via CD-ROM)

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Introduction

SDG&E submits this Post-Event Report to demonstrate compliance with the California Public Utilities Commission’s (CPUC or Commission) Public Safety Power Shutoff (PSPS) guidelines, including Resolution ESRB-8, PSPS Order Instituting Rulemaking (OIR) Phase 1 (Decision (D.) 19-05-042), Phase 2 (D.20-05-051), Phase 3 (D.21-06-034), and PSPS Order Instituting Investigation (OII) (D.21-06-14).

This Post Event Report describes the event that started during the morning of January 20, 2025, and ended the evening of January 24, 2025, with SDG&E returning to normal operations and deactivating its Emergency Operations Center (EOC) at 16:27 PDT on January 24. The event affected eastern areas of SDG&E’s service territory in San Diego and Orange Counties, as well as small portions of Riverside and Imperial Counties. The event included de-energization of 29,980 total customers (27,015 unique customers) and was exacerbated largely due to abnormally dry conditions, including the driest start to the water year in over 150 years, leading to increased catastrophic wildfire risk throughout the region. This Post Event Report explains SDG&E’s decision to call, sustain, and conclude the de-energization event, and provides detailed information to facilitate the Commission’s evaluation of SDG&E’s compliance with applicable PSPS guidelines and regulations.

SDG&E recognizes the challenges and hardships that de-energization events pose for our customers, communities, and public safety partners, and continuously strives to balance the use of PSPS as a measure of last resort with the need to promote safety during high wildfire risk conditions. As detailed in this Post Event Report, SDG&E’s decision to activate its PSPS protocols is based on consideration and weighting of multiple factors and data analysis, including meteorological forecasts, fuel conditions, infrastructure assessment, and potential PSPS impacts.

SDG&E remains committed to its core safety values when it comes to wildfire mitigation and PSPS processes, and welcomes input from customers, public safety partners, community representatives, and local governments on reducing the impact of PSPS events.

Section 1 – Executive Summary

1. Brief description of the PSPS event starting from the time when the utility’s Emergency Operation Center is activated until service to all customers have been restored.

SDG&E activated the EOC at a Level 3 on Friday, January 17 at 12:02 PDT to monitor the forecasted PSPS event and send advanced notifications. The EOC was elevated to a Level 2 on Monday, January 20 at 06:00 PDT to manage the “period of concern” for the PSPS event. SDG&E deactivated the EOC Friday, January 24 at 16:27, returning to normal operations. SDG&E also coordinated with Southern California Edison Company (Edison) on shared customers in scope for de-energization.

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

This activation period consisted of two waves of peak winds that culminated in PSPS impacts to customers. The first wave of Santa Ana winds occurred January 20-21. As winds developed, humidity and fuel moistures quickly dropped, resulting in an extended period of extreme fire weather conditions for the SDG&E service territory. By the evening of January 20, humidity had fallen to 5-15% from the coastline to the mountains, leaving critically dry conditions across the region. The dryness was coupled with what became the strongest wind event of the 2024-25 season, with widespread gusts of 40-60 mph, locally as high as 102 mph, during the initial peak on January 21.

Winds weakened and became less widespread on January 22, but breezy conditions lingered across the San Diego County mountains where gusts of 35-50 mph, locally as high as 66 mph, occurred. As a result, humidity remained in the 5-10% range with little to no recovery as winds began their increase to the second peak on January 23. Though overall slightly weaker than the preceding event, this secondary peak still posed widespread gusts of 40-60 mph with isolated gusts as high as 97 mph in the most wind-prone area. During this time, several fires were ignited within the SDG&E service territory, including the Border #2 Fire that ultimately burned 6,625 acres in southern San Diego County.

- 2. A table including the maximum numbers of customers notified and actually de-energized; number of counties de-energized; number of tribes de-energized; number of Medical Baseline customers de-energized; number of transmission and distribution circuits de-energized; damage/hazard count; number of critical facilities and infrastructure de-energized. Hazards are conditions discovered during restoration patrolling or operations that might have caused damages or posed an electrical arcing or ignition risk had PSPS not been executed.**


The data provided in Tables 1, 2 and 3 report on devices and customers impacted during the PSPS de-energization event. Table 1 provides a high-level summary of total customers notified, total customers de-energized, and distribution circuits de-energized. Table 2 provides detailed data on decision-making factors for distribution devices de-energized, and Table 3 provides detailed data on distribution devices restored with time stamps and customer counts. The figure listed in Table 1 for Distribution Circuits De-energized is a circuit-level count of unique circuits de-energized, while Tables 2 and 3 list all devices on a circuit that were either de-energized or restored.

Table 1: PSPS Event Summary

Total Customers			De-energized				Number of Circuits			Damage/ Hazard Count
PSPS Notified	De- energized	Cancelled	MBL Customers	Number of Counties	Number of Tribes	Critical Facilities and Infrastructure	Transmission De-energized	Distribution Circuits in Scope	Distribution Circuits De- energized	
83,625	29,980	53,645	1,752	3	12	1,317	8	91	50	3

3. A PDF map depicting the de-energized area(s)

Figure 1 - De-energized Areas Map



Section 2 – Decision-Making Process

- 1. A table showing all factors considered in the decision to shut off power for each circuit de-energized, including sustained and gust wind speeds, temperature, humidity, and moisture in the vicinity of the de-energized circuits**

An abbreviated table showing the major factors considered in the decision to shut off power for each circuit de-energized is provided in Table 2. The full table is included in Appendix 5.

- 2. Decision criteria and detailed thresholds leading to de-energization including the latest forecasted weather parameters versus actual weather. Also include a PSPS decision-making diagram(s)/flowchart(s) or equivalent along with narrative**

The decision to initiate PSPS protocols begins with consideration of four questions by the SDG&E meteorology team:

1. Has the National Weather Service (NWS) provided any indication in their forecast discussion, forecast products, or social media communications that a Red Flag Warning or critical fire weather conditions may be possible during the forecast period?
2. Has the Geographic Area Coordination Center (GACC) in Riverside, CA, given any indication in their forecast discussion/products or social media communications of a “High Risk Day” or any Santa Ana Wildfire Threat Index rating may be issued?
3. Does the SDG&E Fire Potential Index (FPI) show that a combination of fuel dryness and Santa Ana winds may lead to the potential for wildfires greater than 5,000 acres (FPI 14 or above)?
4. Do initial wind speed forecasts generated by SDG&E meteorology models (WRF and AI forecasting) indicate a reasonable probability of reaching alert speeds for any of the SDG&E weather stations?


While partner agencies such as the NWS and GACC typically do not issue fire weather products until 72 hours in advance of any winds, this event came on the heels of a series of Santa Ana wind events that began on January 7. As such, the GACC was hosting daily calls with the NWS, partnering fire agencies, and the utilities to discuss the forecast and any fire weather concerns, during which mention of additional Santa Ana winds during the January 20-23 timeframe was highlighted as early as January 12. When combined with historically low rainfall, critical fuel moistures, and the absence of any significant humidity recovery following the Santa Ana winds that occurred January 7-15, an answer of “Yes” was provided to all questions posed above on January 17. Details of each are provided below.

Fire Potential Index (FPI): SDG&E’s FPI is a tool for making operational decisions to reduce the risk and threat of ignition and catastrophic fire. The FPI is issued for a seven-day period and reflects key variables such as the state of native grasses across the service territory (“green-up”), fuels (ratio of dead fuel moisture component to live fuel moisture component),

and weather (sustained wind speed and dew point depression). Each of these variables is assigned a numeric value and those individual numeric values are summed to generate a FPI value on a scale from zero to 17 that indicates the degree of fire threat expected for each of the seven days included in the forecast. The numeric values are classified as “Normal” for 0-11, “Elevated” for 12-14, and “Extreme” for 15-17.

When correlated with historical fire activity, an Elevated (14) or higher FPI is linked to a potential for fires exceeding 5,000 acres, as shown in the figure below. As such, an Elevated (14) or Extreme FPI rating in the forecast coupled with winds forecast to approach device-specific wind gust thresholds (alert speeds) will trigger PSPS protocols within Emergency Management.

Figure 2 - Fire Size Probabilities per FPI Rating



This Santa Ana wind event was broken into two waves of activity. The FPI outlook first mentioned the potential for the first wave of activity on January 13, noting that Santa Ana winds would be possible on January 20, but acknowledging uncertainty in the strength and exact timing. The following day, an FPI rating of Elevated (14) was introduced for Tuesday, January 21, along with a statement that strong winds could not be ruled out. On January 15, an Extreme FPI rating was first introduced for what was expected to be the first peak in winds on Tuesday, January 21. At this time, it was noted that there was “high confidence in Santa Ana winds as early as Monday PM through Wednesday, with additional winds possible later in the work week.” By January 17, it became clear that a second wave of Santa Ana winds would be likely, and an Extreme FPI rating was added for Thursday, January 23. After minor refinements in the following days, the FPI was updated to show a four-day period of Extreme conditions, with the most significant conditions arising during the day on Monday,

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

January 20; reaching an initial peak on Tuesday, January 21; becoming limited to mountain areas on Wednesday, January 22; and reaching a secondary peak on Thursday, January 23 before decreasing in strength that evening and diminishing on Friday, January 24.

Figure 3 - Seven Day FPI Outlook Issued January 19, 2025

Seven Day FPI Outlook:

	Sun 1/19	Mon 1/20	Tue 1/21	Wed 1/22	Thu 1/23	Fri 1/24	Sat 1/25	Sun 1/26
ME	Elevated 12	Extreme 15	Extreme 16	Extreme 15	Extreme 15	Elevated 14	Normal 11	Normal 11
RA	Elevated 12	Extreme 15	Extreme 16	Extreme 15	Extreme 15	Elevated 14	Normal 11	Normal 11
EA	Elevated 12	Extreme 15	Extreme 16	Elevated 14	Extreme 15	Elevated 14	Normal 11	Normal 11
NE	Elevated 12	Extreme 15	Extreme 16	Elevated 14	Extreme 15	Elevated 14	Normal 11	Normal 11
OC	Normal 11	Elevated 13	Extreme 15	Elevated 13	Elevated 14	Elevated 12	Normal 9	Normal 9
NC	Normal 10	Normal 11	Elevated 14	Elevated 13	Elevated 13	Elevated 12	Normal 9	Normal 9
BC	Normal 10	Normal 11	Elevated 13	Elevated 13	Elevated 13	Elevated 12	Normal 9	Normal 9
CM	Normal 10	Normal 11	Elevated 13	Elevated 13	Elevated 13	Elevated 12	Normal 9	Normal 9

SDG&E Weather Forecast: SDG&E meteorologists first generated a detailed circuit-segment-level forecast on Saturday, January 18, with updated versions created daily through Wednesday, January 22. In the initial forecast, covering the peak winds of January 20-21, a total of 82 unique devices were determined to be at risk of reaching predefined alert speed thresholds. These were primarily located across typically windy portions of Tiers 2 and 3 of the High Fire Threat District (HFTD), with only a slight extension out of the HFTD into areas with vegetation-filled coastal canyons. Winds were forecast to be the strongest seen in at least two years, with widespread gusts of 40-60 mph across the HFTD, locally as high as nearly 90 mph. Post-event analysis showed winds verified stronger than anticipated, with an overall peak wind gust of 102 mph and 55 of SDG&E’s 223 weather stations reporting gusts at or above 50 mph.

The second peak in the winds, which occurred the evening of January 22 through January 23, was initially forecast to be weaker than its predecessor. In the circuit-segment-level forecast issued the morning of January 22, 61 unique devices were flagged as having the potential to meet or exceed their alert speed thresholds. Winds were forecast to generally be 35-50 mph across the HFTD with gusts of 50-60+ mph in typical wind-prone locations and a maximum gust of 70 mph. However, actual winds verified much stronger and more widespread than

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

forecast, with a maximum gust of 97 mph and 62 of SDG&E’s 223 weather stations measuring gusts at or above 50 mph. Despite the discrepancies in the strength of the event, the timing of the conclusion of the winds remained on track with Santa Ana conditions gradually tapering off through the afternoon and evening of January 23.

Santa Ana Wildfire Threat Index (SAWTI): While there are currently no SAWTI thresholds defined for PSPS decision-making, a rating of Marginal or higher on the SAWTI increases confidence in the potential for significant fire weather concerns.

On Saturday, January 18, the SAWTI, issued by the GACC, indicated a High SAWTI rating in San Diego County for January 20-21, in which “[u]pon ignition, fires will grow very rapidly, will burn intensely, and will be very difficult to control.” This was coupled with a “High Risk” designation for January 20-21 in the GACC Fuels/Fire Discussion, where it was noted on January 20 that “New fires in wind-prone areas may be uncontrollable this afternoon through Tuesday morning. High winds will likely reduce or eliminate aircraft capability. Long range spotting will render retardant and control lines ineffective. Erratic, extreme fire behavior is likely in such an environment.” The GACC also mentioned a continuation of winds on January 22-23, which were given Marginal and Moderate SAWTI ratings, respectively. However, forecast discussions noted that the winds on these days would be somewhat less extreme than those forecast for January 20-21.

Figure 4 - Santa Ana Wildfire Threat Index Issued January 19, 2025




Figure 5 - Santa Ana Wildfire Threat Index Issued January 22, 2025

Zones	Wed/Jan 22	Thu/Jan 23	Fri/Jan 24
Zone 1: LA-Ventura	Yellow	Orange	Grey
Zone 2: Orange-Inland Empire	Yellow	Orange	Grey
Zone 3: San Diego	Yellow	Orange	Grey
Zone 4: Santa Barbara	Grey	Grey	Grey

National Weather Service (NWS) Forecast: The NWS first issued a Fire Weather Watch for Inland Orange County and the San Diego County Valleys and Mountains on Friday, January 17. This product was to be in effect from 10:00 PDT Monday, January 20 through 22:00 PDT Tuesday, January 21. The following day, the Fire Weather Watch was upgraded to a Red Flag Warning (RFW) for the same timeframe, and a High Wind Watch was issued for inland portions of San Diego County, covering most of the day Tuesday. As the forecast became better resolved on Sunday, January 19, the NWS inched the RFW start time two hours earlier and the High Wind Watch was upgraded to a High Wind Warning. While a Fire Weather Watch was issued on Monday, January 20, to cover the second wave of winds later in the week, when it came time to upgrade the product to a RFW the NWS ultimately opted to extend the RFW already in place, resulting in a product that began at 08:00 PDT on Monday, January 20 and lasted through 10:00 PDT on Friday, January 24. Through this time, NWS messaging emphasized “critically low relative humidity” with winds peaking in strength Monday night and Tuesday morning with gusts over 60 mph in the foothills and mountains, locally over 80 mph in passes and canyons.


3. A thorough and detailed description of the quantitative and qualitative factors it considered in calling, sustaining, or curtailing each de-energization event including any fire risk or PSPS risk modeling results and information regarding why the de-energization event was a last resort, and a specification of the factors that led to the conclusion of the de-energization event.

In its initial planning stages, SDG&E considers its FPI, as well as products from regional weather partners including the SAWTI and Red Flag Warnings. As discussed in Section 2.2 above, the SAWTI was rated High for San Diego County for the initial wave of Santa Ana winds on January 20-21, Marginal on January 22, and Moderate on January 23. A Red Flag Warning had also been issued by the National Weather Service. Additionally, SDG&E’s FPI indicated an Extreme rating for four consecutive days with a maximum numeric value of 16 on Tuesday, January 21. The qualitative and quantitative factors contributing to the Extreme FPI rating are further described below:

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025


1. SDG&E leverages satellite data to closely monitor the greenness of the grass across its service territory. As demonstrated in the graph below, grasses completely cured in early summer and, given that the San Diego area had experienced only minor amounts of rainfall through the fall and early winter, grasses remained completely dry and supportive of fire growth region-wide if an ignition were to occur.

Figure 6 - Normalized Difference Vegetation Index (NDVI) measured weekly from low earth orbiting satellites for grassland areas in San Diego County



2. Mid-December measurements from the Cleveland National Forest, Palomar Ranger District (PRD) indicated that live fuel moistures of new growth in chamise species were measured at 61%, while live fuel moistures in old chamise growth were at 57%. The average between the two, which is used as a data point in the FPI calculation, fell just under the critically dry threshold of 60% as defined by PRD. No new live fuel moisture measurements had been made available by mid-January, but given the persistent Santa Ana conditions and lack of rainfall since mid-December, substantial changes to live fuel moistures that would alter the FPI calculations were unlikely to have occurred.

Figure 7 - Palomar Ranger District (PRD) Fuel Moistures as of Mid-December 2024



- Weather forecasts indicated that the week of January 20 would see two waves of widespread moderate to strong winds. The first, on January 20-21, was forecast to include gusts of 40-60 mph across the San Diego backcountry, with isolated wind-prone locations expected to see gusts as high as 60-80+ mph. This would be coupled with persistent dry air, with relative humidity values forecast to be as low as 5-10% outside of the immediate coastline during the initial peak of the winds on Tuesday, January 21. Though Santa Ana conditions were expected to continue across Tier 3 of the HFTD through the morning of Wednesday, January 22, their coverage and strength would remain limited until that night and the following morning when a secondary peak with widespread gusts of 35-50 mph with isolated winds of 50-60+ mph was forecast to occur. Little to no recovery in humidity was expected before the second peak in winds, leading to a forecast of 5-10% humidities persisting region-wide.

Figure 8 - National Weather Service Wind Gust Forecast for January 20-21, 2025




Figure 9 - National Weather Service Relative Humidity Forecast for January 21, 2025



Figure 10 - National Weather Service Wind Gust Forecast for January 22-23, 2025





Figure 11 - National Weather Service Relative Humidity Forecast for January 23, 2025



Wind gust forecasts generally performed well through the initial wave of Santa Ana activity on January 20-21. However, forecast models struggled to resolve the strength of the winds for the latter half of the week. As a result, though forecasts did highlight a strengthening trend as January 22-23 approached, winds ultimately verified much stronger than expected. In post-event verifications, it was found that wind gusts were under-forecast by 25 mph in the most wind-prone location in San Diego County that ultimately measured gusts to 97 mph during the second wave of Santa Ana winds on January 22-23. In total, through the two waves of activity during this week, 46 all-time Santa Ana wind gust records were broken across the SDG&E weather station network, with over 80% of SDG&E’s 223 weather stations reporting gusts at or in excess of their 95th percentile Santa Ana wind thresholds during each of the two periods of winds.

Figure 12 - Wind Gust Statistics for January 20-23, 2025 (Number of Weather Stations)


	Jan 20-21	Jan 22-23
Met / Exceeded Max Gust	30	16
Met / Exceeded 99th Pct	116	127
Met / Exceeded 95th Pct	195	182
Met / Exceeded 80 mph	2	2
Met / Exceeded 70 mph	8	7
Met / Exceeded 60 mph	19	25
Met / Exceeded 50 mph	55	62
Met / Exceeded 45 mph	77	87

Additionally, SDG&E performed daily reviews of wildfire estimates derived from weather forecasts to evaluate the potential severity of wildfire events and guide decisions on proactive de-energization of certain areas within its service territory. These assessments utilize Technosylva Wildfire Fire-Sight simulations, offering detailed insights into fire behavior, spread and impact under forecasted weather conditions. Note that these simulated ignitions do not account for suppression activities during the fire spread and are limited to 8 hours.

The following charts display daily estimates of acres burned and buildings destroyed from January 19, 2025 to January 25, 2025, highlighting the days when PSPS protocols were activated. SDG&E notes that the estimates of acres burned, and structures destroyed during the event period reached annual peaks.


Estimates of Acres Burned

Figure 13 - Estimates of Acres Burned



Estimates of Buildings Destroyed

Figure 14 - Estimates of Buildings Destroyed



Figures 15-21 illustrate potential estimates of acres burned from January 19 to 25 from SDG&E’s WiNGS-Ops tool. The maps in these figures display daily worst-case estimates of acres burned for a specific day and hour, while the time series plots below the maps show potential estimates based on the weather forecasts received for each day. This visualization

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

not only helps identify impacted areas but also indicates when the peak of the event will be reached and when it will subside.

Figures 15-21 highlight the extent and severity of fire weather across the SDG&E service territory during this PSPS event. The estimates provided by the tool were crucial in informing the decision to de-energize.

Figure 15 - WiNGS Ops Estimates of Potential Acres Burned (January 19)




Figure 16 - WiNGS Ops Estimates of Potential Acres Burned (January 20)




Figure 17 - WiNGS Ops Estimates of Potential Acres Burned (January 21)




Figure 18 - WiNGS Ops Estimates of Potential Acres Burned (January 22)




Figure 19 - WiNGS Ops Estimates of Potential Acres Burned (January 23)




Figure 20 - WiNGS Ops Estimates of Potential Acres Burned (January 24)






Figure 21 - WiNGS Ops Estimates of Potential Acres Burned (January 25)



SDG&E’s decision to curtail and conclude the de-energization event was based on a thorough assessment of current conditions and potential risks, as described above, prioritizing the safety of the community and the reliability of the electrical grid. SDG&E considered several critical factors when deciding to conclude this de-energization event:

- Observed and Forecasted Wind Gusts:** Wind gusts for all circuits within the scope of the de-energization event were monitored closely. Both observed and forecasted wind speeds no longer met the threshold criteria for de-energization, indicating a reduced risk of wildfire ignition due to high winds. The figure below shows observed wind gusts across the SDG&E service territory as of 12:00 PDT on January 24, when widespread winds primarily 30 mph or below were measured region-wide.

Figure 22 - Observed Wind Gusts as of 12 PM on January 24, 2025



- **Fire Potential Index (FPI) Rating:** The FPI rating, which assesses the environmental receptiveness to fire ignition and spread based on weather and fuels conditions, was lowered from an Extreme rating to Elevated. This reduction in the FPI rating suggested that the conditions were less conducive to wildfire outbreaks.
- **Post-Patrol Activities and Corrective Actions:** SDG&E completed comprehensive post-patrol inspections and necessary corrective actions for all circuits within the scope of the event. These activities addressed any damage or hazards identified during the de-energization period, further reducing the risk of wildfire ignition upon re-energization.
- **Coordination with Local Authorities:** SDG&E coordinated closely with local authorities, including firefighting resources, to ensure that all necessary support and information were in place.
- **Wildfire Risk Estimates:** Updated wildfire risk estimates were reviewed, taking into account the latest weather data, vegetation conditions, and other relevant factors. These estimates indicated that the overall risk of wildfire had decreased to an

acceptable level, supporting the decision to safely re-energize the circuits. See Figures 13 to 21 above for estimated risk supporting the decision to conclude the event.

4. An explanation of how the utility determined that the benefit of de-energization outweighed potential public safety risks, and analysis of the risks of de-energization against not de-energizing. The utility must identify and quantify customer, resident, and the general public risks and harms from de-energization and clearly explain risk models, risk assessment processes, and provide further documentation on how the power disruptions to customers, residents, and the general public is weighed against the benefits of a proactive de-energization.

SDG&E developed the WiNGS-Ops¹ platform to assess whether the advantages of proactive de-energization outweighed the potential safety risks to the public. WiNGS-Ops quantifies these two opposing scenarios following the enterprise risk quantification framework, which uses a multi-attribute value function (MAVF²) to quantify risk³. The WiNGS-Ops application is an interactive, real-time tool that employs in-depth and dynamic risk modeling at the feeder-segment level. The main objective of this tool is to inform the dynamic and complex de-energization decision on a segment-by-segment basis. For all those segments identified as potential candidates for PSPS, the WiNGS-Ops model quantifies Wildfire and PSPS risk, as well as identifies wind gust thresholds for which de-energization would likely produce a favorable outcome for its customers and the public.

The comparative assessments of Wildfire and PSPS risks are calculated from segment specific criteria, including factors such as weather, customers, assets, enterprise assumptions, and event-specific assumptions. All this information is considered when generating MAVF risk scores:

¹ See SDG&E's 2023-2025 Wildfire Mitigation Plan, filed with the Office of Energy Infrastructure Safety October 23, 2023, Section 6.2: "Risk Analysis Framework." Available at www.sdge.com/2023-wildfire-mitigation-plan.

² *Id.* at Section 6.1: "Risk Methodology."

³ The Enterprise Risk Management Framework is based on the Settlement Agreement (SA) that the utilities and intervenors reached in the Safety Model Assessment (SMAP) proceeding and which was adopted by the CPUC as the guiding framework for conducting risk assessments for RAMP. This structure was used in quantifying and analyzing the RAMP Risks. For further information please see SDG&E's 2023-2025 Wildfire Mitigation Plan at Section 6.

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

PSPS Risk:

- Event duration: Forecasted outage duration for all customers anticipated to be impacted by the potential event. For this event, a 24-hour de-energization duration was assumed.
- Customers Impacted: Total number of customers (Residential and C&I) for each segment downstream of the SCADA sectionalizing device.
- Customer impact scaling factor: Subject matter expert scaling factors to increase the PSPS impact on Critical and Vulnerable populations. Scaling factors are incorporated only in the Safety attribute to artificially elevate the safety risk estimates for PSPS Critical Facilities, Urgent, Essential, Sensitive, and Access and Functional Needs (AFN) customers.
- Likelihood: Assumed 100%
- PSPS Consequence:

Risk Component	PSPS Consequence
Safety	<p>Subject matter expert conservative assumption to estimate the potential number of Serious Injuries and Fatalities created by a PSPS de-energization event.</p> <p>Assumption: 1 fatality per 10 billion customer minutes de-energized. This assumption is estimated based on a review of historical PSPS events in California (2018-2021).</p>
Reliability	Customer Minutes Interrupted (CMI) estimates are calculated directly from the number of customers impacted at each feeder segment and assumed event duration.
Financial	<p>Subject matter expert conservative assumption to estimate the potential financial loss of customers affected by a PSPS de-energization event. Assumption: For Residential customers a \$482 cost per event is calculated using the per diem rates applicable to San Diego, CA, as September 2024 (October and November 2024 data is not available), with the assumption of accommodating 4 family members per customer meter. For C&I customers, a \$1,446 cost per event is estimated⁴.</p>

⁴ Financial values were calculated in August 2023 in preparation for the 2023 fire season. A factor of three is assumed for C&I customers: <https://www.federalpay.org/perdiem/2024/california/san-diego>.

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Wildfire Risk:

Wildfire likelihood is estimated based on Failure Likelihood models and Conditional Ignition Likelihood Models⁵, and the estimation of wildfire consequences is derived from data obtained through Technosylva simulations. Fire simulations are assessed at each asset location, considering predicted weather conditions during the PSPS event and historical worst-case fire-weather scenarios. These fire-weather conditions are analyzed to establish the potential size (acres burned) and impact (buildings destroyed) of potential ignitions. These estimates are based on Technosylva's proprietary wildfire modeling, which takes into account weather variables, advanced fuel layers, and an 8-hour unsuppressed fire spread model.

Risk Component	Wildfire Consequence
Safety	<p>Serious Injuries, Fatalities, and detrimental impacts of pollution on human health calculated based on Technosylva estimates of buildings destroyed and acres burned.</p> <p>Assumption: To estimate the total number of fatalities per structure destroyed, a 0.0028 factor is assumed. This factor is estimated based on an internal analysis conducted on the CALFIRE dataset.</p>
Reliability	<p>Subject matter expert conservative assumption to estimate SAIDI and SAIFI values based on estimates of outage duration and assumed restoration duration.</p>
Financial	<p>Subject matter expert conservative assumption to translate buildings destroyed and acres impacted estimated by Technosylva simulations to financial dollars.</p> <p>Assumptions:</p> <ul style="list-style-type: none"> • Suppression and restoration cost: \$1766/acre • Structure Destroyed cost: \$1,000,000/structure destroyed

The assumptions utilized for this event are currently undergoing thorough examination, research, and review, and may be updated in future de-energization events.

⁵ See SDG&E's 2023-2025 WMP at Section 6.2.

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Once the likelihood and consequence values for Wildfire and PSPS risks are estimated based on safety, reliability, and financial attributes, SDG&E applies the MAVF framework to create unitless risk scores.

To evaluate the segment risk within the scope of the PSPS event, a “benefit/risk” ratio is calculated for each circuit by dividing the wildfire risk score (representing the potential benefit of PSPS) by the PSPS risk score (representing the potential public harm of PSPS). This comparison provides insights into the relative risk and benefit for each circuit.

The WiNGS-Ops findings were reviewed by subject matter experts with the Incident Commander both prior to and during the de-energization event.

5. Explanation of alternatives considered and evaluation of each alternative.

SDG&E’s strategy for mitigating wildfire risk involves two main approaches: (1) reducing or eliminating the risk through grid hardening by deploying Strategic Undergrounding and Covered Conductor, and (2) replacing equipment on poles (e.g., crossarms, fuses, lightning arrestors, transformers) in high-fire risk areas identified by its WiNGS-Planning model. Additionally, operational mitigations such as enhanced inspections, vegetation management, fine-tuning sensitive relay profile settings, and, as a last resort, PSPS proactive de-energization are leveraged.

SDG&E’s primary objective is to ensure public safety by preventing ignitions during periods of high-fire weather and minimizing the scope, duration, and impact of PSPS on as many customers as possible. This involves leveraging sectionalization equipment to switch customers to adjacent circuits not impacted by PSPS or remove them from scope. Additionally, wind speed thresholds are adjusted based on location, historical wind records, vegetation, and asset conditions for each feeder segment in scope. This surgical approach allowed SDG&E to define higher alert speed thresholds for circuit segments with covered conductor installed. For this event, the wind gust threshold was increased to 50 mph for two feeder segments with covered conductor installed, 448-735R and 448-47R. Although both feeder segments have covered conductor spans, they were de-energized due to their association with the Potrero and North Potrero weather stations. At these locations, maximum wind gusts reached 60 mph and 53 mph, respectively, exceeding the predetermined wind gust threshold for covered conductor segments of 50 mph.

In the days preceding and during the event, SDG&E teams (including Meteorology, Electric Commodity Liaisons, Risk Analytics, Emergency Management, Electric Operations, and others) were in constant communication and coordination. These teams evaluated weather forecasts, actual live and dead fuel conditions, asset and vegetation conditions, simulated wildfire ignition consequences, risk model outputs, information from field observers near assets expected to experience high wind gusts, and firefighting resource availability to weigh

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

the pros and cons of PSPS de-energizations. Following these reviews, it was concluded that proactive PSPS de-energization as a last resort was essential to sufficiently safeguard public safety within SDG&E's service territory.

Section 3 – De-energized Time, Place, Duration and Customers

1. The summary of time, place and duration of the event, broken down by phase if applicable.

SDG&E activated the EOC at a Level 3 on Friday, January 17 at 12:02 PDT to monitor the forecasted PSPS event and send advanced notifications. The EOC was elevated to a Level 2 on Monday, January 20 at 06:00 PDT to manage the “period of concern” for the PSPS event. SDG&E also coordinated with Southern California Edison Company (Edison) on shared customers in scope for de-energization. SDG&E deactivated the EOC Friday, January 24 at 16:27, returning to normal operations.

- Friday, January 17, 2025
 - Pre-Operational Period 1 (72 hours out) – Pre-patrols and any damages found repaired
 - 72-hr notifications sent to public safety partners/priority notification entities, and AFN support organizations
 - Partner Portal populated
 - ArcGIS rest service and data share sites populated

- Saturday, January 18, 2025
 - Pre-Operational Period 2 (48 hours out) – Pre-patrols and any damages found repaired
 - 48-hr notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations
 - Coordination with Edison on shared customers
 - PSPS website populated
 - Alerts by SDG&E mobile application populated
 - CRC sites put on standby

- Sunday, January 19, 2025
 - Pre-Operational Period 3 (24 hours out) - Pre-patrols and any damages found repaired. Identification of observer locations
 - 24-hr notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations
 - Coordination with Edison on shared customers

- Monday, January 20, 2025
 - De-Energizations
 - Coordination with Edison on shared customers
 - De-energization notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations
 - CRC sites activated for impacted areas

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

- Tuesday, January 21, 2025
 - De-Energizations
 - Coordination with Edison on shared customers
 - De-energization notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations
 - CRC sites activated for impacted areas
 - Post-Patrols, any damages found repaired, customer restorations for select areas
 - Restoration notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations for select areas

- Wednesday, January 22, 2025
 - Continued Post-Patrols, any damages found repaired, customer restorations
 - Restoration notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations
 - De-Energizations
 - De-energization notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations
 - Coordination with Edison on shared customers
 - CRC sites activated for impacted areas

- Thursday, January 23, 2025
 - De-Energizations
 - De-energization notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations
 - Coordination with Edison on shared customers
 - CRC sites activated for impacted areas

- Friday, January 24, 2025
 - Post-Patrols, any damages found repaired, customer restorations
 - Restoration notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations
 - Coordination with Edison on shared customers
 - Final notifications sent to public safety partners/priority notification entities, AFN partners, and affected customers/populations

- 2. A zipped geodatabase file that includes PSPS event polygons of de-energized areas. The file should include items that are required in Section 3.3.**

A zipped geodatabase file that includes all information in Section 3.3 is included with this filing as Appendix 6 and can also be accessed at: <https://www.sdge.com/wildfire-safety/psps-more-info>.

- 3. A list of circuits de-energized, with the following information for each circuit. This information should be provided in both a PDF and excel spreadsheet.**

- **County**
- **De-energization date/time**
- **Restoration date/time**
- **“All Clear” declaration date/time**
- **General Order (GO) 95, Rule 21.2-D Zone 1, Tier 2, or Tier 3 classification or nonHigh Fire Threat District**
- **Total customers de-energized**
- **Residential customers de-energized**
- **Commercial/Industrial customers de-energized**
- **Medical Baseline (MBL) customers de-energized**
- **AFN other than MBL customers de-energized**
- **Other Customers**
- **Distribution or transmission classification**

The list of circuits de-energized with the required information is included in Appendix 5 as Table 3. The field “AFN other than MBL Customers” includes all customers that meet any of the 15 AFN conditions flagged in SDG&E’s customer information system as long as MBL is not the only condition.

Section 4 – Damage and Hazards to Overhead Facilities

1. Description of all found wind-related damages or hazards to the utility’s overhead facilities in the areas where power is shut off.

SDG&E is including all identified damages/hazards that were found during the patrols of the de-energized circuits prior to restoring power. These damages/hazards were not found during the pre-event patrols; thus, SDG&E concludes they were likely attributed to the wind event.

SDG&E found three wind-related damages to the overhead facilities in the areas where power was shut off. The three damages that required replacement were all broken poles. Photos are included below:

Figure 23 - Item #1 P42621J Broken Pole



Figure 24 - Item #2 P108167 Broken Pole



Figure 25 - Item #3 P133349 Broken Pole



2. A table showing circuit name and structure identifier (if applicable) for each damage or hazard, County that each damage or hazard is located in, whether the damage or hazard is in a High Fire-Threat District (HFTD) or non-HFTD, Type of damage/hazard of damage.

Table 4: Damages and Hazards

Circuit/ Device Name	County	Structure Identifier	HFTD Tier	Type of Damage/Hazar d
449	San Diego	P42621J	3	Broken Pole
476	San Diego	P108167	Non-HFTD	Broken Pole
175	San Diego	P133349	3	Broken Pole

Additionally, SDG&E presents the wildfire risk analysis results for simulated ignitions that could have occurred during the PSPS event in its service territory, quantifying the potential wildfire impacts if an ignition had occurred at those asset locations. This analysis, conducted using Technosylva’s Wildfire Analyst, illustrates "what could have happened" if the PSPS had not been implemented highlighting the potential impacts that might have been avoided. The analysis is based on the methodology used and discussed by Technosylva in this report⁶

SDG&E models the expected spread of fire using post-patrol damage locations as potential ignition points. For each asset location, estimates are generated for acres burned, population affected, critical facilities, buildings threatened, and buildings destroyed under fire weather conditions within the PSPS event time boundaries. Based on SDG&E’s assumptions shown in Section 2.2 of this report, a potential cost estimate, in millions of dollars, is derived from the acres burned and buildings destroyed.

Each simulation was conducted under the weather conditions of January 23, 2025, with ignitions assumed to start at midnight. Damage incident data was compiled from field inspections of the electrical infrastructure after the PSPS event. Note that damage incidents were only identified by SDG&E field personnel performing post-PSPS event patrols a few hours before re-energization. Consequently, the exact time of the damage occurrence is unknown, and the assumption of a midnight simulation start is used.

Furthermore, damage to an electrical asset may result in a wildfire, depending on the probability of that damaged asset causing an ignition. This probability can vary due to multiple factors, including the type and condition of the asset, the cause of the damage,

⁶ <https://www.cpuc.ca.gov/consumer-support/psps/technosylva-2019-psps-event-wildfire-riskanalysis-reports>

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

nearby vegetation, and weather conditions. For these simulations, SDG&E assumes a likelihood of ignition of 1 (or 100%).

These model simulated ignitions do not account for suppression activities during the fire spread, which is limited to 8 hours.

The following table summarizes the results of the simulations conducted:

Figure 26 - Table of Damages and Hazards Simulated Modeled Ignitions

Item #	District	Facility ID	Acres Burned	Population	Buildings Threatened	Buildings Destroyed	Wildfire Potential Cost (M\$)
1	Mountain Empire	P42621J	5,126	460	463	138	\$147.05
2	Northeast	P108167	429.0	1,765.0	651.0	162.0	\$162.76
3	P133349	P133349	5,854	2,424	1,234	340	\$350.34

Figure 27 - Item #1 P42621J: Broken Pole




Figure 28 - Item #2 P108167: Broken Pole





Figure 29 - Item #3 P133349: Broken Pole




3. A zipped geodatabase file that includes the PSPS event damage and hazard points. The file should include fields that are in the table in section 4.2 above.

A zipped geodatabase file that includes all information in Section 4.2 is included with this filing as Appendix 7 and can also be accessed at: <https://www.sdge.com/wildfire-safety/psps-more-info>.

4. A PDF map identifying the location of each damage or hazard

Figure 30 - Map Identifying Location of Each Damage



Section 5 – Notifications

- 1. A description of the notice to public safety partners, local/tribal governments, paratransit agencies that may serve all the known transit- or paratransit-dependent persons that may need access to a community resource center, multi-family building account holders/building managers in the AFN community, and all customers, including the means by which utilities provide notice to customers of the locations/hours/services available for CRCs, and where to access electricity during the hours the CRC is closed.**

Appendix 1 describes notifications to customers advising of CRC information, including where to find power when a CRC is closed. Additionally, customer notifications and ongoing communications refer customers to the SDG&E PSPS webpage (sdge.com/ready) for real-time information related to CRCs. As part of SDG&E’s PSPS notification process, all account holders including multi-family building account holders, receive notices prior to conducting a de-energization.

See Appendix 2 for a description of notifications to Public Safety Partners.

See Appendix 3 for a description of notifications to the CPUC.

See Appendix 4 for a description of notifications to AFN Community Based Organizations (CBOs). For the purpose of this report, AFN CBOs provide direct services to customers under the SDG&E AFN support model, including 211, paratransit, temporary hotel stays, emergency generators, County medical and social agencies, food support agencies and nonprofit networks, CBOs that have influence and directly or indirectly serve AFN communities within the SDG&E service territory. SDG&E also leverages its AFN CBOs to help amplify PSPS messaging to reach each CBOs respective constituents, which includes multi-family building account holders and building managers. Additionally, SDG&E conducts outreach to multi-family business managers, multi-family building managers and tenants to provide preparedness information and encourage sign up for notifications through the SDG&E Alerts App.

- 2. Notification timeline including prior to de-energization, initiation, restoration and cancellation, if applicable. The timeline should include the required minimum timeline and approximate time notifications were sent.**

See Appendix 1 for the timeline pertaining to customer notifications.⁷

⁷ Only sent notifications are included in Appendix 1 of the Excel table. The second half of Appendix 1 includes the scripts for all customer notifications.

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

See Appendix 2 for a timeline of all notifications to Public Safety Partners.

See Appendix 3 for a timeline of all notifications to the CPUC.

See Appendix 4 for timeline of all notifications to AFN Community Based Organizations.

3. **For those customers where positive or affirmative notification was attempted, use the following template to report the accounting of the customers (which tariff and/or access and functional needs population designation), the number of notification attempts made, the timing of attempts, who made the notification attempt (utility or public safety partner) and the number of customers for whom positive notification was achieved. “Notification attempts made” and “Successful positive notification” must include the unique number of customer counts. When the actual notification attempts made is less than the number of customers that need positive notifications, the utilities must explain the reason. In addition, the utilities must explain the reason of any unsuccessful positive notifications.**

Table 5: Positive Notification

Designation	Total Number of Customers	Notification Attempts Made	Timing of Attempts	Who made the Notification Attempt	Successful Positive Notification
MBL	5,927	14,044	1/18 13:28 PDT - 1/21 09:48 PDT	SDGE	5,927
MBL behind a master meter	235	494	1/18 13:28 PDT - 1/21 09:48 PDT	SDGE	N/A

In 2024, SDG&E added the capability to differentiate between MBL metered customers and MBL customers behind the meter. Notifications to MBL behind the meter customers are sent as courtesy notifications, as customers behind the master meter are not the customer of record tied to the meter, and as such, are not included with the required de-energization reporting information or the enhanced MBL customer notification process measured by Success Positive Notifications as required by D.19-05-042 Phase 1.

4. A copy or scripts of all notifications with a list of all languages that each type of notification was provided in, the timing of notifications, the methods of notifications and who made the notifications (the utility or local public safety partners).

Scripts of all customer notifications are included in Appendix 1. SDG&E performs all primary customer notifications and encourages public safety and community partners to amplify PSPS messages on their platforms as appropriate. SDG&E offers all notifications in the following languages: English, Spanish, Tagalog, Cantonese, Mandarin, Vietnamese, Arabic, Korean, Russian, French, German, Farsi, Japanese, Punjabi, Khmer, Somali, Mixteco, Zapoteco, Armenian, Hindi, Portuguese, and Thai. Additionally, SDG&E provides customer notifications in American Sign Language and corresponding read-outs.

See Appendix 2 for copies of all notifications to Public Safety Partners.

See Appendix 3 for copies of all notifications to the CPUC.

See Appendix 4 for copies of all notifications to AFN Community Based Organizations.

5. If the utility fails to provide notifications according to the minimum timelines set forth in D.19-05-042 and D.21-06-034, using the following template to report a breakdown of the notification failure and an explanation of what caused the failure.

Table 6: Notification Failure

Notifications Sent to	Notification Failure Description	Number of Entities or Customer Accounts	Explanation⁸
Public Safety Partners excluding	Entities who did not receive 48- to 72-hour advance notification.	0	
	Entities who did not receive 1- 4-hour imminent notification.	0	

⁸ For clarity, SDG&E is including the total customers who did not receive notifications because the customers did not provide SDG&E with contact information. As addressed below, SDG&E makes numerous efforts to obtain contact information for customers to support their PSPS preparedness and comply with notification requirements. As notification of these customers was impossible, however, due to lack of contact information even after these efforts, SDG&E is including them for awareness, but does not consider them notification “failures” for compliance purposes.

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Notifications Sent to	Notification Failure Description	Number of Entities or Customer Accounts	Explanation⁸
Critical Facilities and Infrastructure	Entities who did not receive any notifications before de-energization.	0	
	Entities who were not notified immediately before re-energization	0	
	Entities who did not receive cancellation notification within two hours of the decision to cancel.	0	
Critical Facilities and Infrastructure	Facilities who did not receive 48–72 hour advance notification.	0	5 customers with no contact data
	Facilities who did not receive 1-4 hour of imminent notifications.	0	4 customers with no contact data
	Facilities who did not receive any notifications before de-energization.	0	4 customers with no contact data
	Facilities who were not notified at de-energization initiation.	0	4 customers with no contact data
	Facilities who were not notified immediately before re-energization.	0	4 customers with no contact data
	Facilities who were not notified when re-energization iscomplete.	0	4 customers with no contact data
	Facilities who did not receive cancellation notification within two hours of the decision to cancel	0	1 Customer with no Contact Data
	Customers who did not receive 24–48-hour advancenotifications.	190	190 customers did not receive the 48-24 hour notification because

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Notifications Sent to	Notification Failure Description	Number of Entities or Customer Accounts	Explanation⁸
All other affected customers			they were added to scope after the 24 hour period as a result of rapidly changing weather conditions. Of these 190 customers, there were 2 MBL customers. 1,137 customers with no contact data
	Customers who did not receive 1–4-hour imminent notifications.	2,261	The 2,261 customers who did not receive the 1-4 hour notification is due to rapidly changing winds, allowing no time for the message prior to the immediate need to deenergize for safety. 520 customers with no contact data
	Customers who did not receive any notifications before de-energization.	0	539 customers with no contact data
	Customers who were not notified at de-energization initiation.	0	539 customers with no contact data
	Customers who were not notified immediately before re-energization.	586	586 missed notifications due to special underground configuration to minimize de-energized customers

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Notifications Sent to	Notification Failure Description	Number of Entities or Customer Accounts	Explanation ⁸
			536 customers with no contact data
	Customers who were not notified when re-energization is complete.	2	2 missed notifications due to special underground configuration to minimize de-energized customers. 539 customers with no contact data
	Customers who did not receive cancellation notification within two hours of the decision to cancel.	105	105 shared customers with Edison missed the cancellation notification due to an internal miscommunication. Of these 105 customers, there were 11 MBL customers. 598 customers with no contact data.

6. Explain how the utility will correct the notification failures.

The 190 customers who did not receive the 24-48 hour notification message were added to the scope of the event after the 24-hour period as a result of rapidly changing weather and complex wind conditions. Of the 190 customers, there were 2 MBL customers.

The 2,261 customers who did not receive the 1-4 hour notification were due to rapidly changing winds, allowing no time for the message prior to the immediate need to deenergize for safety.

The 586 customers who were not notified prior to reenergization were inadvertently missed as result of rapid patrolling and re-energization of all remaining de-energized devices. During this event, as soon as winds decreased to safe levels, SDGE promptly began patrolling all de-

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

energized lines in order to restore customers as quickly as possible. From a notification system perspective, that created difficulties in quickly developing customer notification target lists that could reach all of the customers that were put on special switching plans or customers on downstream devices with only partial de-energizations. SDGE leverages these special switching plans and de-energizes downstream devices in order to minimize the number of customers impacted by PSPS. The ability to surgically notify customers on the same device with different customer notifications quickly has been identified as an enhancement to our new Customer Notification System that launched this year, and it should be implemented prior to the next PSPS season.

The 2 customers who were not notified after energization were a similar challenge related to special switching plans. To improve the customers experience, SDG&E did not want to delay re-energization in order to send the notifications out.

The 105 shared customers in scope with Edison did not receive a cancellation notification due to an internal miscommunication. SDG&E initiated cancellation notifications on January 24 at 12:49 PDT and later identified that it had inadvertently missed coordination with Edison on the shared circuit no longer in scope. To prevent this from occurring in the future, SDG&E has implemented process updates to ensure there is consistent coordination with Edison upon all phases of the response.

7. Enumerate and explain the cause of any false communications citing the sources of changing data.

SDGE notified 83,625 customers that they may be deenergized as part of a PSPS. Of those customers, 29,980 were deenergized, meaning that 53,645 customers were notified, but not deenergized. SDG&E prepares for a reasonable worst case weather scenario and prioritizes notifications so that customers are prepared for a de-energization event, even if they are not ultimately de-energized. Worst case weather conditions ultimately did not materialize in all areas affected by this weather event, thus SDG&E determined that de-energization of those areas was not necessary for public safety. All customers who were notified of the potential event but not de-energized received “all clear” notifications as conditions merited such notice. SDG&E’s Partner Portal leveraged an informational banner during the event to ensure accurate data was displayed and available to public safety partners.

Section 6 – Local and State Public Safety Partner Engagement

- 1. Use the following table to List the organization names of public safety partners including, but not limited to, local governments, tribal representatives, first responders and emergency management, and critical facilities and infrastructure the utility**

contacted prior to de-energization, the date and time on which they were contacted, and whether the areas affected by the de-energization are classified as Zone 1, Tier 2, or Tier 3 as per the definition in CPUC General Order 95, Rule 21.2-D.

The list public safety partners contacted prior to de-energization is included in Appendix 5 as Table 7.

- 2. List the names of all entities invited to the utility’s Emergency Operations Center for a PSPS event, the method used to make this invitation, and whether a different form of communication was preferred by any entity invited to the utility’s emergency operation center.**

SDG&E has a standing, open invitation to CPUC and CalOES to embed a liaison in our virtual EOC. In addition, SDG&E hosted daily State Executive briefing calls and twice daily situational awareness briefing calls with potentially impacted public safety partners and assigned critical facilities and infrastructure customers. Leading up to the PSPS season, SDG&E surveyed public safety partners to determine the preferred communication strategy during PSPS events. The survey consensus was that public safety partners preferred to be communicated with directly via daily situational awareness briefing calls. No public safety partners indicated a preference for in-person coordination within the EOC. As such, these calls serve as the preferred and mutually agreeable communications structure held in lieu of holding seats in the EOC for public safety partners. During this event, no entities indicated a preference for a different form of communication, nor did SDG&E receive requests from partners to join the EOC in a virtual or in-person fashion. SDG&E will, at least annually, reiterate to applicable public safety partners, including representatives from Cal OES, water infrastructure partners and communication service providers, the standing invitation to embed a liaison in SDG&E’s EOC. The list of entities SDG&E invited to the briefing calls can be found in Table 7.1.


- 3. A statement verifying the availability to public safety partners of accurate and timely geospatial information, and real time updates to the GIS shapefiles in preparation for an imminent PSPS event and during a PSPS event**

SDG&E verifies that Public Safety Partners receive accurate and timely potential GIS Public Safety Power Shutoff (PSPS) outage information through the ArcGIS Online system 48-72 hours before the period of concern for a PSPS event. They also receive accurate and timely real time updates to de-energized GIS PSPS outage information during a PSPS event through the same ArcGIS Online system. Public Safety Partners can export data from ArcGIS Online

as GIS shapefiles. The partners that do not have access to the ArcGIS Online system receive accurate and timely GIS shapefiles through SDG&E’s PSPS External Data SharePoint Site, which are updated in real-time during a PSPS event.

4. A description and evaluation of engagement with local and state public safety partners in providing advanced outreach and notification during the PSPS event

Figure 31 - Public Safety Survey Results



“I used it frequently to provide updates to management and it was extremely helpful.”
~Anonymous

In addition to the near real-time information that is provided on the Partner Portal, SDG&E conducted the daily Executive Briefing which includes various state and local level executive partners. To help ensure the appropriate engagement for our critical facility and infrastructure customers, they were also invited to attend daily briefing calls with SDG&E Account Executives.

5. Specific engagement with local communities regarding the notification and support provided to the AFN community

SDG&E activated its robust PSPS support model to ensure individuals with AFN received services and resources throughout the activation. These resources included access to 211 San Diego and Orange County, who both serve as a centralized resource hub for individuals with

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

AFN seeking support services. Through the 211 partnerships, SDG&E provided accessible transportation, temporary no-cost hotel stays and emergency backup batteries, with resiliency items available at operating Community Resource Center (CRC) locations. Activated AFN Support Partners include 211 San Diego, 211 Orange County (Orange County United Way), Facilitating Access to Coordinated Transportation (FACT), Salvation Army and San Diego Food Bank. These support services were available to customers and non-account holders with an AFN throughout the duration of the PSPS. Additionally, to ensure all customer needs were addressed, customers who could not be supported through 211 support services were directed to SDG&E's EOC AFN Liaison Officer for resolution. To facilitate conversation in the customer's preferred language or method of communication, 211 and SDG&E's AFN Liaison both have access to accessible communication tools and translators to provide support as needed.

Given the timing of the PSPS and the colder winter temperatures SDG&E also enhanced offerings at its CRC locations to offer warming items including warm beverages, blankets, beanies, neck gaiters, socks, gloves, and hand warmers. Supplemental resource centers were also opened in some of the most frequently impacted areas of Boulevard, Mountain Empire, Campo and Manzanita. These centers provided a location for impacted customers to receive warming items, warm food support, and warm running water with showers and restrooms. Additionally, hotel stays were offered to any customers calling 211 seeking support to ensure anyone impacted by the colder temperatures would not be adversely affected.

Once SDG&E's AFN Support Partners were activated to provide support services through the duration of the PSPS, a daily meeting cadence was established to provide situational awareness regarding **any** current and potential future de-energizations, impacted population sizes as well as the scope of AFN and Medical Baseline (MBL) customers. This also provided an opportunity for our partners to communicate what they were experiencing related to customer call volumes, ensuring their ability to proactively address potential bottlenecks to service delivery, and receive clarity on upcoming weather patterns and SDG&E's anticipated next steps for re-energization. Additionally, given that some customers were shared customers with SCE, SDG&E's AFN Liaison participated in the Joint IOU Shared Customer Protocol daily meeting, as needed, to share key updates regarding support services available to individuals with AFN.

During this activation, SDG&E's AFN Liaison responder provided 72, 48, and 24-hour notifications as well as de-energization, patrolling, re-energization, and CRC notifications to AFN Support Partners. Approximately 50 additional CBOs who are either located in or serving customers in the High-fire Threat District (HFTD) were engaged to assist with the amplification of preparedness and resource messaging for this PSPS. To ensure accuracy of information shared, SDG&E created a prescribed social media toolkit which was sent to all

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

AFN Support Partners and the approximately 50 PSPS support CBOs in SDG&E’s Energy Solutions Partner Network.

Table 8: Services Provides to Customers with AFN

Type of Service	Number Provided
Accessible Transportation Trips	2
Over Night Hotel Stays	62
Overnight Hotel Stays (Non-AFN)	8
Food Support Meals Provided	4,875
Generators Provided	68
\$50 Gift Cards distributed	7
211 calls received for PSPS Information & Referral	123

6. Provide the following information on backup power (including mobile backup power) with the name and email address of a utility contact for customers for each of the following topics:

- a. Description of the backup generators available for critical facility and infrastructure customers before and during the PSPS.**

Please see Table 9 in Section 6b below.

- b. The capacity and estimated maximum duration of operation of the backup generators available for critical facility and infrastructure customers before and during the PSPS.**

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Table 9: Backup Power – Description, Capacity and Estimated Maximum Duration

Location	# of Gens or Batteries	Type of Backup Power	Generator/ Battery Size	Maximum Duration of Operation	Actual PSPS Operation Status
<u>CRC - Borrego Springs Library</u> , 2580 Country Club Rd., CA 92004	1	Generator	250 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:00 PDT - 01/24/2025 09:51 PDT
<u>CRC - Lake Morena</u> , 29765 Oak Drive, Campo CA 91906	1	Generator	125 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 21:47 PDT - 01/24/2025 11:07 PDT
<u>CRC - Potrero</u> , 24550 Hwy 94, Potrero, CA 91963	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 18:55 PDT - 01/22/2025 09:30 PDT, 01/23/2025 05:35 PDT - 01/24/2025 11:00 PDT
<u>CRC - Pine Valley</u> , 28890 Old Hwy 80, Pine Valley, CA 91962	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:00 PDT - 01/24/2025 12:55 PDT
<u>CRC - Whispering Winds Catholic Camp Resource Center Building</u> , 17606 Harrison Park Rd., Julian, CA 92036	1	Generator	125 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 19:50 PDT - 01/24/2025 10:55 PDT

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>CRC - Whispering Winds Catholic Camp Pump Station, 17606 Harrison Park Rd., Julian, CA 92036</u>	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:05 PDT - 01/24/2025 10:55 PDT
<u>CRC - Boulevard, 39223 CA-94, Boulevard, CA 91905</u>	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:33 PDT - 01/24/2025 11:50 PDT
<u>CRC - Dulzura, 1136 Community Building Rd., Dulzura, CA 91917</u>	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:25 PDT - 01/24/2025 08:45 PDT
<u>CRC Fallbrook Library, 124 S. Mission Rd., Fallbrook, CA 92028</u>	1	Generator	125 kVA	Generators can run indefinitely, based on fuel supply	Stand-By
<u>CRC - Valley Center, 29200 Cole Grade Rd., Valley Center, CA 92082</u>	1	Generator	125 kVA	Generators can run indefinitely, based on fuel supply	Stand-By
<u>CRC - Ramona, 1275 Main St., Ramona, CA 92065</u>	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	Stand-By

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>Downtown Julian</u> , 1901 4th St., Julian, CA 92036	1	Generator	1 MVA	Generators can run indefinitely, based on fuel supply	Stand-By
<u>Shelter Valley</u> , 7878 Great Southern Overland Stage Route, Julian, CA 92036	3	Generator	3-300 kVA	Generators can run indefinitely, based on fuel supply	01/21/2025 00:07 PDT - 01/23/2025 18:47 PDT
<u>Butterfield Ranch</u> , 14926 Great Southern Overland Stage Route, Julian, CA 92036	3	Generator	3-300 kVA	Generators can run indefinitely, based on fuel supply	01/21/2025 01:02 PDT - 01/23/2025 20:20 PDT
<u>Cameron Corners</u> , 1339 Buckman Springs Rd., Campo, CA 91906	2	Generator	2-300 kVA	Generators can run indefinitely, based on fuel supply	01/21/2025 04:04 PDT - 01/24/2025 12:03 PDT
<u>Ramona Air Attack Base</u> , 2498 Montecito Rd., Ramona, CA 92065	1	Battery	500 kW/2 MWh	3-days	Stand-By
<u>Mountain Empire High School Cafeteria</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	2	Generator	2-650 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 19:40 PDT - 01/24/2025 17:53 PDT

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:50 PDT - 01/24/2025 16:55 PDT
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	Generator	320 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:50 PDT - 01/24/2025 14:25 PDT
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 18:00 PDT - 01/24/2025 14:20 PDT
<u>Stone Ridge Estates</u> , 35109 Highway 79, Warner Springs, CA 92086	1	Generator	1.8 MVA	Generators can run indefinitely, based on fuel supply	01/20/2025 11:09 PDT - 01/24/2025 16:05 PDT
<u>Campo Tribal Hall</u> , 36190 Church Rd., Campo, CA 91906	1	Generator	40 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 23:11 PDT - 01/24/2025 12:45 PDT
<u>Golden Acorn Casino</u> , 1800 Golden Acorn Wy., Campo, CA 91906	3	Generator	3-70 kVA	Generators can run indefinitely, based on fuel supply	01/21/2025 10:30 PDT - 01/25/2025 08:00 PDT

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>La Posta Emergency Center</u> , 8 Crestwood Rd., Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 14:20 PDT - 01/24/2025 13:35 PDT
<u>Live Oaks Market</u> , 37820 Old Hwy 80, Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 08:48 PDT - 01/24/2025 12:15 PDT
<u>Mountain Top Market</u> , 39710 Old Hwy 80, Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:15 PDT - 01/24/2025 12:00 PDT
<u>X L Co Gas Station</u> , 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:45 PDT - 01/24/2025 09:00 PDT
<u>DG Market</u> , 872 Palm Canyon Dr., Borrego Springs, CA 92004	1	Generator	200 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:45 PDT - 01/24/2025 09:55 PDT
<u>Borrego Springs Youth and Seniors Center, Inc.</u> , 580 Circle J Dr., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:50 PDT - 01/24/2025 10:15 PDT

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>Borrego Springs Resort</u> , 1112 Tilting T Dr., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:49 PDT - 01/24/2025 09:51 PDT
<u>La Casa Del Zorro Resort</u> , 03845 Yaqui Pass Rd., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:40 PDT - 01/24/2025 09:52 PDT

Table 10: Community Generator Program Sites

Location	# of Gens or Batteries	Type of Backup Power	Generator/ Battery Size	Maximum Duration of Operation	Actual PSPS Operation Status
<u>Live Oaks Market</u> , 37820 Old Hwy 80, Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 08:48 PDT - 01/24/2025 12:15 PDT
<u>Mountain Top Market</u> , 39710 Old Hwy 80, Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:15 PDT - 01/24/2025 12:00 PDT
<u>X L Co Gas Station</u> , 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:45 PDT - 01/24/2025 09:00 PDT
<u>DG Market</u> , 872 Palm Canyon Dr.,	1	Generator	200 kVA	Generators can run indefinitely,	01/23/2025 12:45 PDT - 01/24/2025 09:55 PDT

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Borrego Springs, CA 92004				based on fuel supply	
<u>Borrego Springs Youth and Seniors Center, Inc.</u> , 580 Circle J Dr., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:50 PDT - 01/24/2025 10:15 PDT
<u>Borrego Springs Resort</u> , 1112 Tilting T Dr., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:49 PDT - 01/24/2025 09:51 PDT
<u>La Casa Del Zorro Resort</u> , 03845 Yaqui Pass Rd., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:40 PDT - 01/24/2025 09:52 PDT
<u>Mountain Empire High School Cafeteria</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	2	Generator	2-650 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 19:40 PDT - 01/24/2025 17:53 PDT
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:50 PDT - 01/24/2025 16:55 PDT
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	Generator	320 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:50 PDT - 01/24/2025 14:25 PDT

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	Generator	70kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 18:00 PDT - 01/24/2025 14:20 PDT
<u>Stone Ridge Estates</u> , 35109 Highway 79, Warner Springs, CA 92086	1	Generator	1.8 MVA	Generators can run indefinitely, based on fuel supply	01/20/2025 11:09 PDT - 01/24/2025 16:05 PDT
<u>Campo Tribal Hall</u> , 36190 Church Rd., Campo, CA 91906	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 23:11 PDT - 01/24/2025 12:45 PDT
<u>Golden Acorn Casino</u> , 1800 Golden Acorn Wy., Campo, CA 91906	3	Generator	3-70 kVA	Generators can run indefinitely, based on fuel supply	01/21/2025 10:30 PDT - 01/25/2025 08:00 PDT
<u>La Posta Emergency Center</u> , 8 Crestwood Rd., Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 14:20 PDT - 01/24/2025 13:35 PDT

c. The total number of backup generators provided to critical facility and infrastructure customer’s site immediately before and during the PSPS.

Generators/Stationary Batteries Deployed – 39 Total

- 38 Generators
- 1 Stationary Batteries

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Table 11: Total Number of Backup Generators and Mobile Batteries

Location	# of Gens or Batteries	Generator/ Battery Size	Fuel Type
<u>CRC - Borrego Springs Library</u> , 2580 Country Club Rd., CA 92004	1	250 kVA	Diesel
<u>CRC - Lake Morena</u> , 29765 Oak Drive, Campo CA 91906	1	125 kVA	Diesel
<u>CRC - Potrero</u> , 24550 Hwy 94, Potrero, CA 91963	1	70 kVA	Diesel
<u>CRC - Pine Valley</u> , 28890 Old Hwy 80, Pine Valley, CA 91962	1	70 kVA	Diesel
<u>CRC - Whispering Winds Catholic Camp Resource Center Building</u> , 17606 Harrison Park Rd., Julian, CA 92036	1	125 kVA	Diesel
<u>CRC - Whispering Winds Catholic Camp Pump Station</u> , <u>17606 Harrison Park Rd.</u> , <u>Julian, CA 92036</u>	1	70 kVA	Diesel
<u>CRC - Boulevard</u> , 39223 CA- 94, Boulevard, CA 91905	1	70 kVA	Diesel
<u>CRC - Dulzura</u> , 1136 Community Building Rd., Dulzura, CA 91917	1	70 kVA	Diesel
<u>CRC Fallbrook Library</u> , 124 S. Mission Rd., Fallbrook, CA 92028	1	125 kVA	Diesel
<u>CRC - Valley Center</u> , 29200 Cole Grade Rd., Valley Center, CA 92082	1	125 kVA	Diesel

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>CRC - Ramona</u> , 1275 Main St., Ramona, CA 92065	1	70 kVA	Diesel
<u>Downtown Julian</u> , 1901 4th St., Julian, CA 92036	1	1 MVA	Diesel
<u>Shelter Valley</u> , 7878 Great Southern Overland Stage Route, Julian, CA 92036	3	300 kVA	Diesel
<u>Butterfield Ranch</u> , 14926 Great Southern Overland Stage Route, Julian, CA 92036	3	300 kVA	Diesel
<u>Cameron Corners</u> , 1339 Buckman Springs Rd., Campo, CA 91906	2	300 kVA	Diesel
<u>Ramona Air Attack Base</u> , 2498 Montecito Rd., Ramona, CA 92065	1	500 kW/2 MWh	Battery
<u>Mountain Empire High School Cafeteria</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	2	650 kVA	Diesel
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	70 kVA	Diesel
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	320 kVA	Diesel
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	70 kVA	Diesel
<u>Stone Ridge Estates</u> , 35109 Highway 79, Warner Springs, CA 92086	1	1.8 MVA	Diesel
<u>Campo Tribal Hall</u> , 36190 Church Rd., Campo, CA 91906	1	40 kVA	Diesel

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>Golden Acorn Casino</u> , 1800 Golden Acorn Wy., Campo, CA 91906	3	70 kVA	Diesel
<u>La Posta Emergency Center</u> , 8 Crestwood Rd., Boulevard, CA 91905	1	70 kVA	Diesel
<u>Live Oaks Market</u> , 37820 Old Hwy 80, Boulevard, CA 91905	1	70 kVA	Diesel
<u>Mountain Top Market</u> , 39710 Old Hwy 80, Boulevard, CA 91905	1	70 kVA	Diesel
<u>X L Co Gas Station</u> , 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	70 kVA	Diesel
<u>DG Market</u> , 872 Palm Canyon Dr., Borrego Springs, CA 92004	1	200 kVA	Diesel
<u>Borrego Springs Youth and Seniors Center, Inc.</u> , 580 Circle J Dr., Borrego Springs, CA 92004	1	300 kVA	Diesel
<u>Borrego Springs Resort</u> , 1112 Tilting T Dr., Borrego Springs, CA 92004	1	300 kVA	Diesel
<u>La Casa Del Zorro Resort</u> , 03845 Yaqui Pass Rd., Borrego Springs, CA 92004	1	300 kVA	Diesel

d. How the utility deployed this backup generation to the critical facility and infrastructure customer’s site.

The weather forecast was leveraged to identify where existing, pre-determined back-up generators and microgrids could be engaged during the event. SDG&E worked with its generator vendor to deploy generators on Sunday, January 19, to ensure generators were staged with an operator and electrician before the start of the event. In addition, the SDG&E team ensured that plans and procedures were in place with the Distribution Control Center, to allow for safe commissioning and operation of the generators in the event of a PSPS.

e. An explanation of how the utility prioritized how to distribute available backup generation.

Temporary, portable generators were deployed to twelve pre-determined locations that provide important services, such as childcare, senior citizen community, food, water, fuel, and other important supplies to the remote, rural communities of Boulevard, Borrego Springs, Campo, Pine Valley and Warner Springs. Temporary, portable generators were also deployed to community CRC locations and microgrids where permanent back-up energy was not installed.

SDG&E was able to fulfill all requests for backup generation, as such, prioritization was not deemed necessary.

f. Identify the critical facility and infrastructure customers that received backup generation.

Table 12: Critical Facility and Infrastructure Customers

Location	# of Customers	Critical Facility and Infrastructure Customers
<u>CRC - Borrego Springs Library</u> , 2580 Country Club Rd., CA 92004	1	Community Resource Center
<u>CRC - Lake Morena</u> , 29765 Oak Drive, Campo CA 91906	1	Community Resource Center
<u>CRC - Potrero</u> , 24550 Hwy 94, Potrero, CA 91963	1	Community Resource Center
<u>CRC - Pine Valley</u> , 28890 Old Hwy 80, Pine Valley, CA 91962	1	Community Resource Center
<u>CRC - Whispering Winds Catholic Camp Resource Center Building</u> , 17606 Harrison Park Rd., Julian, CA 92036	1	Community Resource Center
<u>CRC - Whispering Winds Catholic Camp Pump Station</u> , 17606 Harrison Park Rd., Julian, CA 92036	1	Community Resource Center
<u>CRC - Boulevard</u> , 39223 CA-94, Boulevard, CA 91905	1	Community Resource Center
<u>CRC - Dulzura</u> , 1136 Community Building Rd., Dulzura, CA 91917	1	Community Resource Center
<u>CRC Fallbrook Library</u> , 124 S. Mission Rd., Fallbrook, CA 92028	1	Community Resource Center
<u>CRC - Valley Center</u> , 29200 Cole Grade Rd., Valley Center, CA 92082	1	Community Resource Center

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>CRC - Ramona</u> , 1275 Main St., Ramona, CA 92065	1	Community Resource Center
<u>Downtown Julian</u> , 1901 4th St., Julian, CA 92036	124	<ul style="list-style-type: none"> • Schools • Food and Markets • Veterinary Hospital • Telecommunications • Postal Service
<u>Shelter Valley</u> , 7878 Great Southern Overland Stage Route, Julian, CA 92036	219	<ul style="list-style-type: none"> • Stagecoach Trails Campground & RV Park • SD County Fire Station • Library • Water Wells Infrastructure • Sewage Infrastructure
<u>Butterfield Ranch</u> , 14926 Great Southern Overland Stage Route, Julian, CA 92036	119	<ul style="list-style-type: none"> • Butterfield Manufactured Home & RV Community • Water Wells Infrastructure • Sewage Infrastructure
<u>Cameron Corners</u> , 1339 Buckman Springs Rd., Campo, CA 91906	13	<ul style="list-style-type: none"> • Cal Fire • ATT Telecom Hub • Library – Cool Zone • San Ysidro Health Center • Schools • Food and Markets • Gas Stations
<u>Ramona Air Attack Base</u> , 2498 Montecito Rd., Ramona, CA 92065	2	<ul style="list-style-type: none"> • Cal Fire • US Forest Service
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	5	<ul style="list-style-type: none"> • Mountain Empire School District food refrigeration and commercial kitchen • School & Childcare for School District
<u>Stone Ridge Estates</u> , 35109 Highway 79, Warner Springs, CA 92086	1	Primary-Metered Senior Residential Community

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>Campo Tribal Hall</u> , 36190 Church Rd., Campo, CA 91906	4	<ul style="list-style-type: none"> • Restrooms • Showers • Security Light Tower • Food Service
<u>Golden Acorn Casino</u> , 1800 Golden Acorn Wy., Campo, CA 91906	3	<ul style="list-style-type: none"> • Lighting • Food Service
<u>La Posta Emergency Center</u> , 8 Crestwood Rd., Boulevard, CA 91905	1	Government and Community Resource Center
<u>Live Oaks Market</u> , 37820 Old Hwy 80, Boulevard, CA 91905	1	<ul style="list-style-type: none"> • Food and Market • Gas Station
<u>Mountain Top Market</u> , 39710 Old Hwy 80, Boulevard, CA 91905	1	<ul style="list-style-type: none"> • Food and Market • Gas Station
<u>X L Co Gas Station</u> , 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	Gas Station
<u>DG Market</u> , 872 Palm Canyon Dr., Borrego Springs, CA 92004	1	Grocery Store
<u>Borrego Springs Youth and Seniors Center, Inc.</u> , 580 Circle J Dr., Borrego Springs, CA 92004	1	Youth and Senior Center
<u>Borrego Springs Resort</u> , 1112 Tilting T Dr., Borrego Springs, CA 92004	1	<ul style="list-style-type: none"> • Hotel and Lodging • Cool Zone
<u>La Casa Del Zorro Resort</u> , 03845 Yaqui Pass Rd., Borrego Springs, CA 92004	1	<ul style="list-style-type: none"> • Hotel and Lodging • Food Refrigeration & Restaurant • Cool Zone

Table 13: Community Generator Program Sites

Location	# of Customers	Community Generator Program Sites
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	5	Mountain Empire School District commercial kitchen and child care for the entire school district
<u>Stone Ridge Estates</u> , 35109 Highway 79, Warner Springs, CA 92086	1	Primary-Metered Senior Citizen Residential Community
<u>Campo Tribal Hall</u> , 36190 Church Rd., Campo, CA 91906	4	Restrooms, showers, food service and security lighting
<u>Golden Acorn Casino</u> , 1800 Golden Acorn Wy., Campo, CA 91906	3	Lighting and food service
<u>La Posta Emergency Center</u> , 8 Crestwood Rd., Boulevard, CA 91905	1	Government and Community Resource Center
<u>Live Oaks Market</u> , 37820 Old Hwy 80, Boulevard, CA 91905	1	Local and convenient location for food and fuel in the Boulevard Community
<u>Mountain Top Market</u> , 39710 Old Hwy 80, Boulevard, CA 91905	1	Local and convenient location for food and fuel in the Boulevard Community
<u>X L Co Gas Station</u> , 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	Local and convenient location for fuel in the Borrego Springs Community

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

<u>DG Market</u> , 872 Palm Canyon Dr., Borrego Springs, CA 92004	1	Local and convenient location for food in the Borrego Springs Community
<u>Borrego Springs Youth and Seniors Center, Inc.</u> , 580 Circle J Dr., Borrego Springs, CA 92004	1	Borrego Springs community center
<u>Borrego Springs Resort</u> , 1112 Tilting T Dr., Borrego Springs, CA 92004	1	Borrego Springs hotel/lodging and cool zone
<u>La Casa Del Zorro Resort</u> , 03845 Yaqui Pass Rd., Borrego Springs, CA 92004	1	Borrego Springs hotel/lodging, restaurant and cool zone

Any questions related to the information under this item may be directed to SDG&E at the following e-mail address: DERGeneratorDeploymentTeam@SDGE.com.⁹

⁹ This e-mail inbox is monitored by SDG&E's Distributed Energy Resources Generator Deployment team.

Section 7 – Complaints and Claims

1. The number and nature of complaints received as the result of the de-energization event and claims that are filed against the utility because of de-energization. The utility must completely report all the informal and formal complaints, meaning any expression of grief, pain, or dissatisfaction, from various sources, filed either with CPUC or received by the utility as a result of the PSPS event.

a. Complaints

As of February 20, 2025, SDG&E received the following complaints regarding this PSPS event:

Table 14: Number and Nature of Complaints Received

Nature of Complaint	Number of Complaints
<p>PSPS Frequency/Duration</p> <p>Including, but not limited to complaints regarding the frequency and/or duration of PPS events, delays in restoring power, scope of PPS and dynamic of weather conditions</p>	21
<p>Safety/Health Concern</p> <p>Including, but not limited to complaints regarding difficulties experienced by AFN/MBL populations, traffic accidents due to non-operating traffic lights, inability to get medical help, well water or access to clean water, inability to keep property cool/warm during outage raising health concern</p>	6
<p>Communications/Notifications</p> <p>Including, but not limited to complaints regarding lack of notice, excessive notices, confusing notice, false alarm notice, problems with getting up-to-date information, inaccurate information provided, not being able to get information in the prevalent languages and/or information accessibility, complaints about website, Public Safety Partner Portal, REST/DAM sites (as applicable)</p>	9
<p>Outreach/Assistance</p>	6

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Including, but not limited to complaints regarding community resource centers, community crew vehicles, backup power, hotel vouchers, other assistance provided by utility to mitigate impact of PSPS	
General PSPS Dissatisfaction/Other	
Including, but not limited to complaints about being without power during PSPS event and related hardships such as food loss, income loss, inability to work/attend school, plus any PSPS-related complaints that do not fall into any other category	61
Total:	103

b. Claims

As of February 20, 2025, SDG&E received the following claims regarding this PSPS event:

Table 15: Claims Filed Against SDG&E Due to De-energization

Nature of Claim	Number of Claims
Property Damage	4
Solar Related	0
Food Loss	29
Inconvenience of Being Without Power	5
Business Loss	1
Hotel Stays	0
Generator	4
Total:	43

Section 8 – Power Restoration

1. A detailed explanation of the steps the utility took to restore power.

When a circuit is de-energized, meteorology will add it to the restoration forecast list, and the team will ascertain the date and time when forecasted wind gusts are expected to reach 7mph less than the alert speed and will likely continue to decline. As circuits are de-energized, they are added to the dynamic restoration forecast list. Circuit restoration is prioritized based on the order in which favorable weather conditions will prevail in each area. Forecasts trending in a favorable manner will garner the prioritization of patrols. Once the patrolling of the lines is complete, the circuit will be re-energized knowing that favorable weather is in the forecast for that circuit.

2. The timeline for power restoration, broken down by phase if applicable.

While some generators were brought online to restore Mt. Empire High School as early as January 20, the first wave of customer restorations began on January 21 for select areas, with a second wave of restorations occurring through January 22. Final restorations began on January 24, when widespread winds primarily 30 mph or below were measured region-wide. For detailed information on restorations for each circuit segment, please see Table 3 in Appendix 5.

3. For any circuits that require more than 24 hours to restore, the utility shall explain why it was unable to restore each circuit within this timeframe, using the format below.

No circuits exceeded a 24-hour restoration time.

Table 16: Circuits requiring more than 24 hours to restore

Circuit Name	Reason the Utility was Unable to Restore the Circuit Within 24 Hours
N/A	N/A

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Section 9 – Community Resource Centers

1. The address of each location during a de-energization event, the location (in a building, a trailer, etc.), the assistance available at each location, the days and hours that it was open, and number of attendances.

Table 17: Community Resource Centers

#	County	Site Name	Address	Operating Hours	Attendance	Site Type	Amenities Provided
1	San Diego	Borrego Springs Library	2580 Country Club Rd Borrego Springs, CA 92004	1/23/2025: 13:20 – 22:00 1/24/2025: 08:00 – 9:50	242	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, and Warming Items
2	San Diego	Boulevard Community Center	39919 Ribbonwood Rd Boulevard, CA 91905	1/20/2025: 08:50 – 22:00 1/21/2025: 08:00 – 22:00 1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 13:13	1380	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, Warming Items, Warm Meals, Water Truck, and Warm Showers
3	San Diego	Descanso Branch Library	9545 River Dr Descanso, CA 91916	1/20/2025: 08:43 – 22:00 1/21/2025: 08:00 – 22:00 1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 13:58	289	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power inverter, Battery Bank, Emergency Light, Warming Items, and Water Truck
4	San Diego	Dulzura Community Center	1136 Community Building Rd Dulzura, CA 91917	1/23/2025: 13:36 – 22:00	14	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, and Warming Items
5	San Diego	Fallbrook Branch Library	124 S Mission Rd Fallbrook, CA 92028	1/21/2025: 08:00 – 22:00 1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 15:05	162	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, and Warming Items
6	San Diego	Whispering Winds Catholic Camp	17606 Harrison Park Rd	1/20/2025: 19:25 – 22:00 1/21/2025: 08:00 – 22:00	48	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

			Julian, CA 92036	1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 11:43			Bank, Emergency Light, Warming Items, and Water Truck
7	San Diego	Lake Morena Community Church	29765 Oak Dr Campo, CA 91906	1/20/2025: 19:49 – 22:00 1/21/2025: 08:00 – 22:00 1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 11:51	391	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, Warming Items, and Water Truck
8	San Diego	Pine Valley Improvement Club	28890 Old Highway 80 Pine Valley, CA 91962	1/20/2025: 19:28 – 22:00 1/21/2025: 08:00 – 22:00 1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 13:04	483	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, Warming Items, and Water Truck,
9	San Diego	Potrero Community Center	24550 Hwy 94 Potrero, CA 91963	1/20/2025: 18:58 – 22:00 1/21/2025: 08:00 – 22:00 1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 10:43	76	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, and Warming Items
10	San Diego	Ramona Branch Library	1275 Main St Ramona, CA 92065	1/20/2025: 19:25 – 22:00 1/21/2025: 08:00 – 22:00 1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 14:34	72	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, and Warming Items
11	San Diego	Valley Center Branch Library	29200 Cole Grade Rd Valley Center, CA 92082	1/20/2025: 18:31 – 22:00 1/21/2025: 08:00 – 22:00 1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 15:05	189	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car power inverter, Battery Bank, Emergency Light, and Warming Items
12	San Diego	Warner Springs Resource Center	30950 CA-79	1/20/2025: 11:02 – 22:00 1/21/2025: 08:00 – 22:00	168	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

			Warner Springs, CA 92086	1/22/2025: 08:00 – 22:00 1/23/2025: 08:00 – 22:00 1/24/2025: 08:00 – 16:03			Bank, Emergency Light, Warming Items, and Water Truck
--	--	--	-----------------------------	--	--	--	--

2. Any deviations and explanations from the CRC requirement including operation hours, ADA accessibility and equipment.


CRC Operational hours are 08:00-22:00 PDT but may adjust depending upon the nature of the event and demobilize should power be restored sooner. CRCs are staffed and kept on standby hours before the de-energization process and only activated when a circuit in the vicinity is de-energized.

All 12 CRCs were opened immediately following the decision to de-energize during the required operational hours. This is not a deviation from the time of operation of a CRC, it is merely an explanation that CRCs initially activate only when a circuit in the vicinity has been de-energized.

Given the timing of the PSPS and the colder winter temperatures SDG&E also enhanced offerings at its CRC locations to offer warming items including warm beverages, blankets, beanies, neck gaiters, socks, gloves, and hand warmers. In addition, the Boulevard CRC provided a location for impacted customers to receive warm food support, and warm running water with ADA compliant showers and restrooms.

3. A map identifying the location of each CRC and the de-energized areas.

Figure 32 - CRC Location Map



Section 10 – Mitigations to Reduce Impact

- 1. Mitigation actions and impacts (both waterfall graph and map) including: sectionalization devices, temporary generation, microgrids, permanent backup generation, transmission switching, covered conductor, and any other grid hardening that mitigated the impact of the event.**


SDG&E implements mitigation measures used to decrease the risk of utility caused wildfires by reinforcing the standards listed in SDG&E Electric Standard Practice 113.1—Operations and Maintenance Wildland Fire Prevention Plan and increasing use of prevention resources. All SDG&E field personnel are required to receive annual training on fire prevention. All non-emergency work is restricted in areas where there is extreme fire potential.

During this event, SDG&E strategically placed observers and field crews at or near the location of the facilities forecast to experience the most severe weather conditions. By staging personnel at these locations, SDG&E was able to quickly react to changes in conditions and ensure energized lines are operated safely with no imminent threats to their integrity, and that de-energized lines are inspected for safety prior to re-energization. A summary of the avoided customer impacts by mitigation actions during this event is included in the table below:

Table 18: Summary of Avoided Customer Impacts

Mitigation Action	Avoided Impacts
Sectionalizing Devices	15,225
Temporary Generation	200
Microgrids	353
Permanent Backup Generation	828
Strategic Undergrounding	1,206
Situational Awareness	35,838
Total:	53,650

Figure 33 - Impact Reductions from Mitigations Waterfall Graph



Sectionalizing Devices:

SDG&E utilized sectionalization where possible during this weather event to reduce PSPS customer impacts. Leveraging real-time data from the SDG&E weather network in the area of the severe weather, SDG&E was able to confirm the strong winds were isolated to portions of the impacted circuits. As a result, SDG&E de-energized only portions of 10 of the circuits impacted during this weather event, as opposed to the entire circuits. By de-energizing only portions of the circuits, SDG&E was able to avert PSPS impacts for 15,225 customer accounts.

Temporary Generation:

As stated in Section 6, temporary, portable generators were deployed to 12 commercial sites that provide important services, such as food, water, fuel, and other important supplies to the remote, rural communities impacted by de-energizations. Downtown Julian received a rental generator that provided backup power to 124 customers, including schools, food, veterinary services, telecommunications, and postal services. Additionally, 44 residential customers requested and received portable backup batteries for the duration of the de-energization. This temporary generation supported a total of 200 customers.

Permanent Backup Generation:

Since 2020, SDG&E has offered permanent backup generation to residential and commercial customers that have previously experienced PSPS de-energizations. It was determined that 828 customers that were de-energized during this event have participated in the Fixed Backup Power program and have permanent backup generation installed at their premise.


Strategic Undergrounding:

SDG&E restored power to 614 customers served through undergrounded segments on one circuit prior to the conclusion of the weather event, therefore reducing the PSPS duration for these customers, on average, by 21 hours. Additionally, SDG&E was able to avoid impacting 592 customers served through undergrounded segments on three circuits.

Situational Awareness:

SDG&E deployment of situational awareness tools, such as 30-second read capabilities on weather stations, allowed for real-time observations that ultimately helped mitigate the impact in areas of concern. These 30-second read capabilities allow SDG&E to understand if the wind gusts are sustained in these areas and require de-energization for safety or are an anomaly that can be safely withstood by the infrastructure. During the event, there were 35 in-scope devices that met or exceeded the alert speed criteria and had an FPI of Elevated (14) or Extreme (15-16) that were not de-energized. This situational awareness prevented 35,838 customers from being de-energized.

Figure 34 - Mitigations to Reduce Impact Map



SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

A summary of the avoided customer impacts by circuit during this event is included in the table below:

Table 19: Summary of Avoided Customer Impacts by Circuit

Circuit	Avoided Impacts
67	587
73	1
79	12
157	370
171	6
172	3
175	196
176	60
212	1
214	1
215	1
217	1,130
220	1
221	1,094
222	583
230	1
235	2,136
237	1,464
240	264
242	531
286	1
288	1

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

350	838
351	369
352	1
353	1,524
354	1,268
355	1,211
356	3
357	1,721
358	797
441	18
442	2
444	1
445	9
448	13
449	2
450	1,611
454	2,002
470	1,053
502	1
520	1,929
521	1,741
523	1
524	734
540	839
542	2,117
597	1,415

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

788	2,039
840	16
907	1
908	2
970	1,389
971	1,097
972	2,638
973	1,385
974	343
975	1,565
1001	538
1021	850
1022	136
1030	512
1039	868
1081	1
1090	1,037
1101	614
1106	2,207
1138	906
1215	30
1233	162
1234	2,443
1243	83
1458	1,815
235/RA3	1

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

239/RB1	1,308
Total:	53,650

A summary of the customers served by microgrids is included in the table below:

Table 20: Summary of Customers Served by Microgrids

Microgrid Location	Total Customers
<u>Shelter Valley</u> , 7878 Great Southern Overland Stage Route, Julian, CA 92036	219
<u>Butterfield Ranch</u> , 14926 Great Southern Overland Stage Route, Julian, CA 92036	119
<u>Cameron Corners</u> , 1339 Buckman Springs Rd., Campo, CA 91906	13
<u>Ramona Air Attack Base</u> , 2498 Montecito Rd., Ramona, CA 92065	2
Total:	353

Section 11 – Lessons Learned from this Event

1. Threshold analysis and the results of the utility’s examination of whether its thresholds are adequate and correctly applied in the de-energized areas.

SDG&E is committed to continuous learning and leveraging opportunities to enhance PSPS practices to the benefit of public safety and our customers, employees, and communities. During this event, SDG&E did not identify any discrepancies regarding the adequacy of thresholds. Days before the event, SDG&E engineering, construction, and compliance teams centralized the most recent data on situational risk in the service territory, including locations of temporary construction or compliance concerns that could increase the potential risk of an ignition. As part of this process, engineering teams provide feedback regarding certain wind speed thresholds to inform the PSPS decision-making process and include a complete understanding of how different risks may or may not be the reason for a reduced weather threshold. SDG&E Electric Operations also leveraged a preparatory process throughout 2024 by which it simulated potential PSPS decision making scenarios to assess system and infrastructure vulnerabilities, allowing the company to proactively respond to known system issues in advance, therefore further reducing the impacts of this event. The additional process gave the engineering teams an in-depth understanding of the risk of an ignition during the live event. SDG&E actively monitors each weather station during the event to ensure the ongoing accuracy of wind thresholds.

As described in Section 2 above, SDG&E’s meteorology forecast was in line with forecasts from partner agencies indicating the potential for significant fire weather concerns. SDG&E’s FPI was rated Extreme due to a combination of predicted widespread, strong winds, single-digit relative humidity, completely cured grasses, and critically low live and dead fuel moistures. The National Weather Service issuance of a Red Flag Warning, in combination with the SAWTI rating of High for this event, and a GACC designation of a High Risk Day with rapid rates of spread and long-range spotting likely on new ignitions in windy areas, aligned with SDG&E’s concern for significant fire weather danger and the decision to de-energize.

2. Any lessons learned that will lead to future improvement for the utility.

Table 21: Lessons Learned from PSPS Event

Issue	Discussion	Resolution
Meteorology Staffing	Having one meteorologist assigned to an operational period was not sufficient.	Two meteorologists were assigned to support each operational period.
Customer Notifications	It was challenging to quickly identify and send targeted notifications to customers on special switching plans prior to the completion of post-patrols.	Surgical notifications have been identified as an enhancement to the new Customer Notification System prior to the next PSPS season.

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Section 12 – Other Relevant Information

1. This section must include any other relevant information determined by the utility.

SDG&E includes information related to Edison customers de-energized during the PSPS event below.

The figure below contains PSPS Event Summary Data for Edison shared customers.

Total Customers			De-energized				Number of Circuits			Damage/ Hazard Count
PSPS Notified	De- energized	Cancelled	MBL/Critical Care Customers	Number of Counties	Number of Tribes	Critical Facilities and Infrastructure	Transmission De-energized	Distribution Circuits in Scope	Distribution Circuits De- energized	
127	22	105	0	2	0	0	0	3	2	0

The figures below contain Circuits De-Energized for the Edison shared customers.

Distribution/ Transmission	Distribution/ Transmission	County	De-energization Date and Time	Restoration Date/Time	HFTD Tier
RMV 1243	Distribution	Orange, Riverside	N/A	N/A	Tier 2
520	Distribution	Riverside, San Diego	1/23/25 at 09:59 PDT	1/24/25 at 14:36 PDT	Tiers 2/3
521	Distribution	San Diego	1/23/25 at 09:55 PDT	1/24/25 at 12:22 PDT	Tiers 2/3

Circuit/ Device Name	Total Customers	Residential Customers	Commercial/ Industrial Customers	MBL/Critical Care Customers	AFN other than MBL Customers	Other Customers
RMV 1243	105	94	0	11	0	0
520	18	18	0	0	0	0
521	4	2	2	0	0	0

The figure below contains the Notification Timeline for the Edison shared customers.

Event Order	Description of Notification	Required Minimum Timeline	Notification Sent To	Notification Sent By	Circuit/Device	Date/Time
	Initial Notice for PSPS Event	72-48 hours	All affected customers	Edison	N/A	N/A

SDG&E Public Safety Power Shutoff Post-Event Report: January 20 – January 24, 2025

Pre-de-energization (prior)	(Advanced Initial or Initial)					
	Initial Notice for PSPS Event (Initial or Update)	48-24 hours	All affected customers	Edison	RMV 1243 SDG&E 520 SDG&E 521	1/19/25 at 16:02 PDT 1/19/25 at 16:02 PDT 1/19/25 at 16:02 PDT
	Imminent De-Energize (Expected)	1-4 hours	All affected customers	Edison	N/A	N/A
Initiation (During)	De-energized (Shutoff)	De-energization	All affected customers	Edison	SDG&E 520 SDG&E 521	1/23/25 at 10:07 PDT 1/23/25 at 10:07 PDT
Restoration (after)	Imminent Re-Energize (Prepare to Restore)	Imminent Re-energization	All affected customers	Edison	SDG&E 520 SDG&E 521	1/24/25 at 08:11 PDT 1/24/25 at 08:11 PDT
	Re-Energized (Restored in Scope and/or Restored No Longer in Scope)	Re-energization	All affected customers	Edison	SDG&E 520 SDG&E 521	1/24/25 at 12:33 PDT 1/24/25 at 13:36 PDT
	Event Concluded (Cancellation)	All Clear	All affected customers	Edison	RMV 1243	N/A

The figure below contains the Positive Notification Data for the Edison shared customers.

Designation	Total Number of Customers	Notification Attempts Made	Timing of Attempts	Who made the Notification Attempt	Successful Positive Notification
Medical Baseline	11	See table above	See table above	Edison	11
Self Certified	N/A	N/A	NA	Edison	N/A

There were no notification failures reported by Edison for shared customers. See Section 5.6 for more information.

Officer Verification

I am an officer of San Diego Gas & Electric Company and am authorized to make this verification on its behalf. I declare under penalty of perjury that the contents of the foregoing document are true to my own knowledge, except as to matters that are stated on information and belief, and as to those matters, I believe them to be true.

Executed this 24th day of February 2025, at San Diego, California.

/s/ Brian D'Agostino

Brian D'Agostino
Vice President – Wildfire & Climate Science
San Diego Gas & Electric Company

Appendix 1 - 7

Appendix 1 - 7

Appendix 1

Customer Notifications: Descriptions, Dates, Times, and Scripts of Notifications

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025
Appendix 1 – Customer Notifications: Descriptions, Dates, Times, and Scripts of Notifications

Overview of Communications by Method²

Notification Method	Total Notifications	Who Made the Notification
Email	479,513	SDG&E
Voice	464,339	SDG&E
Text Message	412,808	SDG&E
Total:	1,356,660	

Customer Notifications: Detailed Communications²

Count of Notifications by M Message- Appendix 1

Event Order	Description of Notification ¹	Required Minimum Timeline ³	Date	Time of First Notification	Time of Last Notification	Email	Voice	Text Message	Total Sent
Pre De-energization (Prior)	M2: 24-48 hours prior to a PSPS (Outage Warning)	48-24 hours	1/18/2025	1/18/2025 1:28:19 PM	1/23/2025 2:22:06 AM	140,609	140,324	125,725	406,658
	M3: 12 hours prior to PSPS (Outage Warning)	N/A	1/20/2025	1/20/2025 8:24:46 AM	1/23/2025 6:29:01 AM	34,060	33,184	29,325	96,569
	M4: Within 4 hours prior to PSPS (Outage Warning)	1-4 hours prior to PSPS (if possible)	1/20/2025	1/20/2025 7:56:29 AM	1/23/2025 12:27:02 PM	60,609	55,960	49,435	166,004
Initiation (During)	M6: PSPS Confirmed - Power is Out	When de-energization is initiated	1/20/2025	1/20/2025 8:08:24 AM	1/23/2025 7:51:29 PM	32,014	28,467	24,749	85,230
	M9: PSPS risk continues power remains off	N/A	1/21/2025	1/21/2025 4:17:59 PM	1/23/2025 7:34:47 PM	36,789	35,380	31,241	103,410
Restoration (After)	M16: Customers Transitioning onto a Microgrid (Outage Warning)	N/A	1/20/2025	1/20/2025 10:05:14 PM	1/20/2025 10:10:33 PM	428	363	291	1,082
	M10: Safety Inspections of Power Lines Started (Patrolling)	When re-energization efforts begin	1/21/2025	1/21/2025 2:05:12 PM	1/24/2025 8:45:10 AM	25,606	24,461	21,588	71,655
	M11: Power line Inspections damage found		1/24/2025	1/24/2025 12:22:10 PM	1/24/2025 12:22:10 PM	3	2	1	6
	M12: Power Restored; However, PSPS risk continues and PSPS possible	When re-energization is complete, but further de-energizations may occur	1/21/2025	1/21/2025 3:00:48 PM	1/23/2025 11:47:23 AM	10,316	9,231	8,110	27,657
	M12a: Power Restored; However, PSPS risk continues and PSPS possible	When re-energization is complete, but further de-energizations may occur	1/21/2025	1/21/2025 4:52:44 PM	1/21/2025 4:52:44 PM	63,900	63,882	57,216	184,998
	M17: Conditions Improved Customers Transitioning Off a Microgrid (Outage Alert)	N/A	1/22/2025	1/22/2025 8:34:02 AM	1/24/2025 7:23:07 AM	754	674	550	1,978
	M14: PSPS risk passed, If previous notification received, no longer at risk of losing power	When a PSPS event is cancelled	1/24/2025	1/24/2025 12:49:12 PM	1/24/2025 12:49:12 PM	54,966	54,919	49,412	159,297
M15: Power Restored (Final Notification)	When re-energization is complete	1/22/2025	1/22/2025 6:14:43 AM	1/24/2025 4:01:49 PM	19,459	17,492	15,165	52,116	
Totals:						479,513	464,339	412,808	1,356,660

¹Decision 19-05-042, Appendix A, Timing of Notification.

²The total number of notifications does not represent unique customers. Some customers received notifications through multiple channels.

³Decision 19-05-042, Appendix A, Timing of Notification.



2024/25 SDG&E PSPS Notification Scripts
Accountholders & PSPS App Users Only
2024/25 FINAL MESSAGES

Approved by Legal
June 18, 2024-January 10,2025

This page is intentionally left blank.

*Notifications made available in the following prevalent languages and American Sign Language (ASL):

- | | | | |
|---------------|--------------|----------------|-------------|
| 1. English | 7. Korean | 13. Farsi | 19. Punjabi |
| 2. Spanish | 8. Cantonese | 14. Japanese | 20. Somali |
| 3. Mandarin | 9. Arabic | 15. Khmer | 21. Mixtec |
| 4. Tagalog | 10. French | 16. Thai | 22. Zapotec |
| 5. Vietnamese | 11. German | 17. Hindu | |
| 6. Russian | 12. Armenian | 18. Portuguese | |

Message M1: 48-72 hours prior to PSPS (Outage Alert)

TEXT/ SMS	<p>PSPS Alert: Due to forecasted high fire risk conditions, SDG&E may need to shut off power for public safety in your area in 48-72 hrs. We will send more details as they become available. Visit SDGE.com/Ready for more information.</p> <p>Other languages: SDGE.com/m1t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M1</p>
VOICE	<p>Due to forecasted high fire risk conditions, SDG&E may need to shut off power for safety as a last resort in your area in 48-72 hours. If we shut off power, we will not turn it back on until the high fire risk has passed, and conditions are safe to do so. We may also open a Community Resource Center in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>We know being without electricity is difficult and appreciate your patience. We will provide regular updates until the risk has passed or power has been restored. Information about available resources can also be found at SDGE.com/Ready, in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: PSPS Alert: SDG&E Public Safety Power Shutoff likely in 48-72 hours</p> <p>Body Copy: Due to forecasted high fire risk conditions, SDG&E may need to shut off power for safety as a last resort in your area in 48-72 hours. If we shut off power, we will not turn it back on until the high fire risk has passed, and conditions are safe to do so. We may also open a Community Resource Center in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>We know being without electricity is difficult and appreciate your patience. We will provide regular updates until the risk has passed, or power has been restored. For more</p>

	<p>information, visit SDGE.com/Ready, the 'Alerts by SDG&E' app, our X.com page (formerly known as Twitter), or call 800-411-7343. If you see a downed power line, call 911. Please monitor your email for more updates.</p> <p>Read this message in other languages: SDGE.com/m1e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M1</p>
--	--

Message M2: 24-48 hours prior to a PSPS (Outage Warning)

TEXT/ SMS	<p>PSPS Warning: Due to forecasted high fire risk conditions, SDG&E may need to shut off power for public safety in your area within 24-48 hours. We will send more details as they become available. Visit SDGE.com/Ready for more information.</p> <p>Other languages: SDGE.com/m2t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M2</p>
VOICE	<p>Due to forecasted high fire risk conditions expected to begin within 24 to 48 hours, your area is currently under a Public Safety Power Shutoff Warning. We recommend you plan for an extended outage. If we shut off power to help reduce the risk of a wildfire, we will not turn it back on until the risk has passed, and conditions are safe to do so. We may also open a Community Resource Center in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>We know being without electricity is difficult and appreciate your patience. We will send you regular updates until the risk has passed or power has been restored. Information about available resources can also be found at SDGE.com/Ready, in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: PSPS Warning: SDG&E Public Safety Power Shutoff possible in 24-48 hours.</p> <p>Body Copy: Due to forecasted high fire risk conditions, your area is currently under a Public Safety Power Shutoff Warning and SDG&E may need to shut off power for safety as a last resort in 24-48 hours. We know being without electricity is difficult and we appreciate your patience.</p> <p>We will provide regular updates until the high fire risk has passed or power has been restored.</p> <p>What you need to know:</p> <ul style="list-style-type: none"> • SDG&E will continue to monitor weather and high fire risk conditions and will provide regular updates via text, voice and email. Weather forecasts can change quickly so power shutoff forecasts will be most accurate the day of the potential outage.

	<ul style="list-style-type: none"> • If power is shut off at your location to reduce the risk of a wildfire: <ul style="list-style-type: none"> ○ We will not turn it back on until the risk has passed, and conditions are safe to do so. ○ We may open a Community Resource Center (CRC) in your area where you can charge small electronics, get water and snacks, and find real-time outage information. • We recommend you plan for an extended outage. Talk with your household about your emergency plan. • If you have a backup generator, please do a safety check and make sure you have enough fuel to last several days. Generator safety tips can be found here (sdge.com/generator). • If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211. • In most cases, SDG&E expects to be able to turn power back on within 24 to 48 hours after high fire risk conditions have passed. However, if conditions continue, or repairs are needed to damaged power lines, power could stay off longer than 48 hours. • If you see a downed power line, do not touch it. Assume it is energized and extremely dangerous. Report it immediately by calling 911. <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, and where to find access to electricity when the Community Resource Center is closed, visit sdge.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. Please monitor your phone for more updates.</p> <p>Read this message in other languages: SDGE.com/m2e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M2</p>
--	---

MESSAGE M3: 12 hours prior to PSPS (Outage Warning)

TEXT/ SMS	<p>PSPS Warning: High fire risk conditions will likely require SDG&E to shut off power for public safety in your area within 12 hours. We will send more details as they become available. Visit SDGE.com/Ready for more information.</p> <p>Other languages: SDGE.com/m3t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M3</p>
VOICE	<p>Due to forecasted high fire risk conditions, SDG&E will likely need to shut off power in your area for safety as a last resort within the next 12 hours to reduce the risk of a wildfire. If we shut off power, we will not turn it back on until the high fire risk has passed, and conditions are safe to do so. We may also open a Community Resource Center in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>We know being without electricity is difficult and appreciate your patience. We will continue to send you regular updates until the risk has passed or power has been restored.</p>

	<p>Information about available resources can also be found at SDGE.com/Ready, in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: PSPS Warning: SDG&E Public Safety Power Shutoff likely in 12 hours.</p> <p>Body Copy: Due to forecasted high fire risk conditions in your area, SDG&E will likely need to shut off power for safety as a last resort in the next 12 hours to reduce the risk of a wildfire. We know being without electricity is difficult and we appreciate your patience.</p> <p>We will provide regular updates until the risk has passed or power has been restored.</p> <p>What you need to know:</p> <ul style="list-style-type: none"> • SDG&E will continue to monitor weather and high fire risk conditions and will provide regular updates. Weather forecasts can change quickly. Power shutoff forecasts will be most accurate the day of the potential outage. • If power is shut off at your location to reduce the risk of a wildfire: <ul style="list-style-type: none"> ○ We will not turn it back on until the risk has passed, and conditions are safe to do so. ○ We may open a Community Resource Center (CRC) in your area where you can charge small electronics, get water and snacks, and find real-time outage information. • We recommend you plan for an extended outage. Talk with your household about your emergency plan. • If you have a backup generator, please do a safety check and make sure you have enough fuel to last several days. Generator safety tips can be found here (sdge.com/generator). • If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211. • In most cases, SDG&E expects to be able to turn power back on within 24 to 48 hours after high fire risk conditions have passed. However, if conditions continue, or repairs are needed to damaged power lines, power could stay off longer than 48 hours. • If you see a downed power line, do not touch it. Assume it is energized and extremely dangerous. Report it immediately by calling 911. <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, and where to find access to electricity when the Community Resource Center is closed, visit sdge.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. Please monitor your email for more detailed communications.</p> <p>Read this message in other languages: SDGE.com/m3e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M3</p>

MESSAGE M4: Within 4 hours prior to PSPS (Outage Warning)

<p>TEXT/ SMS</p>	<p>PSPS Warning: High fire risk conditions will likely require SDG&E to shut off power for public safety in your area in the next 4 hours. If power is turned off for safety, we may open a Community Resource Center in your area. For more information and additional support, visit sdge.com/Ready. Please monitor your texts for more details.</p> <p>Other languages: SDGE.com/m4t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M4</p>
<p>VOICE</p>	<p>Forecasted high fire risk conditions will likely require SDG&E to shut off power in your area as a last resort within the next 4 hours to reduce the risk of a wildfire. If we shut off power, we will not turn it back on until the high fire risk has passed, and conditions are safe to do so. We may also open a Community Resource Center in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>We know being without electricity is difficult and appreciate your patience. We will continue to send you regular updates until the risk has passed or power has been restored. Information about available resources can also be found at SDGE.com/Ready, in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. We will notify you again if we shut power off. Weather could affect shutoff timing and wind-related outages could occur. Please monitor your phone for more updates. If you see a downed power line, call 911.</p> <p>Press 0 to listen to this message again.</p>
<p>EMAIL</p>	<p>Subject Line: PSPS Warning: SDG&E Public Safety Power Shutoff likely in the next 4 hours.</p> <p>Body Copy: Due to forecasted high fire risk conditions SDG&E will likely need to shut off power as a last resort in your area in the next 4 hours to reduce the risk of a wildfire. We know being without electricity is difficult and we appreciate your patience.</p> <p>Safety is our top priority during high fire risk conditions. We will provide regular updates until the risk has passed or power has been restored.</p> <p>What you need to know:</p> <ul style="list-style-type: none"> • SDG&E will continue to monitor weather and high fire risk conditions and will provide regular updates. Weather forecasts can change quickly. Power shutoff forecasts will be most accurate the day of the potential outage. • If power is shut off at your location to reduce the risk of a wildfire, <ul style="list-style-type: none"> ○ We will not turn it back on until the risk has passed, and conditions are safe to do so. ○ We may open a Community Resource Center (CRC) in your area where you can charge small electronics, get water and snacks, and find real-time outage information. • We recommend you plan for an extended outage. Talk with your household about your emergency plan.

	<ul style="list-style-type: none"> • If you have a backup generator, please do a safety check and make sure you have enough fuel to last several days. Generator safety tips can be found here (sdge.com/generator). • If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211. • In most cases, SDG&E expects to be able to turn power back on within 24 to 48 hours after high fire risk conditions have passed. However, if conditions continue, or repairs are needed to damaged power lines, power could stay off longer than 48 hours. • If you see a downed power line, do not touch it. Assume it is energized and extremely dangerous. Report it immediately by calling 911. <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, and where to find access to electricity when the Community Resource Center is closed, visit sdge.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. Please monitor your email for more updates.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m4e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M4</p>
--	---

MESSASE M5: Power may be shutoff overnight

TEXT/ SMS	<p>PSPS Warning: High fire risk conditions will likely force SDG&E to shut off power for public safety in your area sometime overnight. If power is turned off for safety, we may open a Community Resource Center in your area. For more information and additional support, visit sdge.com/Ready. Please monitor your texts for more updates.</p> <p>Other languages: SDGE.com/m5t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M5</p>
VOICE	<p>Forecasted high fire risk conditions will likely require SDG&E to shut off power in your area as a last resort sometime overnight to reduce the risk of a wildfire. If we shut off power for safety, we will not turn it back on until the high fire risk has passed, and conditions are safe to do so. We may also open a Community Resource Center in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>We know being without electricity is difficult and appreciate your patience. We will continue to send you regular updates until the risk has passed or power has been restored. Information about available resources can also be found at SDGE.com/Ready, in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. We will notify you again if we shut power off. Weather could affect shutoff timing and wind-related outages could occur. Please monitor your phone for more updates. If you see a downed power line, call 911.</p>

	<p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: PSPS Warning: SDG&E Public Safety Power Shutoff likely overnight</p> <p>Body Copy: Due to forecasted high fire risk conditions SDG&E will likely need to shut off power as a last resort in your area sometime overnight to reduce the risk of wildfire. We know being without electricity is difficult and we appreciate your patience.</p> <p>Safety is our top priority during high fire risk conditions. We will provide regular updates until the risk has passed or power has been restored.</p> <p>What you need to know:</p> <ul style="list-style-type: none"> • SDG&E will continue to monitor weather and high fire risk conditions and will provide regular updates. Weather forecasts can change quickly. • If power is shut off at your location to reduce the risk of a wildfire, <ul style="list-style-type: none"> ○ We will not turn it back on until the risk has passed, and conditions are safe to do so. ○ We may open a Community Resource Center (CRC) in your area where you can charge small electronics, get water and snacks, and find real-time outage information. • We recommend you plan for an extended outage. Talk with your household about your emergency plan. • If you have a backup generator, please do a safety check and make sure you have enough fuel to last several days. Generator safety tips can be found here (sdge.com/generator). • If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211. • In most cases, SDG&E expects to be able to turn power back on within 24 to 48 hours after high fire risk conditions have passed. However, if conditions continue, or repairs are needed to damaged power lines, power could stay off longer than 48 hours. • If you see a downed power line, do not touch it. Assume it is energized and extremely dangerous. Report it immediately by calling 911. <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, and where to find access to electricity when the Community Resource Center is closed, visit sdge.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. Please monitor your email for more updates.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m5e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M5</p>

MESSAGE M6: PSPS Confirmed – Power is Out

<p>TEXT/ SMS</p>	<p>High fire risk conditions have required SDG&E to shutoff power for public safety in your area. A Community Resource Center may be opened nearby. For more information and additional support, visit sdge.com/Ready. Please monitor your texts for more updates.</p> <p>More languages: SDGE.com/m6t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M6</p>
<p>VOICE</p>	<p>Power is out. Due to high fire risk weather conditions affecting power lines serving your community, SDG&E has turned off power to reduce the risk of a wildfire. Depending on weather and fire risk conditions, your power could be out for up to 72 hours. We know being without electricity is difficult and we appreciate your patience.</p> <p>SDG&E will continue to monitor weather and high fire risk conditions and will contact you with further updates. When conditions have passed, SDG&E will inspect the power lines to make sure they are safe to operate and determine when power can be turned back on. We may open a Community Resource Center in your area, where you can charge small electronics, get water and snacks, and learn more about the power outage in your area. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. Please monitor your phone for more updates.</p> <p>If you see a downed power line, do not touch it. Assume it is energized and extremely dangerous. Report it immediately by calling 911.</p> <p>Thank you again for your continued patience as we work to keep your community safe!</p> <p>Press 0 to listen to this message again.</p>
<p>EMAIL</p>	<p>Subject Line: SDG&E has shut off power for public safety in your area.</p> <p>Body Copy: Power is Out. Due to high fire risk weather conditions affecting power lines serving your community, SDG&E has turned off power to reduce the risk of a wildfire. Depending on weather and high fire risk conditions, your power could be out for up to 72 hours. We know being without electricity is difficult and we appreciate your patience.</p> <p>Safety is our top priority during these high fire risk conditions. We will provide regular updates until the risk has passed or power has been restored.</p> <p>What you need to know:</p> <ul style="list-style-type: none"> • SDG&E will continue to monitor weather and high fire risk conditions and will contact you with further updates.

	<ul style="list-style-type: none"> • When conditions have passed, SDG&E will inspect the power lines to make sure they are safe to operate and determine when power can be turned back on. We will work to turn service back on as soon as it is safe to do so. • We may open a Community Resource Center in your area, where you can charge small electronics, get water and snacks, and find real-time outage information. • Be prepared to use your personal family emergency plan, if needed. • If you have a backup generator, please do a safety check, and make sure you have enough fuel to last several days. Generator safety tips can be found here (sdge.com/generator). • If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211. • In most cases, SDG&E expects to be able to turn power back on within 24 to 48 hours after high fire risk conditions have passed. However, if conditions continue, or repairs are needed to damaged power lines, power could stay off longer than 48 hours. • If you see a downed power line, do not touch it. Assume it is energized and extremely dangerous. Report it immediately by calling 911. <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m6e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M6</p>
--	---

MESSAGE M7: PSPS will continue overnight

TEXT/ SMS	<p>High fire risk conditions have required SDG&E to shut off power for public safety in your area and power will remain off overnight. For details and resources, please visit SDGE.com/Ready and monitor your texts for more updates. If you see a downed power line, call 911.</p> <p>Other languages: SDGE.com/m7t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M7</p>
VOICE	<p>Thank you for your continued patience during this Public Safety Power Shutoff. SDG&E is inspecting the power lines for any damage to determine how quickly power can be turned back on safely. SDG&E crews will continue to work as long as conditions are safe; however, your power will remain off overnight.</p> <p>We know being without electricity is difficult and we appreciate your patience. We will provide updates until power has been restored. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p>

	<p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: SDG&E has shut off power for public safety. Power will remain out overnight.</p> <p>Body Copy: Thank you for your continued patience during this Public Safety Power Shutoff. SDG&E is inspecting the power lines for any damage to determine how quickly power can be turned back on safely. SDG&E crews will continue to work as long as conditions are safe; however, your power will remain off overnight.</p> <p>Safety is our top priority during these high fire risk conditions. We will provide regular updates until the power has been restored. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m7e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M7</p>

MESSAGE M8: CRC opened

TEXT/ SMS	<p>High fire risk weather conditions have required SDG&E to shutoff power for public safety in your area. Community Resource Center(s) is/are now open in your area. For details, please visit SDGE.com/Ready and monitor your texts for more updates. If you see a downed power line, call 911.</p> <p>More languages: SDGE.com/m8t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M8</p>
VOICE	<p>Due to high fire risk weather conditions affecting power lines serving your community, SDG&E has turned off power to reduce the risk of a wildfire. A Community Resource Center has been opened where you can charge small electronics, get water and snacks, and learn more about the power outage in your area. For more information or to find where</p>

	<p>to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready.</p> <p>We know being without electricity is difficult and we appreciate your patience. When conditions improve, SDG&E will inspect the power lines to make sure they are safe to operate and determine when power can be safely turned back on. We will provide regular updates until the risk has passed or power has been restored. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, and available support, visit sdge.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: SDG&E power remains off for public safety, Community Resource Center(s) are open.</p> <p>Body Copy: Due to high fire risk conditions affecting power lines serving your community, SDG&E has turned off power to reduce the risk of a wildfire. A Community Resource Center has been opened where you can charge small electronics, get water and snacks, and learn more about the power outage in your area. For more information or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready.</p> <p>Safety is our top priority during these high fire risk conditions. We will provide regular updates until the power has been restored. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, and available support, visit sdge.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m8e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M8</p>

MESSAGE M9: High fire risk continues; power remains off for safety

TEXT/ SMS	<p>Due to high fire risk conditions the power has been shut off, and will remain off, in your area for public safety. For more information and Community Resource Center locations, visit SDGE.com.com/Ready. If you see a downed power line, call 911. Please monitor your texts for more updates.</p>
--------------	---

	<p>More languages: SDGE.com/m9t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M9</p>
VOICE	<p>SDG&E power will remain off for public safety due to high fire risk conditions affecting power lines that serve your community. When conditions improve, SDG&E will inspect the power lines to make sure they are safe to operate and determine when power can be turned on.</p> <p>We know being without electricity is difficult and we appreciate your patience. We may open a Community Resource Center in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: SDG&E has shut power off for public safety and it will remain out.</p> <p>Body Copy: SDG&E power will remain off for public safety due to high fire risk conditions affecting power lines that serve your community. When high fire risk weather conditions improve, SDG&E will inspect the power lines to make sure they are safe to operate and determine when power can be turned on.</p> <p>We know being without electricity is difficult and we appreciate your patience. Safety is our top priority during high fire risk conditions. We will provide regular updates until the power has been restored. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m9e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M9</p>

MESSAGE M9a: High fire risk continues; power remains off for safety

<p>TEXT/ SMS</p>	<p>Due to high fire risk conditions the power has been shut off, and will remain off overnight, in your area for public safety. For more information and Community Resource Center locations, visit SDGE.com.com/Ready. If you see a downed power line, call 911. Please monitor your texts for more updates.</p> <p>More languages: SDGE.com/m9at. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M9a</p>
<p>VOICE</p>	<p>SDG&E power will remain off overnight for public safety due to high fire risk conditions affecting power lines that serve your community. When conditions improve, SDG&E will inspect the power lines to make sure they are safe to operate and determine when power can be turned on.</p> <p>We know being without electricity is difficult and we appreciate your patience. We may open a Community Resource Center in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
<p>EMAIL</p>	<p>Subject Line: SDG&E has shut power off for public safety and it will remain out overnight.</p> <p>Body Copy: SDG&E power will remain off overnight for public safety due to high fire risk conditions affecting power lines that serve your community. When high fire risk weather conditions improve, SDG&E will inspect the power lines to make sure they are safe to operate and determine when power can be turned on.</p> <p>We know being without electricity is difficult and we appreciate your patience. Safety is our top priority during high fire risk conditions. We will provide regular updates until the power has been restored. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m9ae. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M9a</p>

MESSAGE M10: Safety Inspections of Power Lines Started (Patrolling)

TEXT/ SMS	<p>Weather and high fire risk conditions have improved, and SDG&E crews are now inspecting power lines to make sure they are safe to operate and can be turned back on. For more information, please visit SDGE.com/Ready and monitor your texts for more updates. If you see a downed power line, call 911.</p> <p>Other languages: SDGE.com/m10t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M10</p>
VOICE	<p>Weather and high fire risk conditions have improved, and SDG&E crews are now inspecting power lines to make sure they are safe to operate and determine when power can be turned back on. Please be aware that some inspections could take place on your property.</p> <p>We know being without electricity is difficult and we appreciate your patience. For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: SDG&E is inspecting power lines and determining when power can be restored.</p> <p>Body Copy: Weather and high fire risk conditions have improved. SDG&E crews are now inspecting power lines to make sure they are safe to operate and determine when power can be turned back on. Please be aware that some inspections could take place on your property.</p> <p>If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211. For more information, including our outage map with estimated restoration times, Community Resource Center locations, or other available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911.</p> <p>We understand there is no good time to be without power and we appreciate your patience as we work as quickly and safely as possible to restore service.</p> <p>Read this message in other languages: SDGE.com/m10e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M10</p>

MESSAGE M11: Powerline Inspections - damage found

TEXT/ SMS	<p>Our power lines have been damaged due to high fire risk weather conditions and repairs will delay the restoration of your electric service. For more information and Community Resource Center locations, please visit SDGE.com/Ready and monitor your texts for updates. If you see a downed power line, call 911.</p> <p>Other languages: SDGE.com/m11t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M11</p>
VOICE	<p>Our power lines have been damaged due to high fire risk weather conditions and repairs will delay the restoration of your electric service. SDG&E crews are working to get the power back on as quickly as possible. We understand there is no good time to be without power and we appreciate your patience as we work as quickly and safely as possible.</p> <p>A Community Resource Center may be open in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. Please monitor your phone for more updates.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: SDG&E Public Safety Power Shutoff extended; Damage to Powerlines found</p> <p>Body Copy: Our power lines have been damaged due to high fire risk weather conditions and repairs will delay the restoration of your electric service. We understand there is no good time to be without power and we appreciate your patience as we work as quickly and safely as possible.</p> <p>A Community Resource Center may be open in your area where you can charge small electronics, get water and snacks, and find real-time outage information. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>We understand there is no good time to be without power and we appreciate your patience as we work as quickly and safely as possible to restore service. For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911.</p> <p>Read this message in other languages: additional languages: SDGE.com/m11e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M11</p>

--	--

MESSAGE M12: Power has been restored; High fire risk continues & PSPS still possible

TEXT/ SMS	<p>Due to a change in weather, high fire risk conditions have decreased in your area and SDG&E has turned your power back on. Because weather conditions may continue to change, your power may be shut off for public safety, potentially overnight. We will provide more information as it becomes available. For more information, please visit SDGE.com/Ready and monitor your texts for more updates. If you see a downed power line, call 911.</p> <p>Other languages: SDGE.com/m12t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M12</p>
VOICE	<p>Due to a change in weather, high fire-risk conditions have decreased in your area and SDG&E has turned your power back on. However, because weather conditions could change, your power may be shut off again for public safety, potentially overnight.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. Please monitor your phone for more updates.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: SDG&E has turned power back on, however, risk of PSPS continues.</p> <p>Body copy: Due to a change in weather, high fire risk conditions have decreased in your area and SDG&E has turned your power back on. However, because weather conditions could change, your power may still be shut off again for public safety, potentially overnight. We will provide more information as it becomes available.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m12e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M12</p>

MESSAGE M12a: Power may have been restored; High fire risk continues & PSPS still possible

TEXT/ SMS	<p>Because high fire risk weather conditions may continue to change, your power may still be at risk for further shutoffs. For more information, please visit SDGE.com/Ready and monitor your texts for more updates. If you see a downed power line, call 911.</p> <p>Other languages: SDGE.com/m12at. View in ASL: https://sdge.ahasalerts.com/activealerts.aspx?id=fr1 [sdge.ahasalerts.com]</p>
VOICE	<p>Because weather conditions could change, your power may still be at risk for further shutoffs.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. Please monitor your phone for more updates.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: Risk of further PSPS continues.</p> <p>Body copy: Because weather conditions could change, your power may still be at risk for further shut off.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m12ae. View in ASL: https://sdge.ahasalerts.com/activealerts.aspx?id=fr2 [sdge.ahasalerts.com]</p>

MESSAGE M13: Dry conditions may warrant additional PSPS

TEXT/ SMS	Thank you for your patience. Your risk for a Public Safety Power Shutoff has temporarily passed. However, unprecedented dry conditions continue, and you may be at risk for future shutoffs in the coming days. Please visit SDGE.com/Ready and monitor your texts for updates.
VOICE	
EMAIL	<p>Subject Line: Temporary relief from power shutoff; more possible</p> <p>Body Copy: Thank you for your patience. Your risk for a Public Safety Power Shutoff has temporarily passed. However, unprecedented dry conditions continue, and you may be at risk for future shutoffs in the coming days. Please visit SDGE.com/Ready and monitor your email for updates.</p> <p>Thank you again for your patience and understanding as we work to keep your community safe.</p>

MESSAGE M14: High fire risk has passed. If previous notification received, no longer at risk of losing power

TEXT/ SMS	<p>High fire risk conditions have passed, and you are no longer at risk of a Public Safety Power Shutoff. For more information, visit SDGE.com/Ready. Thank you.</p> <p>Additional languages: SDGE.com/m14t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M14</p>
VOICE	<p>High fire risk weather conditions have passed in your area. If you received a previous notification about a potential Public Safety Power Shutoff, you are no longer at risk of a power outage. For more information, please visit SDGE.com/Ready or by calling 800-411-7343.</p> <p>Thank you again for your patience as we work to keep your community safe.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: High fire risk has passed; you are no longer at risk of a PSPS.</p> <p>Body Copy: High fire risk conditions have passed in your area and you are no longer at risk of a Public Safety Power Shutoff. If you received a previous notification about a potential Public Safety Power Shutoff, you are no longer at risk of a power outage. For more information, please visit SDGE.com/Ready or by calling 800-411-7343.</p> <p>Thank you again for your patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m14e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M14</p>

MESSAGE M15: Power Restored (Final Notification)

TEXT/ SMS	<p>High fire risk conditions have passed, and your power should now be back on. If the power is still out, please call 1-800-411-7343. Please visit SDGE.com/Ready for up-to-date information.</p> <p>Other languages: SDGE.com/m15t. View in ASL: https://sdge.ahasalerts.com/activealerts.aspx?id=fr3 [sdge.ahasalerts.com]</p>
VOICE	<p>High fire risk conditions have passed and your power should now be back on. If the power is still out, please call 1-800-411-7343.</p> <p>We understand there is no good time to be without power and we thank you again for your patience as we work to keep your community safe.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: SDG&E power restored; your power should be back on.</p>

	<p>Body Copy: This is an important safety message from SDG&E about a recent public safety power shutoff affecting your service. Your power should now be back on. If the power is still out, please call 1-800-411-7343. The high fire risk weather conditions have passed.</p> <p>We understand there is no good time to be without power and we thank you again for your continued patience as we work to keep your community safe.</p> <p>Read this message in other languages: SDGE.com/m15e. View in ASL: https://sdge.ahasalerts.com/activealerts.aspx?id=fr4 [sdge.ahasalerts.com]</p>
--	--

Message M16: Customers Transitioning onto a Microgrid (Outage Warning)

TEXT/ SMS	<p>PSPS Warning: Due to forecasted high fire risk conditions, SDG&E may need to shut off power for public safety in your area. If we shut off power, microgrid backup power will be provided to your location to shorten your outage time. Your power may be out for up to an hour while your electric service is being connected to the microgrid. For more information and additional support, please visit SDGE.com/Ready. We will send more details as they become available.</p> <p>Other languages: SDGE.com/m16t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M16</p>
VOICE	<p>Due to forecasted high fire risk conditions, your area is currently under a Public Safety Power Shutoff Warning. If we shut off power to help reduce the risk of a wildfire, microgrid backup power will be provided to your location to shorten your outage time. You may be without power for up to an hour while SDG&E connects your location to microgrid backup power.</p> <p>When high fire risk conditions have passed, you will be reconnected to the electric grid, and you will be notified. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>We know being without electricity is difficult and appreciate your patience. We will send you updates until the risk has passed or power has been restored. Information can also be found at SDGE.com/Ready, in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: PSPS Warning - SDG&E Public Safety Power Shutoff possible</p> <p>Body Copy: Due to forecasted high fire risk conditions, your area is currently under a Public Safety Power Shutoff Warning. If we shut off power to reduce the risk of a wildfire, microgrid backup power will be provided to your location to shorten your outage time. You</p>

	<p>may be without power for up to an hour while SDG&E connects your location to microgrid backup power.</p> <p>When high fire risk conditions have passed, you will be reconnected to the electric grid, and you will be notified. If you rely on uninterrupted power for your health and safety, or need assistance, additional support may be available by dialing 211 or (VRS) 858-300-1211.</p> <p>For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit SDGE.com/Ready. Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Read this message in other languages: SDGE.com/m16e. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M16</p>
--	---

Message M17: Conditions Improved; Customers Transitioning Off a Microgrid (Outage Alert)

TEXT/ SMS	<p>High fire risk weather conditions have improved. SDG&E crews are finishing inspections of power lines and you will be disconnected from the microgrid backup power when it is safe to do so. Your power may remain out for up to an hour as your electric service is reconnected to the electric grid. For more information and additional support, please visit SDGE.com/Ready. We will send more details as they become available.</p> <p>Other languages: SDGE.com/m17t. View in ASL: https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M17</p>
VOICE	<p>High fire risk weather conditions have improved, and SDG&E crews are finishing inspections of power lines that serve your community. When it's safe to so do, you will be disconnected from microgrid backup power and reconnected to the electric grid. Your power may be out for up to an hour during this process.</p> <p>We know being without electricity is difficult and appreciate your patience. We will send you updates until the risk has passed or power has been restored. Information can also be found at SDGE.com/Ready, in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.</p> <p>Press 0 to listen to this message again.</p>
EMAIL	<p>Subject Line: High Fire Risk Conditions Improved; Disconnection from Microgrid Backup Power</p> <p>Body Copy: High fire risk weather conditions have improved. SDG&E crews are finishing inspections of power lines that serve your community. When it is safe to so do, you will be disconnected from microgrid backup power and reconnected to the electric grid. Your power may be out for up to an hour during this process.</p>

We understand there is no good time to be without power and appreciate your patience as we work as quickly and safely as possible.

For more information, including our outage map with estimated restoration times, Community Resource Center locations, available support, or to find where to access electricity when the Community Resource Center is closed, visit [SDGE.com/Ready](https://sdge.com/Ready). Details can also be found in the 'Alerts by SDG&E' app, on our X.com page (formerly known as Twitter), or by calling 800-411-7343. If you see a downed power line, call 911. Please monitor your phone for more updates.

Read this message in other languages: [SDGE.com/m17e](https://sdge.com/m17e). View in ASL:
<https://sdge.ahasalerts.com/ActiveAlerts.aspx?id=M17>

###

Appendix 2

Public Safety Partner Notifications: Descriptions, Dates, Times, and Copies of Notifications

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025
Appendix 2 – Public Safety Partner Notifications: Descriptions, Dates, Times, and Copies of Notifications

Event Order	Type of Notification	Recipients	Description	Date/Time Contacted	Who Made the Notification
Pre-de-energization (prior)	48-72 Hours	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E Public Safety Power Shutoff Possible in 48-72 Hours	1/17/2025 at 12:39 PDT	SDG&E
	24-48 Hours	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E Public Safety Power Shutoff possible in 24-48 hours.	1/18/2025 at 12:54 PDT	SDG&E
	Imminent	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E Public Safety Power Shutoff possible within 12 hours. SDG&E's Emergency Operations Center activating at 6 p.m.	1/19/2025 at 12:15 PDT 1/20/2025 at 9:04 PDT	SDG&E
Initiation (during)	De-Energized	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E has shut off power for public safety	1/20/2025 at 10:08 PDT 1/20/2025 at 22:24 PDT 1/21/2025 at 1:28 PDT 1/21/2025 at 5:39 PDT 1/21/2025 at 11:35 PDT 1/22/2025 at 21:36 PDT	SDG&E
	Update #1	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E has shut off power for public safety	1/20/2025 at 15:56 PDT 1/23/2025 at 5:27 PDT	SDG&E
	Update #2	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E has shut off power for public safety	1/20/2025 at 20:40 PDT 1/23/2025 at 11:14 PDT 1/23/2025 at 13:53 PDT 1/23/2025 at 19:25 PDT	SDG&E
	Update #3	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E has shut off power for public safety, Community Resource Centers to Open	1/20/2025 at 10:53 PDT 1/23/2025 at 9:26 PDT	SDG&E
Restoration (after)	Imminent Re-Energize	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E power remains turned off for public safety. SDG&E is determining when power can be turned back on.	1/21/2025 at 15:01 PDT 1/24/2025 at 8:31 PDT	SDG&E
	Update #4	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E has shut off power for public safety. Power will remain out overnight	1/21/2025 at 16:28 PDT 1/22/2025 at 8:54 PDT	SDG&E
	Re-Energized	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E continues to restore power to impacted areas.	1/24/2025 at 12:31 PDT	SDG&E
Post-event	Event Concluded	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	Final Notification: SDG&E Public Safety Power Shutoff event has ended	1/24/2025 at 16:31 PDT	SDG&E
	Event concluded - Survey	Public safety partners including local and tribal governments, water/wastewater, emergency management, communications providers, hospitals and CBOs.	SDG&E Survey Request on Recent Public Safety Power Shutoff	1/24/2025 at 16:31 PDT	SDG&E

SDG&E Emergency Management
CalOES & County OES Warning Center Notifications

Op Period	Notification Type	Time (Of Submission)	Date (Of Request)	Initiated By (Jurisdiction Name)	Information Source	CalOES Confirmation (Rep Name, Time Confirmed)	Message Contents/Notes
1	Contact CalOES & County OES Warning Center	12:02	01/17/25	SDG&E	Sit Stat Unit	Nick Womack @1203	CalOES Form 1 Submitted @ 1202 hours – CalOES Nick Womack confirmed receipt at 1203 hours. San Diego County OES – Called at 1204 and phone sent to voicemail. Voicemail left at 1205 hours. Attempt two resulted in the same at 1207 hours
2	Contact CalOES & County OES Warning Center	6:57	01/17/25	SDG&E	Sit Stat Unit	Fuchinh Xiong @ 0659	CalOES Form 2 Submitted @ 06:57 hours San Diego County OES- Laura Caracciolo confirmed receipt at 06:58 hours. CalOES Warning Center-Fuchinh Xiong Confirmed receipt at 6:59 hours.
2	Contact CalOES & County OES Warning Center	12:19	01/17/25	SDG&E	Sit Stat Unit	Nick Womack @ 1220	CalOES Form 3 Submitted @ 12:19 hours San Diego County OES- Laura Caracciolo confirmed receipt at 12:21 hours. CalOES Warning Center-Nick Womack confirmed receipt at 12:20 hours.
2	Contact CalOES & County OES Warning Center	14:53	01/18/25	SDG&E	Sit Stat Unit	Benito Soto @ 1458	CalOES Form 4 Submitted @ 1453 hours San Diego County OES- Laura Caracciolo confirmed 14:56 hours. CalOES Warning Center-Benito Soto confirmed receipt at 1458 hours.
3	Contact CalOES & County OES Warning Center	6:55	01/19/25	SDG&E	Sit Stat Unit	Sam Montoya @ 0656	CalOES Form 5 Submitted @ 0655 hours – CalOES Sam Montoya confirmed receipt at 0656 hours. San Diego County OES Laura Caracciolo confirmed receipt at 0658 hours.
3	Contact CalOES & County OES Warning Center	14:55	01/19/25	SDG&E	Sit Stat Unit	Benito Soto @ 1456	CalOES Form 6 Submitted - CalOES Form 6 Submitted @ 1455 hours – CalOES Benito Soto confirmed receipt at 1456 hours. San Diego County OES Laura Caracciolo confirmed receipt at 1458 hours.
4	Contact CalOES & County OES Warning Center	7:00	01/20/25	SDG&E	Sit Stat Unit	Dave Hetland @ 0702	CalOES Form 7 Submitted at 0700 - Dave Hetland at CalOES confirmed receipt at 0702 and Laura Caracciolo at County OES confirmed at 0703
4	Contact CalOES & County OES Warning Center	8:17	01/20/25	SDG&E	Sit Stat Unit	Benito Soto @ 0818	CalOES Form 8 Submitted at 0817. Benito Soto at CalOES confirmed receipt at 0818 and Laura Caracciolo at County OES confirmed at 0819
4	Contact CalOES & County OES Warning Center	15:00	01/20/25	SDG&E	Sit Stat Unit	Benito Soto @ 1501	CalOES Form 9 submitted at 1500. Benito Soto at CalOES confirmed receipt at 1501 and Laura Caracciolo at County OES confirmed at 1502
6	Contact CalOES & County OES Warning Center	6:56	01/21/25	SDG&E	Sit Stat Unit	Rosa Pulido @ 0658	CalOES Form 10 Submitted @ 0656 hours – CalOES Rosa Pulido confirmed receipt at 0658 hours. San Diego County OES Laura Caracciolo confirmed receipt at 0659 hours
6	Contact CalOES & County OES Warning Center	14:23	01/21/25	SDG&E	Sit Stat Unit	Rosa Pulido @1425	CalOES Form 11 Submitted @ 1423 hours – CalOES Rosa Pulido confirmed receipt at 1425 hours. San Diego County OES Laur Caracciolo confirmed receipt at 1426
8	Contact CalOES & County OES Warning Center	6:59	01/22/25	SDG&E	Sit Stat Unit	Joe Lurea @ 0703	CalOES Form 12 Submitted @ 0659 hours – CalOES Joe Lurea confirmed receipt at 0703 hours. San Diego County OES Laura Caracciolo confirmed receipt at 0704 hours.
8	Contact CalOES & County OES Warning Center	15:00	01/22/25	SDG&E	Sit Stat Unit	Nick Womack @1502	CalOES Form 13 Submitted @ 1500 hours –CalOES Nick Womack confirmed receipt at 1502 hours. San Diego County OES Laura Caracciolo confirmed receipt at 1503 hours.
10	Contact CalOES & County OES Warning Center	7:00	01/23/25	SDG&E	Sit Stat Unit	Nick Womack @ 0703	CalOES Form 14 Submitted @ 0700 hours – CalOES Nick Womack confirmed receipt at 0703 hours. San Diego County OES Laura Caracciolo confirmed receipt at 0704 hours.
10	Contact CalOES & County OES Warning Center	14:58	01/23/25	SDG&E	Sit Stat Unit	Nick Womack @ 1500	CalOES Form 15 Submitted @ 1458 hours – CalOES Nick Womack confirmed receipt at 1500 hours. San Diego County OES Laura Caracciolo confirmed receipt at 1504 hours.
12	Contact CalOES & County OES Warning Center	7:00	01/24/25	SDG&E	Sit Stat Unit	Benito Soto @ 0705	CalOES Form 16 Submitted @ 0700 hours – CalOES Benito Soto confirmed receipt at 0705 hours. San Diego County OES Nick Tomlinson confirmed receipt at 0706 hours.
12	Contact CalOES & County OES Warning Center	15:00	01/24/25	SDG&E	Sit Stat Unit	Benito Soto @ 1501	CalOES Form 17 Submitted @ 1500 hours – CalOES Benito Soto confirmed receipt at 1501 hours. San Diego County OES Edwin Ullua confirmed receipt at 1503 hours.
12	Contact CalOES & County OES Warning Center	16:27	1/24/2025	SDG&E	Sit Stat Unit	Benito Soto @ 1628	CalOES Form 18 Submitted @ 1627 hours – CalOES Benito Soto confirmed receipt at 1628 hours. San Diego County OES Nick Tomlinson confirmed receipt at 1629 hours.

PSPS IOU Notification Forms SDG&E Viewer

Notifications (most recent first)

Utility	Event Name	Stage	Submission Number	Customers Potentially Impacted	Customers De-Energized	Submission Date
SDG&E	SDG&E PSPS Event 01/20/25	Event Concluded	18	0	0	January 24 2025, 16:11:00
SDG&E	SDG&E PSPS Event 01/20/25	Re-energization Initiated	17	36,147	787	January 24 2025, 14:47:00
SDG&E	SDG&E PSPS Event 01/20/25	Re-energization Initiated	14	33,638	20,110	January 24 2025, 06:45:00
SDG&E	SDG&E PSPS Event 01/20/25	Re-energization Initiated	15	34,949	14,799	January 23 2025, 14:46:00
SDG&E	SDG&E PSPS Event 01/20/25	Re-energization Initiated	14	44,642	10,281	January 23 2025, 06:46:00
SDG&E	SDG&E PSPS Event 01/20/25	Re-energization Initiated	13	44,400	9,048	January 22 2025, 14:45:00
SDG&E	SDG&E PSPS Event 01/20/25	Re-energization Initiated	12	46,504	15,523	January 22 2025, 06:47:00
SDG&E	SDG&E PSPS Event 01/20/25	Re-energization Initiated	11	46,525	16,741	January 21 2025, 14:09:00
SDG&E	SDG&E PSPS Event 01/20/25	De-energization Initiated	10	49,260	14,266	January 21 2025, 06:42:00
SDG&E	SDG&E PSPS Event 01/20/25	De-energization Initiated	9	82,539	1,886	January 20 2025, 14:31:00
SDG&E	SDG&E PSPS Event 01/20/25	De-energization Initiated	8	83,991	18	January 20 2025, 06:07:00
SDG&E	SDG&E PSPS Event 01/20/25	Activating PSPS Protocols/Potential to De-energize	7	83,609	0	January 20 2025, 05:59:00
SDG&E	SDG&E PSPS Event 01/20/25	Activating PSPS Protocols/Potential to De-energize	6	83,609	0	January 19 2025, 14:38:00
SDG&E	SDG&E PSPS Event 01/20/25	Activating PSPS Protocols/Potential to De-energize	5	83,609	0	January 19 2025, 06:47:00

Event: All Events | Date Range: 01/17/2025 - 01/30/2025

Refresh browser or select a filter. The upper right-hand corner of this page will load
 To select only single, lists or the ongoing data, hold the ctrl key and click on the desired grid code

Submission Details

SDG&E

Event: SDG&E PSPS Event 01/20/25

PSPS Stage(s): Event Concluded
 Submission #: 18
 Weather Event: 1/20/25 at 0600 hours to 01/24/25 at 1700 hours
 Executive Briefing Information: 15:00 | 858-284-1504, 956-7620699
 Operational Briefing Information: 15:00 | 858-284-1504, 956-7620699

Customers Potentially Impacted: 0
 Medical Baseline Customers Potentially Impacted: 0
 Potentially Impacted County(s): none
 Customers Currently De-energized: 0
 Medical Baseline Customers Currently De-energized: 0
 County(s) Currently Impacted by De-energization: none
 Highest Number of Customers De-energized as of this Notification: 20,110
 Current Number of Customers with Power Restored: 0
 Current Number of Medical Baseline Customers with Power Restored: 0
 Customers Restored Using Islanding or Backup Generation: 354

Event Concluded with De-energization
 Total Customers Re-energized: 27,237
 Counties Re-energized: San Diego
 Customers Remaining Re-energized: No

Contact Information
 ES Emergency On Duty - Primary: es@sdge.com | 858-284-1725
 Mona Freels - Secondary: mona@sdge.com | 417-266-1271

Notes:
 Please view the shared GIS layer and Partner Portal for live information. <https://portal.sdgepartners.com>
 Time Date Performed: January 24 2025, 16:13:00
 Submission Date: January 24 2025, 14:24:39

Notifications (most recent first)						
Utility	Event Name	Stage	Submission Number	Customers Potentially Impacted	Customers De-Energized	Submission Date
SDG&E	SDG&E PPS Event 01/20/25	Activating PPS Protocols/Potential to De-energize	4	83,609	0	January 18 2025, 14:29:00
SDG&E	SDG&E PPS Event 01/20/25	Activating PPS Protocols/Potential to De-energize	3	83,609	0	January 18 2025, 12:01:00
SDG&E	SDG&E PPS Event 01/20/25	Activating PPS Protocols/Potential to De-energize	2	147,745	0	January 18 2025, 06:46:00
SDG&E	SDG&E PPS Event 01/20/25	Activating PPS Protocols/Potential to De-energize	1	147,745	0	January 17 2025, 11:42:00

Bottom element is subject to change in the upper right-hand corner if data does not load
 To select date ranges, click on the beginning date, hold the shift key and click on the desired end date

Submission Details

SDG&E

Event: SDG&E PPS Event 01/20/25

PPSP Stage(s): Activating PPS Protocols/Potential to De-energize
 Submission #: 4
 Weather Event: 01/20/2025 at 0600 hours to 01/22/2025 at 1200 hours
 Executive Briefing Information: 15:00 | +1 858-784-1506, 9567620694
 Operational Briefing Information: 15:00 | +1 858-284-1506, 9567620694

Customers Potentially Impacted: 83,609
 Medical Baseline Customers Potentially Impacted: 5,935
 Potentially Impacted County(s): Orange, San Diego
 Customers Currently De-energized: 0
 Medical Baseline Customers Currently De-energized: 0
 County(s) Currently Impacted by De-energization: none
 Highest Number of Customers De-energized as of this Notification: 0
 Current Number of Customers with Power Restored: 0
 Current Number of Medical Baseline Customers with Power Restored: 0

Contact Information

ES Emergency On-Duty - Primary
 emod@sdge.com
 619-593-6173

Mona Frieels - Secondary
 MFrieels@sdge.com
 619-250-6131

Notes:
 Please view the shared GIS layer and Partner Portal for live information. <https://portal.sdgepartners.com>
 Time Dep Rollout January 18 2025, 14:03:06
 Submission Date: January 18 2025, 14:03:06

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Friday, January 17, 2025 12:39 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E Public Safety Power Shutoff Possible in 72 Hours. SDG&E's Emergency Operations Center Activated at 12:01 p.m.

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

Report Suspicious

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer in the [Partner Portal \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://mqxzz1le.r.us-west-2.amazonaws.com) to share with your communities.

SDG&E is monitoring possible high fire weather conditions forecasted to begin within 48-72 hours.

These conditions may force SDG&E to initiate a Public Safety Power Shutoff (PSPS) where we proactively turn off power to reduce the risk of a wildfire for customers in high-risk areas.

SDG&E's Emergency Operations Center activated at 12:01 p.m. on Friday, January 17. The estimated start time of the PSPS is 6 p.m. on Monday, January 20. We anticipate it could last until noon on Wednesday, January 22 with power being turned back on around 3 p.m. on Thursday, January 23. Please note that power restoration is dependent on weather conditions and can change.

Approximately 167,745 customers, including 10,069 Medical Baseline customers, in the following communities are being notified of the potential for a PSPS.

- Alpine
- Barona Reservation
- Bonita
- Boulevard
- Campo
- Campo Reservation
- Capitan Grande Reservation
- Chula Vista
- Descanso
- East San Juan Cap
- El Cajon
- Encinitas
- Escondido

- Fallbrook
- Granite Hills
- Jacumba
- Jamul
- Jamul Indian Village
- Julian
- La Jolla Reservation
- La Mesa
- La Posta Reservation
- Laguna Niguel
- Lakeside
- Linda Vista
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Miramar
- Oceanside
- Pala
- Pala Reservation
- Pauma and Yuima Reservation
- Pauma Valley
- Pechanga Reservation
- Penasquitos
- Poway
- Ramona
- Ranchita
- Rancho Bernardo
- Rancho Santa Fe
- Rincon Reservation
- San Clemente
- San Diego
- San Juan Capistrano
- San Marcos
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Santee
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Vista
- Warner Springs

If power is shut off, we will not turn it back on until conditions are safe to do so. We know being without electricity is difficult and we appreciate your patience and partnership as we keep safety our top priority during these potential high fire risk conditions. Please monitor your email for more detailed communication tomorrow.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is available in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

To ensure you continue receiving notifications without interruption, please add the above email addresses to your organization's safelist.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sgdgeliasonofficernotifications@sdge.com
Sent: Saturday, January 18, 2025 12:55 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E Public Safety Power Shutoff Possible in 48 Hours

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

Report Suspicious

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) to share with your communities.

The National Weather Service has issued a Fire Weather Watch to be in effect for San Diego County mountains and valleys and Inland Orange County from 10 a.m. Monday, January 20 to 10 p.m. Tuesday, January 21. High fire risk conditions could impact the electric infrastructure serving local communities.

These conditions may force SDG&E to initiate a Public Safety Power Shutoff (PSPS) where we proactively turn off power to reduce the risk of a wildfire for customers in high-risk areas.

Approximately 83,609 customers, including 5,935 Medical Baseline customers, in the following communities are being notified of the potential for a PSPS.

- Alpine
- Barona Reservation
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Capitan Grande Reservation
- Descanso
- East San Juan Capistrano
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation

- La Posta Reservation
- Lakeside
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala Reservation
- Pauma and Yuima Reservation
- Pauma Valley
- Pechanga Reservation
- Poway
- Ramona
- Ranchita
- Rancho Bernardo
- Rancho Santa Fe
- Rincon Reservation
- San Diego
- San Marcos
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Santee
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Warner Springs

The estimated start time of the PSPS is 6 a.m. on Monday, January 20. We anticipate it could last until noon on Wednesday, January 22 with power being turned back on around 3 p.m. on Thursday, January 23. Please note that power restoration is dependent on weather conditions and can change.

If you have obtained geographic information systems (GIS) data access from SDG&E, you will be able to receive GIS data via secure data transfer. If you have not set up access or have problems accessing this link, please see [Public Safety Power Shutoff map \[mqxzz1le.r.us-west-2.awstrack.me\]](#).

Another notification will be sent when conditions change or if we turn off power for safety.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is also available in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer

SDGELiaisonOfficerNotifications@sdge.com

858-503-5450

Emergency Management Duty Officer

eseodsge@sdge.com

858-503-5173

Access and Functional Needs Liaison

AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:

800-411-7343

sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy](http://privacy.policy) [mqxzz1le.r.us-west-2.awstrack.me]

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sgdgeliasonofficernotifications@sdge.com
Sent: Sunday, January 19, 2025 12:16 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E Public Safety Power Shutoff possible in 24 hours

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

Report Suspicious

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) to share with your communities.

The National Weather Service has issued a Red Flag Warning to be in effect for San Diego County mountains and valleys and Inland Orange County from 10 a.m. Monday, January 20 to 10 p.m. Tuesday, January 21. High fire risk conditions could impact the electric infrastructure serving local communities.

These conditions may force SDG&E to initiate a Public Safety Power Shutoff (PSPS) where we proactively turn off power to reduce the risk of a wildfire for customers in high-risk areas.

Approximately 83,609 customers, including 5,935 Medical Baseline customers, in the following communities are being notified of the potential for a PSPS.

- Alpine
- Barona Reservation
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Capitan Grande Reservation
- Descanso
- East San Juan Capistrano
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation

- La Posta Reservation
- Lakeside
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala Reservation
- Pauma and Yuima Reservation
- Pauma Valley
- Pechanga Reservation
- Poway
- Ramona
- Ranchita
- Rancho Bernardo
- Rancho Santa Fe
- Rincon Reservation
- San Diego
- San Marcos
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Santee
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Warner Springs

The estimated start time of the PSPS is 6 a.m. on Monday, January 20. We anticipate it could last until 5 p.m. on Friday, January 24 with power being turned back on around 5 p.m. on Saturday, January 25. Please note that power restoration is dependent on weather conditions and can change.

If you have obtained geographic information systems (GIS) data access from SDG&E, you will be able to receive GIS data via secure data transfer. If you have not set up access or have problems accessing this link, please see [Public Safety Power Shutoff map \[mqxzz1le.r.us-west-2.awstrack.me\] \[mqxzz1le.r.us-west-2.awstrack.me\]](#).

Another notification will be sent when conditions change or if we turn off power for safety.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\] \[mqxzz1le.r.us-west-2.awstrack.me\]](#). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\] \[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\] \[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is also available in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
sdge.com/Ready [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#)

Thank you,

SDG&E Liaison Officer

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Monday, January 20, 2025 9:04 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E Public Safety Power Shutoff likely in 1-4 hours

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Forecasted high fire risk conditions likely to impact electric infrastructure that serves your community may force SDG&E to initiate a Public Safety Power Shutoff (PSPS), where we will proactively turn off power in the next 1 to 4 hours to reduce the risk of wildfire. If a PSPS occurs, we will not turn it back on until conditions are safe to do so. We know being without electricity is difficult and we appreciate your patience as we keep safety our top priority during these high fire risk conditions.

The National Weather Service has issued a Red Flag Warning to be in effect for San Diego County mountains and valleys and Inland Orange County from 10 a.m. Monday, January 20 to 10 p.m. Tuesday, January 21. High fire risk conditions could impact the electric infrastructure serving local communities.

These conditions may force SDG&E to initiate a Public Safety Power Shutoff (PSPS) where we proactively turn off power to reduce the risk of a wildfire for customers in high-risk areas.

Approximately 83,625 customers, including 5,935 Medical Baseline customers, in the following communities are being notified of the potential for a PSPS.

- Alpine
- Barona Reservation
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Capitan Grande Reservation
- Descanso

- East San Juan Capistrano
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Lakeside
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Otay Mesa Border
- Pala Reservation
- Pauma and Yuima Reservation
- Pauma Valley
- Pechanga Reservation
- Poway
- Ramona
- Ranchita
- Rancho Bernardo
- Rancho Santa Fe
- Rincon Reservation
- San Diego
- San Marcos
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Santee
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Warner Springs

The estimated start time of the PSPS is 6 a.m. on Monday, January 20. We anticipate it could last until 5 p.m. on Friday, January 24 with power being turned back on around 5 p.m. on Saturday, January 25. Please note that power restoration is dependent on weather conditions and can change.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdg&e.partnerportal.us-west-2.amazonaws.com). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdg&e.alerts.us-west-2.amazonaws.com), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer

SDGELiaisonOfficerNotifications@sdge.com

858-503-5450

Emergency Management Duty Officer

eseodsdge@sdge.com

858-503-5173

Access and Functional Needs Liaison

AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:

800-411-7343

sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy](http://mqxzz1le.r.us-west-2.awstrack.me) [mqxzz1le.r.us-west-2.awstrack.me]

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Monday, January 20, 2025 10:09 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

Report Suspicious

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk conditions impacting electric infrastructure, the power has been turned off for safety to portions of the following communities:

- Boulevard
- Campo Reservation
- Descanso

As of Monday, January 20 at 9:00 a.m., SDG&E has implemented PSPS for 3 circuits/devices, impacting 456 customer accounts, including 30 Medical Baseline (MBL) customers in the communities of Descanso and Boulevard. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy](#) [mqxzz1le.r.us-west-2.awstrack.me]

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Monday, January 20, 2025 10:53 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E power remains turned off for public safety. Community Resource Centers to open

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

Report Suspicious

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Monday, January 20 at 9:00 a.m., SDG&E has implemented PSPS for 3 circuits/devices, impacting 456 customer accounts, including 30 Medical Baseline (MBL) customers in the communities of Descanso and Boulevard. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

The power has been turned off for to portions of the following communities:

- Boulevard
- Campo Reservation
- Descanso

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready [mqxzz1le.r.us-west-2.amazonaws.com].

Boulevard Community Resource Center
Boulevard Community Center

39919 Ribbonwood Rd.
Boulevard, CA 91905

Descanso Community Resource Center
Descanso Branch Library
9545 River Drive
Descanso, 91916

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#)

Thank you,
SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](#)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Monday, January 20, 2025 3:56 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E power remains turned off for public safety. Community Resource Centers to open

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

Report Suspicious

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Monday, January 20 at 3:30p.m., SDG&E has implemented PSPS for 5 circuits/devices, impacting 1,086 customer accounts, including 47 Medical Baseline (MBL) customers in the communities of Descanso and Boulevard. Restoration is currently estimated no later than Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

The power has been turned off for to portions of the following communities:

- Boulevard
- Campo Reservation
- Descanso
- Warner Springs

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready [mqxzz1le.r.us-west-2.awstrack.me].

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd.
Boulevard, CA 91905

Descanso Community Resource Center
Descanso Branch Library
9545 River Drive
Descanso, 91916

Warner Springs Community Resource Center
30950 Highway 79, Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#)

Thank you,
SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://mqxzz1le.r.us-west-2.amazonaws.com)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Monday, January 20, 2025 8:40 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Monday, January 20 at 8:00 p.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 15 circuits/devices, impacting 5,458 customer accounts, including 311 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Potrero
- Santa Isabel
- Santa Isabel Reservation
- Warner Springs

As of 8:00 p.m., power has been turned off to 5,458 customers and 311 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit [sdge.com/ready](https://www.sdge.com/ready) [[mqxzz1le.r.us-west-2.awstrack.me](https://www.sdge.com/ready)] [[mqxzz1le.r.us-west-2.awstrack.me](https://www.sdge.com/ready)].

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd.
Boulevard, CA 91905

Descanso Community Resource Center
Descanso Branch Library
9545 River Drive
Descanso, 91916

Julian Community Resource Center
Whispering Winds Catholic Camp
17606 Harrison Park Road
Julian, 92036

Pine Valley Community Resource Center
Pine Valley Improvement Club
28890 Old Highway 80
Pine Valley, 91962

Potrero Community Resource Center
Potrero Community Center
24550 Highway 94
Potrero, 91963

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Road
Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Monday, January 20, 2025 10:24 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Monday, January 20 at 10:05 p.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 30 circuits/devices, impacting 12,430 customer accounts, including 822 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Ramona

- Ranchita
- San Pasqual Reservation
- Santa Isabel
- Santa Isabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

As of 10:05 p.m., power has been turned off to 12,430 customers and 822 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)] [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)].

Boulevard Community Resource Center
 Boulevard Community Center
 39919 Ribbonwood Rd.
 Boulevard, CA 91905

Descanso Community Resource Center
 Descanso Branch Library
 9545 River Drive
 Descanso, 91916

Julian Community Resource Center
 Whispering Winds Catholic Camp
 17606 Harrison Park Road
 Julian, 92036

Pine Valley Community Resource Center
 Pine Valley Improvement Club
 28890 Old Highway 80
 Pine Valley, 91962

Potrero Community Resource Center
 Potrero Community Center
 24550 Highway 94
 Potrero, 91963

Valley Center Community Resource Center

Valley Center Branch Library
29200 Cole Grade Road
Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Tuesday, January 21, 2025 1:28 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Tuesday, January 21 at 1:05 a.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 35 circuits/devices, impacting 13,149 customer accounts, including 848 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Ramona

- Ranchita
- San Pasqual Reservation
- Santa Isabel
- Santa Isabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

As of 1:05 a.m., power has been turned off to 13,149 customers and 848 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready [sdge.com/ready] [sdge.com/ready].

Boulevard Community Resource Center
 Boulevard Community Center
 39919 Ribbonwood Rd.
 Boulevard, CA 91905

Descanso Community Resource Center
 Descanso Branch Library
 9545 River Drive
 Descanso, 91916

Julian Community Resource Center
 Whispering Winds Catholic Camp
 17606 Harrison Park Road
 Julian, 92036

Pine Valley Community Resource Center
 Pine Valley Improvement Club
 28890 Old Highway 80
 Pine Valley, 91962

Potrero Community Resource Center
 Potrero Community Center
 24550 Highway 94
 Potrero, 91963

Valley Center Community Resource Center

Valley Center Branch Library
29200 Cole Grade Road
Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Tuesday, January 21, 2025 5:40 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Tuesday, January 21 at 5:30 a.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 38 circuits/devices, impacting 13,914 customer accounts, including 882 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley

- Pine Valley
- Potrero
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Isabel
- Santa Isabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

As of 5:30 a.m., power has been turned off to 13,914 customers and 882 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready [mqxzz1le.r.us-west-2.awstrack.me] [mqxzz1le.r.us-west-2.awstrack.me].

Boulevard Community Resource Center
 Boulevard Community Center
 39919 Ribbonwood Rd.
 Boulevard, CA 91905

Descanso Community Resource Center
 Descanso Branch Library
 9545 River Drive
 Descanso, 91916

Julian Community Resource Center
 Whispering Winds Catholic Camp
 17606 Harrison Park Road
 Julian, 92036

Pine Valley Community Resource Center
 Pine Valley Improvement Club
 28890 Old Highway 80
 Pine Valley, 91962

Potrero Community Resource Center
 Potrero Community Center
 24550 Highway 94

Potrero, 91963

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Road
Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://mqxzz1le.r.us-west-2.amazonaws.com/privacy-policy)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Tuesday, January 21, 2025 11:36 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Tuesday, January 21 at 11:18 a.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 47 circuits/devices, impacting 16,741 customer accounts, including 1,069 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Escondido
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation

- Pauma Valley
- Pine Valley
- Potrero
- Poway
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

As of 11:18 a.m., power has been turned off to 16,741 customers and 1,069 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready. [mqxzz1le.r.us-west-2.awstrack.me]

Boulevard Community Resource Center
 Boulevard Community Center
 39919 Ribbonwood Road
 Boulevard, CA 91905

Descanso Community Resource Center
 Descanso Branch Library
 9545 River Drive
 Descanso, 91916

Fallbrook Community Resource Center
 Fallbrook Branch Library
 124 S Mission Road
 Fallbrook, 92028

Julian Community Resource Center
 Whispering Winds Catholic Camp
 17606 Harrison Park Road
 Julian, 92036

Lake Morena Community Resource Center

29765 Oak Drive
Campo, 91906

Pine Valley Community Resource Center
Pine Valley Improvement Club
28890 Old Highway 80
Pine Valley, 91962

Potrero Community Resource Center
Potrero Community Center
24550 Highway 94
Potrero, 91963

Ramona Community Resource Center
Ramona Branch Library
1275 Main Street
Ramona, 92065

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Road
Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer

eseodsdge@sdge.com

858-503-5173

Access and Functional Needs Liaison

AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:

800-411-7343

[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready[mqxzz1le.r.us-west-2.awstrack.me])

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](#)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Tuesday, January 21, 2025 3:02 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E is determining when power can be turned back on

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Weather conditions and wind forecasts have improved, allowing SDG&E crews to inspect power lines and equipment for damage and begin restoring power as safely and as quickly as possible in the following communities:

- Alpine
- Escondido
- Pala

At this time, SDG&E expects to complete patrols for 5 devices serving 1,217 customer accounts, including 97 MBL in the communities listed above.

As of Tuesday, January 21 at 2:45 p.m., the power remains turned off for public safety to portions of the following communities:

- Boulevard
- Campo
- Campo Reservation
- Descanso
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation

- Mesa Grande Reservation
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Poway
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

Public Safety Power Shutoff has been implemented for 47 circuits/devices, impacting 16,741 customer accounts, including 1,069 Medical Baseline (MBL) customers. We anticipate full restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdg&e.partnerportal.us-west-2.amazonaws.com). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdg&e.alerts.us-west-2.amazonaws.com), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:

800-411-7343

sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,
SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy](#) [mqxzz1le.r.us-west-2.awstrack.me]

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Tuesday, January 21, 2025 4:28 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E Reenergization Update

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

As the weather improved this afternoon, SDG&E crews were able to begin patrolling some select areas that were deenergized in order to begin the restoration process. Patrolling and restoration times will vary based on a number of factors, including the ability for crews to be able to inspect the lines safely. As of Tuesday, January 21 at 4:15 p.m., SDG&E has restored service to 5 circuits/devices, serving 1,217 customer accounts, including 98 Medical Baseline (MBL) customers in portions of the following communities:

- Alpine
- Escondido
- Pala

As of 4:15 p.m., the power remains turned off for public safety to portions of the following communities:

- Boulevard
- Campo
- Campo Reservation
- Descanso
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation

- Manzanita Reservation
- Mesa Grande Reservation
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Poway
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

We estimate 15,524 customers, including 971 Medical Baseline customers remain without power. We anticipate full restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal). A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:

800-411-7343

sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy](#) [mqxzz1le.r.us-west-2.awstrack.me]

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sgdgeliasonofficernotifications@sdge.com
Sent: Wednesday, January 22, 2025 8:55 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E is determining when power can be turned back on

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Weather conditions and wind forecasts have improved, allowing SDG&E crews to inspect power lines and equipment for damage and begin restoring power as safely and as quickly as possible.

At this time, SDG&E expects to complete patrols for 13 devices serving 6,138 customer accounts, including 422 MBL, in the communities listed below. SDG&E has not yet initiated the restoration process in areas forecast to experience continued severe weather.

- Escondido
- Fallbrook
- Jamul
- Julian
- La Jolla Reservation
- Los Coyotes Reservation
- Potrero
- Poway
- Ramona
- San Pasqual Reservation
- Santa Ysabel Reservation
- Valley Center
- Warner Springs

There have been no additional de-energizations since the previous update. As of 8:32 a.m., PSPS have been implemented for 42 circuits/devices, impacting 15,523 customer accounts, including 972 Medical Baseline (MBL) customers. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain

impacted.

For more information, please log-in to the SDG&E Partner Portal. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at sdge.com/ready. The Public Safety Power Shutoff mobile App, Alerts by SDG&E, is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](http://PartnerPortal[mqxzz1le.r.us-west-2.awstrack.me]) to share with your communities.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
sdge.com/Ready

Thank you,
SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](http://privacypolicy[mqxzz1le.r.us-west-2.awstrack.me])

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Wednesday, January 22, 2025 9:36 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety while restoration efforts continue

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event.

As of Wednesday, January 22 at 8:00 p.m., due to high fire risk conditions impacting electric infrastructure, the power has been turned off for safety impacting 24 circuits/devices and 8,044 customers including 526 Medical Baseline customers in portions of the following communities:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Potrero
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Viejas
- Reservation

Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

As of Wednesday, January 22 at 8:00 p.m., SDG&E has restored service to 20 circuits/devices, serving 9,088 customers, including 581 Medical Baseline (MBL) customers in the communities listed below:

- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- Los Coyotes Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Potrero
- Poway
- Ramona
- San Pasqual Reservation
- Santa Ysabel Reservation
- Valley Center
- Warner Springs

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal) to share with your communities.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy](https://mqxzz1le.r.us-west-2.awstrack.me) [mqxzz1le.r.us-west-2.awstrack.me] Partner Portal|
San Diego Gas & Electric

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sgdgeliasonofficernotifications@sdge.com
Sent: Thursday, January 23, 2025 5:28 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety while restoration efforts continue

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Thursday, January 23 at 5:15 a.m., SDG&E has implemented PSPS for 25 circuits/devices, impacting 8,492 customer accounts, including 575 Medical Baseline (MBL) customers in the communities listed below:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Potrero
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Viejas Reservation

Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

As of Thursday, January 23 at 5:15 a.m., SDG&E has restored service to 20 circuits/devices, serving 9,088 customer accounts, including 581 Medical Baseline (MBL) customers in the communities listed below:

- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- Los Coyotes Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Potrero
- Poway
- Ramona
- San Pasqual Reservation
- Santa Ysabel Reservation
- Valley Center
- Warner Springs

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) to share with your communities.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy](https://mqxzz1le.r.us-west-2.awstrack.me) [mqxzz1le.r.us-west-2.awstrack.me] Partner Portal |
San Diego Gas & Electric

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasionofficernotifications@sdge.com
Sent: Thursday, January 23, 2025 9:27 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety. Community Resource Centers are open

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Thursday, January 23 at 8:30 a.m., SDG&E has implemented PSPS for 20 circuits/devices, impacting 12,109 customer accounts, including 786 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Escondido
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Pauma and Yuima Reservation
- Potrero

- Ramona
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Viejas Reservation

Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready. [mqxzz1le.r.us-west-2.awstrack.me] [mqxzz1le.r.us-west-2.awstrack.me]

The following Community Resource Centers are open from 8 a.m. to 10 p.m.

Boulevard Community Resource Center
 Boulevard Community Center
 39919 Ribbonwood Rd, Boulevard, CA 91905

Descanso Community Resource Center
 Descanso County Library
 9545 River Drive, Descanso, CA 91916

Fallbrook Community Resource Center
 Fallbrook Branch Library
 124 S Mission Rd, Fallbrook, CA 92028

Julian Community Resource Center
 Whispering Winds Catholic Camp
 17606 Harrison Park Road, Julian, CA 92036

Lake Morena Community Resource Center
 Lake Morena Community Resource Center
 29765 Oak Dr, Campo, CA 91906

Pine Valley Community Resource Center
 Pine Valley Improvement Club
 28890 Old Hwy 80, Pine Valley, CA 91962

Potrero Community Resource Center
 Potrero Community Center
 24550 Highway 94, Potrero, CA 91963

Ramona Community Resource Center
 Ramona Branch Library
 1275 Main Street, Ramona, CA 92065

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Rd, Valley Center, CA 92082

Warner Springs Community Resource Center
Warner Springs Community Resource Center
30950 Highway 79, Warner Springs, CA 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal) to share with your communities.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/privacy-policy) Partner Portal |
San Diego Gas & Electric

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Thursday, January 23, 2025 11:14 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Thursday, January 23 at 10:26 a.m., SDG&E has implemented PSPS for 31 circuits/devices, impacting 15,024 customer accounts, including 969 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Pauma and Yuima Reservation

- Potrero
- Ramona
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Temecula
- Valley Center
- Viejas Reservation

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) to share with your communities.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#)

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](#) Partner Portal | San Diego Gas & Electric

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Thursday, January 23, 2025 1:54 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E has shut off power for public safety

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Thursday, January 23 at 12:45 p.m., SDG&E has implemented PSPS for 37 circuits/devices, impacting 19,286 customer accounts, including 1147 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley

- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Rincon Reservation
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Sycuan Reservation
- Temecula
- Valley Center
- Viejas Reservation
- Warner Springs

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready) to share with your communities.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](#) Partner Portal |
San Diego Gas & Electric

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Thursday, January 23, 2025 7:25 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] Additional PSPS Implemented for PSPS Event, January 20-25, 2025

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

[Report Suspicious](#)

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region, and SDG&E continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning. Some areas may therefore remain impacted.

As of Thursday, January 23 at 6:00 p.m., SDG&E has implemented PSPS for 38 circuits/devices, impacting 19,601 customer accounts, including 1,165 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation

- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Rincon Reservation
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Sycuan Reservation
- Temecula
- Valley Center
- Viejas Reservation
- Warner Springs

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdg&e.partnerportal.us-west-2.amazonaws.com). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdg&e.alerts.us-west-2.amazonaws.com), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is also available to communicate with your communities and constituents in the Resources tab of [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.amazonaws.com\]](https://sdg&e.partnerportal.us-west-2.amazonaws.com).

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
 858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
 858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:

800-411-7343

sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy](#) [mqxzz1le.r.us-west-2.awstrack.me]

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Friday, January 24, 2025 8:32 AM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E is determining when power can be turned back on

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

Report Suspicious

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly. Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) [\[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) [\[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) to share with your communities.

Weather conditions and wind forecasts have improved, and the Red Flag Warning for San Diego County is expected to expire at 10:00 a.m. today. This is allowing SDG&E crews to inspect power lines and equipment for damage and begin restoring power as safely and as quickly as possible.

As of 7:45 a.m. the power remains turned off for public safety to portions of the following communities:

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Palomar Mountain

- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Rincon Reservation
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Warner Springs

We estimate that 20,110 customers, including ,1,187 Medical Baseline remain impacted. We anticipate full restoration by Saturday January 25 at 5:00 p.m., dependent on weather conditions.

Community Resource Centers will open at 8:00 a.m. in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. You can also view the Community Resource Center locations and hours of operation online: www.sdge.com/ready [mqxzz1le.r.us-west-2.amazonaws.com].

Borrego Springs Resource Center
2580 Country Club Rd, Borrego Springs, CA 92004

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd, Boulevard, CA 91905

Descanso Community Resource Center
Descanso County Library
9545 River Drive, Descanso, CA 91916

Fallbrook Community Resource Center
Fallbrook Branch Library
124 S Mission Rd, Fallbrook, CA 92028

Julian Community Resource Center
Whispering Winds Catholic Camp
17606 Harrison Park Road, Julian, CA 92036

Lake Morena Community Resource Center
Lake Morena Community Resource Center
29765 Oak Dr, Campo, CA 91906

Pine Valley Community Resource Center
Pine Valley Improvement Club
28890 Old Hwy 80, Pine Valley, CA 91962

Potrero Community Resource Center
Potrero Community Center
24550 Highway 94, Potrero, CA 91963

Ramona Community Resource Center
Ramona Branch Library
1275 Main Street, Ramona, CA 92065

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Rd, Valley Center, CA 92082

Warner Springs Community Resource Center
30950 Highway 79, Warner Springs, CA 92086

Note: Due to fire activity and associated road closures, the Dulzura Community Resource Center will not open this morning and customers in the area can visit the Potrero Community Resource Center.

For more information, please log-in to the SDG&E Partner Portal. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at sdge.com/ready. The Public Safety Power Shutoff mobile App, Alerts by SDG&E, is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is also available in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:

800-411-7343

sdge.com/Ready

Thank you,
SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy](#)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sdgeliasonofficernotifications@sdge.com
Sent: Friday, January 24, 2025 12:32 PM
To: SDGE Liaison Officer Notifications
Subject: [EXTERNAL] SDG&E Restoration Update

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

Report Suspicious

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) to share with your communities.

As the weather improves, SDG&E crews have been able to begin patrolling some select areas that were deenergized in order to begin the restoration process. Patrolling and restoration times will vary based on a number of factors, including the ability for crews to be able to inspect the lines safely.

As of Friday, January 24 at 12:00 noon, SDG&E has restored service to appropriately 23 circuits/devices, serving approximately 11,383 customer accounts, including 654 Medical Baseline (MBL) customers in portions of the following communities:

- Alpine
- Borrego Springs
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jamul
- Julian
- La Posta Reservation
- Mesa Grande Reservation
- Pala
- Ramona
- Santa Ysabel Reservation
- Sycuan Reservation
- Valley Center

- Viejas Reservation

We estimate roughly 8,700 customers remain without power with anticipated full restoration by Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#). A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#)

Thank you,
SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#).

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Bourbois, Kristopher

From: sgdgeliasonofficernotifications@sdge.com
Sent: Friday, January 24, 2025 4:32 PM
To: Public Affairs - SDG&E
Subject: [EXTERNAL] SDG&E has restored power to all customers; EOC has deactivated

CAUTION! External Sender

This email came from outside the company. If you're unsure whether this message is harmless, click the "Report Suspicious" button.

Report Suspicious

This is an important safety message from SDG&E. This information is intended for public safety and government partners. Please do not share this message publicly.

Weather conditions have improved and the Red Flag Warning for San Diego County has expired. This allowed SDG&E crews to safely restore power to all impacted customers. As such, SDG&E's Emergency Operations Center has been de-activated. This is a final notification.

We would appreciate your feedback to help us with our continuous efforts to improve our operations. Please use the link [[mqxzz1le.r.us-west-2.awstrack.me](https://www.surveymonkey.com/r/SDGEPSPS)] to fill out our engagement survey:
<https://www.surveymonkey.com/r/SDGEPSPS> [[mqxzz1le.r.us-west-2.awstrack.me](https://www.surveymonkey.com/r/SDGEPSPS)]

For more information, please log-in to the SDG&E Partner Portal [[mqxzz1le.r.us-west-2.awstrack.me](https://www.surveymonkey.com/r/SDGEPSPS)]. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready](https://www.surveymonkey.com/r/SDGEPSPS) [[mqxzz1le.r.us-west-2.awstrack.me](https://www.surveymonkey.com/r/SDGEPSPS)]. The Public Safety Power Shutoff mobile App, Alerts by SDG&E, is also available for download for updates for potential and active Public Safety Power Shutoff events.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:

800-411-7343

sdge.com/Ready

Thank you,
SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](http://mqxzz1le.r.us-west-2.awstrack.me).



This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Appendix 3

CPUC Notifications: Descriptions, Dates, Times, and Copies of Notifications

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025
Appendix 3 – CPUC Notifications: Descriptions, Dates, Times, and Copies of Notifications

Event Order	Type of Notification	Required Minimum Timeline ¹	Date/Time Sent	Description of Notification	Who Made the Notification
Pre-de-energization (prior)	Initial Notice for PSPS Event	72–48 hours	1/17/2025 at 12:30 PDT	<ul style="list-style-type: none"> Weather details and number of potentially impacted customers Link to SDG&E's secure public safety partner PSPS Portal to access anticipated timing of de-energization and re-energization, consolidated device information, maps and GIS shapefiles Time of EOC activation 	SDG&E
	Initial Notice for PSPS Event	48–24 hours	1/18/2025 at 12:53 PDT 1/19/2025 at 11:39 PDT		SDG&E
	Initial Notice for PSPS Event	1–4 hours prior to PSPS (if possible)	1/20/2025 at 9:04 PDT*		SDG&E
Initiation (during)	De-energized	When de-energization is initiated	1/20/2025 at 08:26 PDT	<ul style="list-style-type: none"> Details of current PSPS outages (timing, customer and community impacts) Anticipated timing of re-energization Link to SDG&E's secure public safety partner PSPS Portal to access anticipated timing of de-energization and re-energization, consolidated device information, maps and GIS shapefiles 	SDG&E
	Update	N/A	1/20/2025 at 09:01 PDT 1/20/2025 at 12:11 PDT 1/20/2025 at 14:41 PDT 1/20/2025 at 20:06 PDT 1/20/2025 at 22:08 PDT 1/21/2025 at 01:07 PDT 1/21/2025 at 05:35 PDT 1/21/2025 at 11:28 PDT 1/22/2025 at 21:00 PDT 1/23/2025 at 05:22 PDT 1/23/2025 at 08:47 PDT 1/23/2025 at 10:46 PDT 1/23/2025 at 13:22 PDT 1/23/2025 at 18:07 PDT 1/23/2025 at 22:50 PDT		SDG&E
Restoration (after)	Re-energized	When re-energization efforts begin or immediately before re-energization begins	1/21/2025 at 15:00 PDT 1/24/2025 at 08:29 PDT	<ul style="list-style-type: none"> Details of current PSPS outages (timing, customer and community impacts) Status of restoration efforts Anticipated timing of re-energization Link to SDG&E's secure public safety partner PSPS Portal to access anticipated timing of de-energization and re-energization, consolidated device information, maps and GIS shapefiles 	SDG&E
	Update	N/A	1/21/2025 at 16:28 PDT 1/22/2025 at 08:31 PDT 1/22/2025 at 21:00 PDT 1/23/2025 at 05:22 PDT 1/24/2025 at 12:15 PDT		SDG&E
	At the time service is restored to all customers	When re-energization is complete	1/24/2025 at 16:29 PDT		<ul style="list-style-type: none"> Timing of full restoration and EOC demobilization Timing of post-event report

¹Decision 19-05-042, Appendix A, Timing of Notification.

*Notification provided to Public Safety Partners includes the CPUC. See Appendix 2.

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Friday, January 17, 2025 12:30 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/17 @ 12:30 p.m.): Potential PSPS Event, January 20–23, 2025

Hello,

Today, January 17, 2025, SDG&E has activated its Emergency Operations Center (EOC) and initiated its Public Safety Power Shutoff (PSPS) protocols based on Santa Ana weather conditions forecasted to impact San Diego County starting in the morning on Monday, January 20, 2025.

At this time, SDG&E expects to provide advanced notification to 167,745 customer accounts that will potentially be impacted by this event, including 10,069 Medical Baseline (MBL) customers. All of the potentially impacted areas are located within Tier 2 & 3 of the HFTD. Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Weather event details

- Santa Ana weather conditions are expected to arrive in SDG&E's service area on Monday, January 20. Winds are expected to peak Monday night, January 20 through Tuesday, January 21 and gradually decrease by Wednesday, January 22, with more fire weather concerns later in the week.
- Fire Potential Index (FPI) on January 20 - January 21 is expected to be Extreme in portions of San Diego County;
 - FPI expected to return to below extreme levels on Wednesday, January 22.

Unless there are changes requiring immediate notification, we will provide another update tomorrow, Saturday, January 18.

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Saturday, January 18, 2025 12:53 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/18 @ 12:53 p.m.): Potential PSPS Event, January 20–23, 2025

Hello,

SDG&E Public Safety Power Shutoff (PSPS) protocols remain activated based on Santa Ana weather conditions forecasted to impact San Diego County starting in the morning on Monday, January 20, 2025.

Today, SDG&E is providing advanced notification to 83,609 customer accounts that will potentially be impacted by this event, including 5,935 Medical Baseline (MBL) customers. All of the potentially impacted areas are located within Tier 2 & 3 of the HFTD. Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Weather event details

- Santa Ana weather conditions are expected to arrive in SDG&E's service area on Monday, January 20. Winds are expected to peak Monday night, January 20 through Tuesday, January 21 and gradually decrease by Wednesday, January 22, with more fire weather concerns later in the week.
- Fire Potential Index (FPI) on January 20 - January 21 is expected to be Extreme in portions of San Diego County;
 - FPI expected to return to below extreme levels on Wednesday, January 22.
- Fire Weather Watch will be in effect for the region from Monday, January 20 to Tuesday, January 21.

Unless there are changes requiring immediate notification, we will provide another update tomorrow, Sunday, January 19.

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Sunday, January 19, 2025 11:39 AM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/19 @ 12:53 p.m.): Potential PSPS Event, January 20–23, 2025

Hello,

SDG&E Public Safety Power Shutoff (PSPS) protocols remain activated based on Santa Ana weather conditions forecasted to impact San Diego and Orange Counties starting in the morning on Monday, January 20, 2025.

Today, SDG&E is providing advanced notification to 83,609 customer accounts that will potentially be impacted by this event, including 5,935 Medical Baseline (MBL) customers. All potentially impacted areas are located within Tier 2 & 3 of the HFTD. Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Weather event details

Santa Ana weather conditions are expected to arrive in SDG&E's service area on Monday, January 20, with a Red Flag Warning in effect in the region.

- Winds are expected to peak Monday night, January 20 through Tuesday, January 21 and gradually decrease by Wednesday, January 22, and increasing again beginning Thursday, January 23.
- Fire Potential Index (FPI) on January 20 - January 24 is expected to be Extreme in portions of San Diego and Orange Counties;
 - FPI expected to return to below extreme levels on Saturday, January 25.
- Fire Weather Watch will be in effect for the region from Monday, January 20 to Friday, January 24.

Unless there are changes requiring immediate notification, we will provide another update tomorrow, Monday, January 20.

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Monday, January 20, 2025 8:26 AM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/20 @ 8:25 a.m.): PSPS Implemented for PSPS Event, January 20-24, 2025

Hello,

SDG&E has initiated Public Safety Power Shutoffs (PSPS) in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region.

As of Monday, January 20 at 8:25 a.m., SDG&E has implemented PSPS for 1 circuits/devices, impacting 18 customer accounts, including 1 Medical Baseline (MBL) customers in the communities of Descanso. Restoration is currently estimated for Thursday, January 24 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Monday, January 20, 2025 9:01 AM
To: SDGE EOC Regulatory Notifications; CPUC PPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (1/20 @ 9:00 a.m.): Additional PPS Implemented for PPS Event, January 20-24, 2025

Hello,

SDG&E has implemented additional PPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region.

As of Monday, January 20 at 9:00 a.m., SDG&E has implemented PPS for 3 circuits/devices, impacting 456 customer accounts, including 30 Medical Baseline (MBL) customers in the communities of Descanso and Boulevard. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Monday, January 20, 2025 12:11 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/20 @ 12:10 p.m.): Additional PSPS Implemented for PSPS Event, January 20-24, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region.

As of Monday, January 20 at 12:10 p.m., SDG&E has implemented PSPS for 4 circuits/devices, impacting 932 customer accounts, including 39 Medical Baseline (MBL) customers in the communities of Descanso, Boulevard, Campo Reservation, and Warner Springs. Restoration is currently estimated for Friday, January 24 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Monday, January 20, 2025 2:41 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/20 @ 2:40 p.m.): Additional PSPS Implemented for PSPS Event, January 20-24, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region.

As of Monday, January 20 at 2:40 p.m., SDG&E has implemented PSPS for 5 circuits/devices, impacting 1,086 customer accounts, including 47 Medical Baseline (MBL) customers in the communities of Descanso, Boulevard, Campo Reservation, and Warner Springs. Restoration is currently estimated for Friday, January 24 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Monday, January 20, 2025 8:06 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/20 @ 8:05 p.m.): Additional PSPS Implemented for PSPS Event, January 20-24, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region.

As of Monday, January 20 at 8:05 p.m., SDG&E has implemented PSPS for 15 circuits/devices, impacting 5458 customer accounts, including 311 Medical Baseline (MBL) customers in the communities of

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Potrero
- Santa Isabel
- Santa Isabel Reservation
- Warner Springs

Restoration is currently estimated for Saturday, January 24 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Monday, January 20, 2025 10:08 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/20 @ 10:05 p.m.): Additional PSPS Implemented for PSPS Event, January 20-24, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region.

As of Monday, January 20 at 10:05 p.m., SDG&E has implemented PSPS for 30 circuits/devices, impacting 12,430 customer accounts, including 822 Medical Baseline (MBL) customers in the communities of

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Isabel
- Santa Isabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

Restoration is currently estimated for Saturday, January 24 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Tuesday, January 21, 2025 1:07 AM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/21 @ 1:05 a.m.): Additional PSPS Implemented for PSPS Event, January 20-24, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region.

As of Monday, January 21 at 1:05 a.m., SDG&E has implemented PSPS for 35 circuits/devices, impacting 13,149 customer accounts, including 848 Medical Baseline (MBL) customers in the communities of

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Isabel
- Santa Isabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

Restoration is currently estimated for Saturday, January 24 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Tuesday, January 21, 2025 5:35 AM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/21 @ 5:30 a.m.): Additional PSPS Implemented for PSPS Event, January 20-24, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region.

As of Tuesday, January 21 at 5:30 a.m., SDG&E has implemented PSPS for 38 circuits/devices, impacting 13,914 customer accounts, including 882 Medical Baseline (MBL) customers in the communities of

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Isabel
- Santa Isabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Tuesday, January 21, 2025 11:28 AM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/21 @ 11:28 a.m.): Additional PSPS Implemented for PSPS Event, January 20-25, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region.

As of Tuesday, January 21 at 11:18 a.m., SDG&E has implemented PSPS for 47 circuits/devices, impacting 16,741 customer accounts, including 1,069 Medical Baseline (MBL) customers in the communities of

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Escondido
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Poway
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: Bourbois, Kristopher
Sent: Tuesday, January 21, 2025 3:00 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/21 @ 3:00 p.m.): Restoration Efforts Initiated for PSPS Event, January 20-25, 2025

Follow Up Flag: Follow up
Flag Status: Flagged

Hello,

SDG&E has initiated patrols for restoration of certain circuits/devices impacted by PSPS. At this time, SDG&E expects to complete patrols for 5 devices serving 1,217 customer accounts, including 97 MBL, in the communities listed below. SDG&E has not yet initiated the restoration process in areas forecast to experience continued severe weather.

- Alpine
- Escondido
- Pala

There have been no additional de-energizations since the previous update. As of 11:18 a.m., PSPS have been implemented for 47 circuits/devices, impacting 16,741 customer accounts, including 1,069 Medical Baseline (MBL) customers. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com.

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Tuesday, January 21, 2025 4:28 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/21 @ 4:27 p.m.): Restoration Efforts Continue for PSPS Event, January 20-25, 2025

Hello,

SDG&E continues restoration efforts for customers impacted by this PSPS event.

As of Tuesday, January 21 at 4:15 p.m., SDG&E has restored service to 5 circuits/devices, serving 1,217 customer accounts, including 98 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Escondido
- Pala

Restoration for remaining circuits/devices is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com.

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Wednesday, January 22, 2025 8:31 AM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/22 @ 8:31 a.m.): Restoration Efforts Initiated for PSPS Event, January 20-25, 2025

Hello,

SDG&E has initiated patrols for restoration of certain circuits/devices impacted by PSPS. At this time, SDG&E expects to complete patrols for 13 devices serving 6,138 customer accounts, including 422 MBL, in the communities listed below. SDG&E has not yet initiated the restoration process in areas forecast to experience continued severe weather.

- Escondido
- Fallbrook
- Jamul
- Julian
- La Jolla Reservation
- Los Coyotes Reservation
- Potrero
- Poway
- Ramona
- San Pasqual Reservation
- Santa Ysabel Reservation
- Valley Center
- Warner Springs

There have been no additional de-energizations since the previous update. As of 8:20 a.m., PSPS have been implemented for 42 circuits/devices, impacting 15,523 customer accounts, including 972 Medical Baseline (MBL) customers. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com.

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Wednesday, January 22, 2025 9:00 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari; Harvey, Benjamin J (Contractor)
Subject: SDG&E Notification (1/22 @ 8:57 p.m.): Additional PSPS Implemented & Restoration Efforts Continue for PSPS Event, January 20-25, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Wednesday, January 22 at 8:00 p.m., SDG&E has implemented PSPS for 24 circuits/devices, impacting 8,044 customer accounts, including 526 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Potrero
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Viejas Reservation

As of Wednesday, January 22 at 8:00 p.m., SDG&E has restored service to 20 circuits/devices, serving 9,088 customer accounts, including 581 Medical Baseline (MBL) customers in the communities listed below.

- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- Los Coyotes Reservation

- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Potrero
- Poway
- Ramona
- San Pasqual Reservation
- Santa Ysabel Reservation
- Valley Center
- Warner Springs

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com.

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Thursday, January 23, 2025 5:22 AM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari; Harvey, Benjamin J (Contractor)
Subject: SDG&E Notification (1/23 @ 5:23 a.m.): Additional PSPS Implemented & Restoration Efforts Continue for PSPS Event, January 20-25, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Thursday, January 23 at 5:15 a.m., SDG&E has implemented PSPS for 25 circuits/devices, impacting 8,492 customer accounts, including 575 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Potrero
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Viejas Reservation

As of Thursday, January 23 at 5:15 a.m., SDG&E has restored service to 20 circuits/devices, serving 9,088 customer accounts, including 581 Medical Baseline (MBL) customers in the communities listed below.

- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- Los Coyotes Reservation
- Palomar Mountain

- Pauma and Yuima Reservation
- Pauma Valley
- Potrero
- Poway
- Ramona
- San Pasqual Reservation
- Santa Ysabel Reservation
- Valley Center
- Warner Springs

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com.

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Thursday, January 23, 2025 8:47 AM
To: SDGE EOC Regulatory Notifications; CPUC PPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/23 @ 8:40 A.M.): Additional PPS Implemented for PPS Event, January 20-25, 2025

Hello,

SDG&E has implemented additional PPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region, and SDG&E continues restoration efforts for customers impacted by this PPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning. Some areas may therefore remain impacted.

As of Thursday, January 23 at 8:30 a.m., SDG&E has implemented PPS for 20 circuits/devices, impacting 12,109 customer accounts, including 786 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Escondido
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Viejas Reservation

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: Sanchez, Jacqueline
Sent: Thursday, January 23, 2025 10:46 AM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/23 @ 10:40 A.M.): Additional PSPS Implemented for PSPS Event, January 20-25, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region, and SDG&E continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning. Some areas may therefore remain impacted.

As of Thursday, January 23 at 10:30 a.m., SDG&E has implemented PSPS for 31 circuits/devices, impacting 15,024 customer accounts, including 969 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Temecula
- Valley Center
- Viejas Reservation

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Thursday, January 23, 2025 1:22 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/23 @ 1:15 P.M.): Additional PSPS Implemented for PSPS Event, January 20-25, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region, and SDG&E continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning. Some areas may therefore remain impacted.

As of Thursday, January 23 at 1:05 p.m., SDG&E has implemented PSPS for 37 circuits/devices, impacting 19,286 customer accounts, including 1,147 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Rincon Reservation
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation

- Sycuan Reservation
- Temecula
- Valley Center
- Viejas Reservation
- Warner Springs

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Thursday, January 23, 2025 6:07 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/23 @6:00 P.M.): Additional PSPS Implemented for PSPS Event, January 20-25, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region, and SDG&E continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning. Some areas may therefore remain impacted.

As of Thursday, January 23 at 6:00 p.m., SDG&E has implemented PSPS for 38 circuits/devices, impacting 19,601 customer accounts, including 1,165 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Rincon Reservation
- San Pasqual Reservation

- Santa Ysabel
- Santa Ysabel Reservation
- Sycuan Reservation
- Temecula
- Valley Center
- Viejas Reservation
- Warner Springs

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Thursday, January 23, 2025 10:50 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Kloberdanz, Kari
Subject: SDG&E Notification (01/23 @ 10:50 P.M.): Additional PSPS Implemented for PSPS Event, January 20-25, 2025

Hello,

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region, and SDG&E continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning. Some areas may therefore remain impacted.

As of Thursday, January 23 at 10:50 p.m., SDG&E has implemented PSPS for 54 circuits/devices, impacting 20,110 customer accounts, including 1,185 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Rincon Reservation

- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Sycuan Reservation
- Temecula
- Valley Center
- Viejas Reservation
- Warner Springs

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Friday, January 24, 2025 8:29 AM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Justice-Black, Morgan -
Subject: SDG&E Notification (01/24 @ 8:28 a.m.): Restoration Efforts Initiated for PSPS Event, January 20-25, 2025

Hello,

SDG&E has initiated patrols for restoration of certain circuits/devices impacted by PSPS. At this time, SDG&E expects to complete patrols for 54 devices serving 20,110 customer accounts, including 1,187 MBL, in the communities listed below. SDG&E has not yet initiated the restoration process in areas forecast to experience continued severe weather.

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Rincon Reservation
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Sycuan Reservation
- Temecula
- Valley Center

- Viejas Reservation
- Warner Springs

There have been no additional de-energizations since the previous update. As of 10:50 p.m., PSPS have been implemented for 54 circuits/devices, impacting 20,110 customer accounts, including 1,187 Medical Baseline (MBL) customers. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com.

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Friday, January 24, 2025 12:15 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Justice-Black, Morgan -
Subject: SDG&E Notification (01/24 @ 12:14 p.m.): Restoration Efforts Initiated for PSPS Event, January 20-25, 2025 UPDATE

As of Friday, January 24 at 12:14 p.m., SDG&E has restored service appropriately 23 circuits/devices, serving approximately 11,383 customer accounts, including 654 Medical Baseline (MBL) customers in portions of the following communities:

- Alpine
- Borrego Springs
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jamul
- Julian
- La Posta Reservation
- Mesa Grande Reservation
- Pala
- Ramona
- Santa Ysabel Reservation
- Sycuan Reservation
- Valley Center
- Viejas Reservation

We estimate roughly 8,700 customers remain without power. We anticipate full restoration by Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Additional information, including anticipated timing of de-energization and re-energization, consolidated device information, maps, and GIS shapefiles are available on SDG&E's secure PSPS partner portal at <https://portal.sdgepartners.com>. To request access to the portal, please email partnerportal@sdge.com.

Thank you,
SDG&E Regulatory Affairs

Bourbois, Kristopher

From: SDGE EOC Regulatory Notifications
Sent: Friday, January 24, 2025 4:29 PM
To: SDGE EOC Regulatory Notifications; CPUC PSPS Notifications
Cc: Ayon, Lourdes; Bourbois, Kristopher; David Erne (CEC; Emergency Operations; Faber, Clay; Kauss, Kent W; Lansinger, William; Peters, Dennis C; Salas, Israel; Sidhar, Shivani N; Skopec, Dan; Taheri, Sarah M; Woldegiorgis, Shewit T; Justice-Black, Morgan -; Kloberdanz, Kari; Sanchez, Jacqueline; Branum, Zachary T; Hughes, Zackary J; Bucsit, Geneveve
Subject: SDG&E Notification (01/24 @ 4:28 p.m.): All Service Restored and EOC Demobilized for PSPS Event, January 20-25, 2025

Hello,

SDG&E has restored service to all customers impacted by this PSPS event as of 3:48 p.m. on Friday, January 24. SDG&E's EOC is demobilized as of 4:15 p.m. on Friday, January 24.

SDG&E will file and serve its post-PSPS event report within 10 business days of the conclusion of this event in accordance with the guidelines set forth in Resolution ESRB-8, Decision (D.) 19-05-042, D.20-05-051, D.21-06-034, and D.21-06-014.

Thank you,
SDG&E Regulatory Affairs

Appendix 4

AFN Community Based Organization (CBO) Notifications: Descriptions, Dates, Times, and Copies of Notifications

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025
Appendix 4 – AFN Community Based Organization (CBO) Notifications: Descriptions, Dates, Times, and Copies of Notifications

Event Order	Type of Notification	Timeline	Date/Time Sent	Description of Notification	Who Made the Notification
Pre-de-energization (prior)	Initial Notice for PSPS Event	72 hours	1/17/2025 at 12:45 PDT	<ul style="list-style-type: none"> SDG&E EOC Activated Weather details and number of potentially impacted customers Link to SDG&E's Social Media Kit that includes PSPS Spanish and AFN content Contact information for Customers to Request Services 	SDG&E
	Initial Notice for PSPS Event	72–48 hours	1/18/2025 at 12:59 PDT		SDG&E
	Initial Notice for PSPS Event	48–24 hours	1/19/2025 at 12:20 PDT		SDG&E
	Initial Notice for PSPS Event	1-4 Hours	1/20/2025 at 10:12 PDT		SDG&E
Initiation (during) and Restoration (after)	De-energized	When de-energization is initiated	1/20/2025 at 10:22 PDT	<ul style="list-style-type: none"> Details of current PSPS outages Link to SDG&E's PSPS Web Page and Social Media Kit Contact information for Customers to Request Services 	SDG&E
	Update	As necessary	1/19/2025 at 15:50 PDT 1/20/2025 at 11:16 PDT 1/20/2025 at 16:02 PDT 1/20/2025 at 20:45 PDT 1/20/2025 at 22:26 PDT 1/21/2025 at 01:31 PDT 1/21/2025 at 05:41 PDT 1/21/2025 at 12:16 PDT 1/21/2025 at 15:12 PDT 1/21/2025 at 17:12 PDT 1/22/2025 at 21:39 PDT 1/23/2025 at 05:29 PDT 1/23/2025 at 09:39 PDT 1/23/2025 at 11:18 PDT 1/23/2025 at 14:35 PDT 1/23/2025 at 19:27 PDT 1/24/2025 at 09:00 PDT 1/24/2025 at 13:09 PDT		SDG&E
	At the time service is restored to all customers	When re-energization is complete	1/24/2025 at 16:46 PDT	<ul style="list-style-type: none"> Timing of full restoration and EOC demobilization 	SDG&E

Appendix 4-1

Fehse, Matt R

From: AFNLiaison
Sent: Friday, January 17, 2025 12:45 PM
Subject: SDG&E Public Safety Power Shutoff Possible in 72 Hours. SDG&E's Emergency Operations Center Activated at 12:01 p.m.

This is an important safety message from SDG&E. This information is intended for AFN Support partners. Please do not share this message publicly. Please use the social media kit and community flyer in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) to share with your communities.

SDG&E is monitoring possible high fire weather conditions forecasted to begin within 48-72 hours.

These conditions may force SDG&E to initiate a Public Safety Power Shutoff (PSPS) where we proactively turn off power to reduce the risk of a wildfire for customers in high-risk areas.

SDG&E's Emergency Operations Center activated at 12:01 p.m. on Friday, January 17. The estimated start time of the PSPS is 6 p.m. on Monday, January 20. We anticipate it could last until noon on Wednesday, January 22 with power being turned back on around 3 p.m. on Thursday, January 23. Please note that power restoration is dependent on weather conditions and can change.

Approximately 167,745 customers, including 10,069 Medical Baseline customers, in the following communities are being notified of the potential for a PSPS.

- Alpine
- Barona Reservation
- Bonita
- Boulevard
- Campo
- Campo Reservation
- Capitan Grande Reservation
- Chula Vista
- Descanso
- East San Juan Cap
- El Cajon
- Encinitas
- Escondido
- Fallbrook
- Granite Hills
- Jacumba
- Jamul
- Jamul Indian Village
- Julian
- La Jolla Reservation
- La Mesa
- La Posta Reservation
- Laguna Niguel

- Lakeside
- Linda Vista
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Miramar
- Oceanside
- Pala
- Pala Reservation
- Pauma and Yuima Reservation
- Pauma Valley
- Pechanga Reservation
- Penasquitos
- Poway
- Ramona
- Ranchita
- Rancho Bernardo
- Rancho Santa Fe
- Rincon Reservation
- San Clemente
- San Diego
- San Juan Capistrano
- San Marcos
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Santee
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Vista
- Warner Springs

If power is shut off, we will not turn it back on until conditions are safe to do so. We know being without electricity is difficult and we appreciate your patience and partnership as we keep safety our top priority during these potential high fire risk conditions. Please monitor your email for more detailed communication tomorrow.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is available in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Saturday, January 18, 2025 12:59 PM
Subject: SDG&E Public Safety Power Shutoff Possible in 48 Hours

This is an important safety message from SDG&E. This information is intended for AFN Support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1e.r.us-west-2.aws.track.me\]](https://m.qxzz1e.r.us-west-2.aws.track.me) to share with your communities.

The National Weather Service has issued a Fire Weather Watch to be in effect for San Diego County mountains and valleys and Inland Orange County from 10 a.m. Monday, January 20 to 10 p.m. Tuesday, January 21. High fire risk conditions could impact the electric infrastructure serving local communities.

These conditions may force SDG&E to initiate a Public Safety Power Shutoff (PSPS) where we proactively turn off power to reduce the risk of a wildfire for customers in high-risk areas.

Approximately 83,609 customers, including 5,935 Medical Baseline customers, in the following communities are being notified of the potential for a PSPS.

- Alpine
- Barona Reservation
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Capitan Grande Reservation
- Descanso
- East San Juan Capistrano
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Lakeside
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala Reservation
- Pauma and Yuima Reservation
- Pauma Valley
- Pechanga Reservation
- Poway

- Ramona
- Ranchita
- Rancho Bernardo
- Rancho Santa Fe
- Rincon Reservation
- San Diego
- San Marcos
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Santee
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Warner Springs

Impacted Zip codes (highlighted is OC):

- 92082
- 92067
- 91901
- 92064
- 92029
- 92078
- 92065
- 92040
- 92021
- 92071
- 92026
- 92028
- 92130
- 92127
- 92025
- 92004
- 92086
- 92061
- 92019
- 92091
- 92129
- 92128
- 92027
- 92036
- 91935
- 92020
- 92069
- 91905
- 91906

- 91962
- 92059
- 92003
- 92675
- 91917
- 91963
- 91980
- 92066
- 92070
- 92060
- 92536
- 92062
- 92124
- 91902
- 91910
- 91916
- 92037
- 91931
- 91934
- 91948
- 92131
- 92024
- 92110
- 92121

The estimated start time of the PSPS is 6 a.m. on Monday, January 20. We anticipate it could last until noon on Wednesday, January 22 with power being turned back on around 3 p.m. on Thursday, January 23. Please note that power restoration is dependent on weather conditions and can change.

If you have obtained geographic information systems (GIS) data access from SDG&E, you will be able to receive GIS data via secure data transfer. If you have not set up access or have problems accessing this link, please see [Public Safety Power Shutoff map \[mqxzz1le.r.us-west-2.awstrack.me\]](#).

Another notification will be sent when conditions change or if we turn off power for safety.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is also available in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Sunday, January 19, 2025 12:20 PM
Subject: SDG&E Public Safety Power Shutoff possible in 24 hours

This is an important safety message from SDG&E. This information is intended for AFN Support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided in the Partner Portal [mqxzz1le.r.us-west-2.awstrack.me] [mqxzz1le.r.us-west-2.awstrack.me] to share with your communities.

The National Weather Service has issued a Red Flag Warning to be in effect for San Diego County mountains and valleys and Inland Orange County from 10 a.m. Monday, January 20 to 10 p.m. Tuesday, January 21. High fire risk conditions could impact the electric infrastructure serving local communities.

These conditions may force SDG&E to initiate a Public Safety Power Shutoff (PSPS) where we proactively turn off power to reduce the risk of a wildfire for customers in high-risk areas.

Approximately 83,609 customers, including 5,935 Medical Baseline customers, in the following communities are being notified of the potential for a PSPS.

- Alpine
- Barona Reservation
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Capitan Grande Reservation
- Descanso
- East San Juan Capistrano
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Lakeside
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala Reservation
- Pauma and Yuima Reservation
- Pauma Valley
- Pechanga Reservation
- Poway

- Ramona
- Ranchita
- Rancho Bernardo
- Rancho Santa Fe
- Rincon Reservation
- San Diego
- San Marcos
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Santee
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Warner Springs

The estimated start time of the PSPS is 6 a.m. on Monday, January 20. We anticipate it could last until 5 p.m. on Friday, January 24 with power being turned back on around 5 p.m. on Saturday, January 25. Please note that power restoration is dependent on weather conditions and can change.

If you have obtained geographic information systems (GIS) data access from SDG&E, you will be able to receive GIS data via secure data transfer. If you have not set up access or have problems accessing this link, please see [Public Safety Power Shutoff map \[mqxzz1le.r.us-west-2.awstrack.me\] \[mqxzz1le.r.us-west-2.awstrack.me\]](#).

Another notification will be sent when conditions change or if we turn off power for safety.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\] \[mqxzz1le.r.us-west-2.awstrack.me\]](#). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\] \[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\] \[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is also available in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\] \[mqxzz1le.r.us-west-2.awstrack.me\]](#) to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Monday, January 20, 2025 10:12 AM
Subject: SDG&E Public Safety Power Shutoff likely in 1-4 hours

This is an important safety message from SDG&E. This information is intended for AFN Support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Forecasted high fire risk conditions likely to impact electric infrastructure that serves your community may force SDG&E to initiate a Public Safety Power Shutoff (PSPS), where we will proactively turn off power in the next 1 to 4 hours to reduce the risk of wildfire. If a PSPS occurs, we will not turn it back on until conditions are safe to do so. We know being without electricity is difficult and we appreciate your patience as we keep safety our top priority during these high fire risk conditions.

The National Weather Service has issued a Red Flag Warning to be in effect for San Diego County mountains and valleys and Inland Orange County from 10 a.m. Monday, January 20 to 10 p.m. Tuesday, January 21. High fire risk conditions could impact the electric infrastructure serving local communities.

These conditions may force SDG&E to initiate a Public Safety Power Shutoff (PSPS) where we proactively turn off power to reduce the risk of a wildfire for customers in high-risk areas.

Approximately 83,625 customers, including 5,935 Medical Baseline customers, in the following communities are being notified of the potential for a PSPS.

- Alpine
- Barona Reservation
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Capitan Grande Reservation
- Descanso
- East San Juan Capistrano
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Lakeside

- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Otay Mesa Border
- Pala Reservation
- Pauma and Yuima Reservation
- Pauma Valley
- Pechanga Reservation
- Poway
- Ramona
- Ranchita
- Rancho Bernardo
- Rancho Santa Fe
- Rincon Reservation
- San Diego
- San Marcos
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Santee
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Warner Springs

The estimated start time of the PSPS is 6 a.m. on Monday, January 20. We anticipate it could last until 5 p.m. on Friday, January 24 with power being turned back on around 5 p.m. on Saturday, January 25. Please note that power restoration is dependent on weather conditions and can change.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Monday, January 20, 2025 10:22 AM
Subject: SDG&E has shut off power for public safety

This an important safety message from SDG&E. This information is intended for AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk conditions impacting electric infrastructure, the power has been turned off for safety to portions of the following communities:

- Boulevard
- Campo Reservation
- Descanso

As of Monday, January 20 at 9:00 a.m., SDG&E has implemented PSPS for 3 circuits/devices, impacting 456 customer accounts, including 30 Medical Baseline (MBL) customers in the communities of Descanso and Boulevard. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Sunday, January 19, 2025 3:50 PM
Subject: SDG&E Community Resource Center Update

This is an important safety message from SDG&E. This information is intended for AFN Support Partners. Please do not share this message publicly.

Hello everyone, thank you for your continued understanding and cooperation with us during this unprecedented ongoing event. Per the National Weather Service, a Red Flag Warning is set to be in effect from 8:00am Monday (1/20/2025) through 10:00pm Tuesday (1/21/2025) with strong, potentially damaging, Santa Ana winds across the backcountry. Later in the week, the winds should weaken slightly to moderate Santa Ana winds which are forecasted for Thursday (1/23/2025) to Friday (1/24/2025). These conditions will more than likely force SDG&E to initiate a Public Safety Power Shutoff (PSPS) where we proactively turn off power to reduce the risk of a wildfire for customers in high-risk areas.

Effective Monday, January 20th, the following CRCs will be on Standby at 8:00am:

1. Boulevard
2. Descanso
3. Dulzura
4. Fallbrook
5. Julian
6. Lake Morena
7. Pine Valley
8. Potrero
9. Ramona
10. Borrego Springs
11. Valley Center
12. Warner Springs

The mobile CRC in San Clemente will remain on-call throughout Monday, January 20th, and will transition to Standby Tuesday, January 21st, at 8:00am.

Terminology: *Standby* = Not open but currently identified as potentially needed to support weather dependent needs with CRC Staff on site.

Terminology: *On-call* = No staff onsite, but ready to respond within 2-hour notice.

Additional information can be found at, <https://www.sdge.com/psp-s-dashboard>

The Public Safety Power Shutoff mobile app, [Alerts by SDG&E | San Diego Gas & Electric](#) is also available for download for updates for potential and active Public Safety Power Shutoff events.

The next update will be sent as conditions warrant dissemination of additional information. If you have any questions or concerns, please do not hesitate to reach out at any time.

Thank you for your support,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Monday, January 20, 2025 11:16 AM
Subject: SDG&E power remains turned off for public safety. Community Resource Centers to open

This is an important safety message from SDG&E. This information is intended for AFN Support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Monday, January 20 at 9:00 a.m., SDG&E has implemented PSPS for 3 circuits/devices, impacting 456 customer accounts, including 30 Medical Baseline (MBL) customers in the communities of Descanso and Boulevard. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

The power has been turned off for to portions of the following communities:

- Boulevard
- Campo Reservation
- Descanso

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready [mqxzz1le.r.us-west-2.awstrack.me].

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd.
Boulevard, CA 91905

Descanso Community Resource Center
Descanso Branch Library
9545 River Drive
Descanso, 91916

For more information, please log-in to the [SDG&E Partner Portal](https://sdge.com/ready) [mqxzz1le.r.us-west-2.awstrack.me]. If

you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at sdge.com/ready [mqxzz1le.r.us-west-2.awstrack.me]. The Public Safety Power Shutoff mobile App, [Alerts by SDG&E](https://sdge.com/alerts) [mqxzz1le.r.us-west-2.awstrack.me], is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Thank you,
SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Monday, January 20, 2025 4:02 PM
Subject: SDG&E power remains turned off for public safety. Community Resource Centers to open

This is an important safety message from SDG&E. This information is intended for AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Monday, January 20 at 3:30p.m., SDG&E has implemented PSPS for 5 circuits/devices, impacting 1,086 customer accounts, including 47 Medical Baseline (MBL) customers in the communities of Descanso and Boulevard. Restoration is currently estimated no later than Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

The power has been turned off for to portions of the following communities:

- Boulevard
- Campo Reservation
- Descanso
- Warner Springs

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready [mqxzz1le.r.us-west-2.awstrack.me].

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd.
Boulevard, CA 91905

Descanso Community Resource Center
Descanso Branch Library
9545 River Drive
Descanso, 91916

Warner Springs Community Resource Center
30950 Highway 79, Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Thank you,
SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Monday, January 20, 2025 8:45 PM
To: AFNLiaison; 211psps@211sandiego.org; Raychel Sager; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Ali Poorman; Jessica Vasquez; Amanda Bustos; disaster@211UnitedWayOC.org; Steve Montejano
Subject: SDG&E has shut off power for public safety

This is an important safety message from SDG&E. This information is intended for public safety and AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Monday, January 20 at 8:00 p.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 15 circuits/devices, impacting 5,458 customer accounts, including 311 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Potrero
- Santa Isabel
- Santa Isabel Reservation
- Warner Springs

As of 8:00 p.m., power has been turned off to 5,458 customers and 311 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)] [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)].

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd.
Boulevard, CA 91905

Descanso Community Resource Center
Descanso Branch Library
9545 River Drive
Descanso, 91916

Julian Community Resource Center
Whispering Winds Catholic Camp
17606 Harrison Park Road
Julian, 92036

Pine Valley Community Resource Center
Pine Valley Improvement Club
28890 Old Highway 80
Pine Valley, 91962

Potrero Community Resource Center
Potrero Community Center
24550 Highway 94
Potrero, 91963

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Road
Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal](https://sdge.com/ready) [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)]. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at sdge.com/ready [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)]. The Public Safety Power Shutoff mobile App, [Alerts by SDG&E](https://sdge.com/ready) [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)], is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Monday, January 20, 2025 10:26 PM
To: AFNLiaison; 211psps@211sandiego.org; Raychel Sager; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Ali Poorman; Jessica Vasquez; Amanda Bustos; disaster@211UnitedWayOC.org; Steve Montejano
Subject: SDG&E has shut off power for public safety

This is an important safety message from SDG&E. This information is intended for public safety and AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Monday, January 20 at 10:05 p.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 30 circuits/devices, impacting 12,430 customer accounts, including 822 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Isabel
- Santa Isabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

As of 10:05 p.m., power has been turned off to 12,430 customers and 822 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit [sdge.com/ready](https://www.sdge.com/ready) [[mqxzz1le.r.us-west-2.awstrack.me](https://www.sdge.com/ready)] [[mqxzz1le.r.us-west-2.awstrack.me](https://www.sdge.com/ready)].

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd.
Boulevard, CA 91905

Descanso Community Resource Center
Descanso Branch Library
9545 River Drive
Descanso, 91916

Julian Community Resource Center
Whispering Winds Catholic Camp
17606 Harrison Park Road
Julian, 92036

Pine Valley Community Resource Center
Pine Valley Improvement Club
28890 Old Highway 80
Pine Valley, 91962

Potrero Community Resource Center
Potrero Community Center
24550 Highway 94
Potrero, 91963

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Road
Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, Alerts by SDG&E [\[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Tuesday, January 21, 2025 1:31 AM
To: AFNLiaison; 211psps@211sandiego.org; Raychel Sager; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Ali Poorman; Jessica Vasquez; Amanda Bustos; disaster@211UnitedWayOC.org; Steve Montejano
Subject: SDG&E has shut off power for public safety

This is an important safety message from SDG&E. This information is intended for public safety and AFN safety partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Tuesday, January 21 at 1:05 a.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 35 circuits/devices, impacting 13,149 customer accounts, including 848 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Isabel
- Santa Isabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

As of 1:05 a.m., power has been turned off to 13,149 customers and 848 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit [sdge.com/ready](https://www.sdge.com/ready) [[mqxzz1le.r.us-west-2.awstrack.me](https://www.sdge.com/ready)] [[mqxzz1le.r.us-west-2.awstrack.me](https://www.sdge.com/ready)].

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd.
Boulevard, CA 91905

Descanso Community Resource Center
Descanso Branch Library
9545 River Drive
Descanso, 91916

Julian Community Resource Center
Whispering Winds Catholic Camp
17606 Harrison Park Road
Julian, 92036

Pine Valley Community Resource Center
Pine Valley Improvement Club
28890 Old Highway 80
Pine Valley, 91962

Potrero Community Resource Center
Potrero Community Center
24550 Highway 94
Potrero, 91963

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Road
Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, Alerts by SDG&E [\[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me)

This email originated outside of Sempra. Be cautious of attachments, web links, or requests for information.

Fehse, Matt R

From: AFNLiaison
Sent: Tuesday, January 21, 2025 5:41 AM
To: AFNLiaison; 211psps@211sandiego.org; Raychel Sager; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Ali Poorman; Jessica Vasquez; Amanda Bustos; disaster@211UnitedWayOC.org; Steve Montejano
Subject: SDG&E has shut off power for public safety

This is an important safety message from SDG&E. This information is intended for public safety and AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Tuesday, January 21 at 5:30 a.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 38 circuits/devices, impacting 13,914 customer accounts, including 882 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Isabel
- Santa Isabel Reservation

- Valley Center
- Warner Springs
- Viejas Reservation

As of 5:30 a.m., power has been turned off to 13,914 customers and 882 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)] [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)].

Boulevard Community Resource Center
 Boulevard Community Center
 39919 Ribbonwood Rd.
 Boulevard, CA 91905

Descanso Community Resource Center
 Descanso Branch Library
 9545 River Drive
 Descanso, 91916

Julian Community Resource Center
 Whispering Winds Catholic Camp
 17606 Harrison Park Road
 Julian, 92036

Pine Valley Community Resource Center
 Pine Valley Improvement Club
 28890 Old Highway 80
 Pine Valley, 91962

Potrero Community Resource Center
 Potrero Community Center
 24550 Highway 94
 Potrero, 91963

Valley Center Community Resource Center
 Valley Center Branch Library
 29200 Cole Grade Road
 Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, Alerts by SDG&E [\[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Tuesday, January 21, 2025 12:16 PM
To: 211PSPS; Amy Arambulo; Amanda Bustos; Ali Poorman; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Jessica Vasquez; Christian Hernandez
Cc: Steve Montejano; Mendoza, Julia; Megan Rolen; Raychel Sager; Hadley, Candace B; AFNLiaison
Subject: SDG&E has shut off power for public safety

This is an important safety message from SDG&E. This information is intended for AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Due to high fire risk weather conditions affecting power lines serving local communities, power has been turned off for public safety.

As of Tuesday, January 21 at 11:18 a.m., due to high fire risk conditions impacting electric infrastructure, SDG&E has implemented PSPS for 47 circuits/devices, impacting 16,741 customer accounts, including 1,069 Medical Baseline (MBL) customers in the communities of:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Escondido
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero
- Poway
- Ramona
- Ranchita

- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

As of 11:18 a.m., power has been turned off to 16,741 customers and 1,069 Medical Baseline customers. We anticipate it could last until Friday, January 24 at 5:00 p.m., with power being turned back on around Saturday, January 25 at 5:00 p.m. Please note that power restoration is dependent on weather conditions and can change.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to operate and determine when power can be turned back on.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready. [mqxzz1le.r.us-west-2.amazonaws.com]

Boulevard Community Resource Center
 Boulevard Community Center
 39919 Ribbonwood Road
 Boulevard, CA 91905

Descanso Community Resource Center
 Descanso Branch Library
 9545 River Drive
 Descanso, 91916

Fallbrook Community Resource Center
 Fallbrook Branch Library
 124 S Mission Road
 Fallbrook, 92028

Julian Community Resource Center
 Whispering Winds Catholic Camp
 17606 Harrison Park Road
 Julian, 92036

Lake Morena Community Resource Center
 29765 Oak Drive
 Campo, 91906

Pine Valley Community Resource Center
 Pine Valley Improvement Club
 28890 Old Highway 80

Pine Valley, 91962

Potrero Community Resource Center
Potrero Community Center
24550 Highway 94
Potrero, 91963

Ramona Community Resource Center
Ramona Branch Library
1275 Main Street
Ramona, 92065

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Road
Valley Center, 92082

Warner Springs Community Resource Center
30950 Highway 79
Warner Springs, 92086

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your support partner teams.

Thank you,

SDG&E AFN Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/privacy)

Fehse, Matt R

From: Johnson, April
Sent: Tuesday, January 21, 2025 3:12 PM
To: 211PSPS; Amy Arambulo; Amanda Bustos; Ali Poorman; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Jessica Vasquez; Christian Hernandez; Jessica Gutierrez
Cc: Steve Montejano; Mendoza, Julia; Megan Rolen; Raychel Sager; Hadley, Candace B; AFNLiaison
Subject: SDG&E is determining when power can be turned back on

This is an important safety message from SDG&E. This information is intended for AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

Weather conditions and wind forecasts have improved, allowing SDG&E crews to inspect power lines and equipment for damage and begin restoring power as safely and as quickly as possible in the following communities:

- Alpine
- Escondido
- Pala

At this time, SDG&E expects to complete patrols for 5 devices serving 1,217 customer accounts, including 97 MBL in the communities listed above.

As of Tuesday, January 21 at 2:45 p.m., the power remains turned off for public safety to portions of the following communities:

- Boulevard
- Campo
- Campo Reservation
- Descanso
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley

- Pine Valley
- Potrero
- Poway
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

Public Safety Power Shutoff has been implemented for 47 circuits/devices, impacting 16,741 customer accounts, including 1,069 Medical Baseline (MBL) customers. We anticipate full restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your support partner teams.

Thank you,
SDG&E AFN Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](#)

Fehse, Matt R

From: AFNLiaison
Sent: Tuesday, January 21, 2025 5:12 PM
To: 211PSPS; Amy Arambulo; Amanda Bustos; Ali Poorman; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Jessica Vasquez; Christian Hernandez; Jessica Gutierrez
Cc: Steve Montejano; Mendoza, Julia; Megan Rolen; Johnson, April; Raychel Sager; Hadley, Candace B; AFNLiaison
Subject: SDG&E Reenergization Update

This is an important safety message from SDG&E. This information is intended for AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

As the weather improved this afternoon, SDG&E crews were able to begin patrolling some select areas that were deenergized in order to begin the restoration process. Patrolling and restoration times will vary based on a number of factors, including the ability for crews to be able to inspect the lines safely. As of Tuesday, January 21 at 4:15 p.m., SDG&E has restored service to 5 circuits/devices, serving 1,217 customer accounts, including 98 Medical Baseline (MBL) customers in portions of the following communities:

- Alpine
- Escondido
- Pala

As of 4:15 p.m., the power remains turned off for public safety to portions of the following communities:

- Boulevard
- Campo
- Campo Reservation
- Descanso
- Fallbrook
- Jamul
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pala Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Pine Valley
- Potrero

- Poway
- Ramona
- Ranchita
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Warner Springs
- Viejas Reservation

We estimate 15,524 customers, including 971 Medical Baseline customers remain without power. We anticipate full restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#). A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional Safety Partner Resources:

A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents.

Your SDG&E Contact Information:
Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your support partner teams.

Thank you,
SDG&E AFN Liaison Officer

SDG&E® values your privacy; view our [privacy policy \[mqxzz1le.r.us-west-2.awstrack.me\]](#)

Fehse, Matt R

From: AFNLiaison
Sent: Wednesday, January 22, 2025 9:39 PM
To: AFNLiaison; 211psps@211sandiego.org; Raychel Sager; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Ali Poorman; Jessica Vasquez; Amanda Bustos; disaster@211UnitedWayOC.org; Steve Montejano
Subject: SDG&E has shut off power for public safety while restoration efforts continue

This is an important safety message from SDG&E. This information is intended for public safety and AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event.

As of Wednesday, January 22 at 8:00 p.m., due to high fire risk conditions impacting electric infrastructure, the power has been turned off for safety impacting 24 circuits/devices and 8,044 customers including 526 Medical Baseline customers in portions of the following communities:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Potrero
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Viejas
- Reservation

Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

When conditions are safe, SDG&E will inspect power lines and equipment to make sure they are safe to

operate and determine when power can be turned back on.

As of Wednesday, January 22 at 8:00 p.m., SDG&E has restored service to 20 circuits/devices, serving 9,088 customers, including 581 Medical Baseline (MBL) customers in the communities listed below:

- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- Los Coyotes Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Potrero
- Poway
- Ramona
- San Pasqual Reservation
- Santa Ysabel Reservation
- Valley Center
- Warner Springs

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) to share with your communities.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me]

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Thursday, January 23, 2025 5:29 AM
To: AFNLiaison; 211psps@211sandiego.org; Raychel Sager; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Ali Poorman; Jessica Vasquez; Amanda Bustos; disaster@211UnitedWayOC.org; Steve Montejano
Subject: SDG&E has shut off power for public safety while restoration efforts continue

This is an important safety message from SDG&E. This information is intended for public safety and AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Thursday, January 23 at 5:15 a.m., SDG&E has implemented PSPS for 25 circuits/devices, impacting 8,492 customer accounts, including 575 Medical Baseline (MBL) customers in the communities listed below:

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Jacumba
- Julian
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Potrero
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Viejas Reservation

Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

As of Thursday, January 23 at 5:15 a.m., SDG&E has restored service to 20 circuits/devices, serving 9,088 customer accounts, including 581 Medical Baseline (MBL) customers in the communities listed below:

- Escondido

- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- Los Coyotes Reservation
- Palomar Mountain
- Pauma and Yuima Reservation
- Pauma Valley
- Potrero
- Poway
- Ramona
- San Pasqual Reservation
- Santa Ysabel Reservation
- Valley Center
- Warner Springs

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal) to share with your communities.

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
 858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
 858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
 800-411-7343

[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](mailto:sdge.com/Ready [mqxzz1le.r.us-west-2.awstrack.me])

Thank you,

SDG&E AFN Liaison Officer

Fehse, Matt R

From: AFNLiaison
Sent: Thursday, January 23, 2025 9:39 AM
To: 211psps@211sandiego.org; Amy Arambulo; Amanda Bustos; Ali Poorman; Sandra Severns; Jessica Gutierrez; nicholas.nguyen@usw.salvationarmy.org; Jessica Vasquez; DORM-2024-12-10 Hernandez, Christian (Contractor)
Cc: Steve Montejano; Mendoza, Julia; Megan Rolan; Raychel Sager; Fehse, Matt R; Roosen, Victor K; Hadley, Candace B; AFNLiaison
Subject: SDG&E has shut off power for public safety. Community Resource Centers are open

This is an important safety message from SDG&E. This information is intended for AFN Support Partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Thursday, January 23 at 8:30 a.m., SDG&E has implemented PSPS for 20 circuits/devices, impacting 12,109 customer accounts, including 786 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- Escondido
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Valley Center
- Viejas Reservation

Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions.

Community Resource Centers opened in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. For Community Resource Center locations and hours of operation, please visit sdge.com/ready. [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)]

The following Community Resource Centers are open from 8 a.m. to 10 p.m.

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd, Boulevard, CA 91905

Descanso Community Resource Center
Descanso County Library
9545 River Drive, Descanso, CA 91916

Fallbrook Community Resource Center
Fallbrook Branch Library
124 S Mission Rd, Fallbrook, CA 92028

Julian Community Resource Center
Whispering Winds Catholic Camp
17606 Harrison Park Road, Julian, CA 92036

Lake Morena Community Resource Center
Lake Morena Community Resource Center
29765 Oak Dr, Campo, CA 91906

Pine Valley Community Resource Center
Pine Valley Improvement Club
28890 Old Hwy 80, Pine Valley, CA 91962

Potrero Community Resource Center
Potrero Community Center
24550 Highway 94, Potrero, CA 91963

Ramona Community Resource Center
Ramona Branch Library
1275 Main Street, Ramona, CA 92065

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Rd, Valley Center, CA 92082

Warner Springs Community Resource Center
Warner Springs Community Resource Center
30950 Highway 79, Warner Springs, CA 92086

For more information, please log-in to the [SDG&E Partner Portal](https://sdge.com/ready) [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)]. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at sdge.com/ready [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)]. The Public Safety Power Shutoff mobile App, [Alerts by SDG&E](https://sdge.com/ready) [[mqxzz1le.r.us-west-2.awstrack.me](https://sdge.com/ready)], is also available for download

for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://www.sdge.com/partner-portal) to share with your communities.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://www.sdge.com/Ready)

AFN Liaison Officer
Emergency Operations Center
E AFNLiaison@sdge.com

Follow Us:



For more information about privacy at SDG&E visit [sdge.com/privacy](https://www.sdge.com/privacy).

Fehse, Matt R

From: AFNLiaison
Sent: Thursday, January 23, 2025 11:18 AM
To: 211psps@211sandiego.org; Amanda Bustos; Ali Poorman; Sandra Severns; Jessica Gutierrez; nicholas.nguyen@usw.salvationarmy.org; Jessica Vasquez; DORM-2024-12-10 Hernandez, Christian (Contractor); Amy Arambulo
Cc: Steve Montejano; Mendoza, Julia; Megan Rolen; Raychel Sager; Fehse, Matt R; Hadley, Candace B; AFNLiaison
Subject: SDG&E has shut off power for public safety

This is an important safety message from SDG&E. This information is intended for AFN Support Partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Thursday, January 23 at 10:26 a.m., SDG&E has implemented PSPS for 31 circuits/devices, impacting 15,024 customer accounts, including 969 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Santa Ysabel
- Santa Ysabel Reservation
- Temecula
- Valley Center
- Viejas Reservation

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/partner-portal) to share with your communities.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your AFN support teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

AFN Liaison Officer
Emergency Operations Center
E AFNLiaison@sdge.com
Follow Us:



For more information about privacy at SDG&E visit sdge.com/privacy.

Fehse, Matt R

From: AFNLiaison
Sent: Thursday, January 23, 2025 2:35 PM
To: 211psps@211sandiego.org; Amanda Bustos; Ali Poorman; Sandra Severns; Jessica Gutierrez; nicholas.nguyen@usw.salvationarmy.org; Jessica Vasquez; DORM-2024-12-10 Hernandez, Christian (Contractor); Amy Arambulo
Cc: Steve Montejano; Mendoza, Julia; Megan Rolan; Raychel Sager; Fehse, Matt R; Hadley, Candace B; AFNLiaison
Subject: Updates: SDG&E has shut off power for public safety

This is an important safety message from SDG&E. This information is intended for AFN Support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region and continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning, so some areas may continue to remain impacted.

As of Thursday, January 23 at 12:45 p.m., SDG&E has implemented PSPS for 37 circuits/devices, impacting 19,286 customer accounts, including 1147 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Rincon Reservation
- San Pasqual Reservation
- Santa Ysabel

- Santa Ysabel Reservation
- Sycuan Reservation
- Temecula
- Valley Center
- Viejas Reservation
- Warner Springs

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](#). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](#), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) to share with your communities.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Fehse, Matt R

From: AFNLiaison
Sent: Thursday, January 23, 2025 7:27 PM
To: AFNLiaison; 211psps@211sandiego.org; Raychel Sager; Sandra Severns; nicholas.nguyen@usw.salvationarmy.org; Ali Poorman; Jessica Vasquez; Amanda Bustos; disaster@211UnitedWayOC.org; Steve Montejano
Subject: Additional PSPS Implemented for PSPS Event, January 20-25, 2025

This is an important safety message from SDG&E. This information is intended for public safety and AFN support partners. Please do not share this message publicly. Please use the social media kit and community flyer provided below to share with your communities.

SDG&E has implemented additional PSPS in areas of San Diego County due to Santa Ana conditions and a Red Flag Warning in effect in the region, and SDG&E continues restoration efforts for customers impacted by this PSPS event. While conditions have improved in some areas, meteorologists are currently forecasting continued Santa Ana winds through Friday morning. Some areas may therefore remain impacted.

As of Thursday, January 23 at 6:00 p.m., SDG&E has implemented PSPS for 38 circuits/devices, impacting 19,601 customer accounts, including 1,165 Medical Baseline (MBL) customers in the communities listed below. Restoration is currently estimated for Saturday, January 25 at 5:00 p.m. Please note that estimated restoration times are subject to change based on field patrol observations and weather conditions.

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Potrero

- Ramona
- Ranchita
- Rincon Reservation
- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Sycuan Reservation
- Temecula
- Valley Center
- Viejas Reservation
- Warner Springs

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready). The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/alerts), is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is also available to communicate with your communities and constituents in the Resources tab of [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/ready).

Your SDG&E Contact Information:

SDG&E Liaison Officer
SDGELiaisonOfficerNotifications@sdge.com
858-503-5450

Emergency Management Duty Officer
eseodsdge@sdge.com
858-503-5173

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

Public Contact Information:
800-411-7343
[sdge.com/Ready \[mqxzz1le.r.us-west-2.awstrack.me\]](https://sdge.com/Ready)

Thank you,

Fehse, Matt R

From: AFNLiaison
Sent: Friday, January 24, 2025 9:00 AM
To: 211psps@211sandiego.org; Amanda Bustos; Ali Poorman; Sandra Severns; Jessica Gutierrez; nicholas.nguyen@usw.salvationarmy.org; Jessica Vasquez; DORM-2024-12-10 Hernandez, Christian (Contractor); Amy Arambulo
Cc: Steve Montejano; Mendoza, Julia; Megan Rolan; Raychel Sager; Fehse, Matt R; Hadley, Candace B; AFNLiaison
Subject: SDG&E is determining when power can be turned back on

This is an important safety message from SDG&E. This information is intended for AFN Support Partners. Please do not share this message publicly. Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) [\[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) [\[mqxzz1le.r.us-west-2.awstrack.me\]](https://mqxzz1le.r.us-west-2.awstrack.me) to share with your communities.

Weather conditions and wind forecasts have improved, and the Red Flag Warning for San Diego County is expected to expire at 10:00 a.m. today. This is allowing SDG&E crews to inspect power lines and equipment for damage and begin restoring power as safely and as quickly as possible.

As of 7:45 a.m. the power remains turned off for public safety to portions of the following communities:

- Alpine
- Borrego Springs
- Boulevard
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jacumba
- Jamul
- Julian
- La Jolla Reservation
- La Posta Reservation
- Los Coyotes Reservation
- Manzanita Reservation
- Mesa Grande Reservation
- Pine Valley
- Pala
- Palomar Mountain
- Pauma and Yuima Reservation
- Potrero
- Ramona
- Ranchita
- Rincon Reservation

- San Pasqual Reservation
- Santa Ysabel
- Santa Ysabel Reservation
- Sycuan Reservation
- Valley Center
- Viejas Reservation
- Warner Springs

We estimate that 20,110 customers, including ,1,187 Medical Baseline remain impacted. We anticipate full restoration by Saturday January 25 at 5:00 p.m., dependent on weather conditions.

Community Resource Centers will open at 8:00 a.m. in the following locations where affected customers can go to charge phones, receive supplies and more information about the power shutoff. You can also view the Community Resource Center locations and hours of operation online: www.sdge.com/ready [mqxzz1le.r.us-west-2.awstrack.me].

Borrego Springs Resource Center
2580 Country Club Rd, Borrego Springs, CA 92004

Boulevard Community Resource Center
Boulevard Community Center
39919 Ribbonwood Rd, Boulevard, CA 91905

Descanso Community Resource Center
Descanso County Library
9545 River Drive, Descanso, CA 91916

Fallbrook Community Resource Center
Fallbrook Branch Library
124 S Mission Rd, Fallbrook, CA 92028

Julian Community Resource Center
Whispering Winds Catholic Camp
17606 Harrison Park Road, Julian, CA 92036

Lake Morena Community Resource Center
Lake Morena Community Resource Center
29765 Oak Dr, Campo, CA 91906

Pine Valley Community Resource Center
Pine Valley Improvement Club
28890 Old Hwy 80, Pine Valley, CA 91962

Potrero Community Resource Center
Potrero Community Center
24550 Highway 94, Potrero, CA 91963

Ramona Community Resource Center
Ramona Branch Library
1275 Main Street, Ramona, CA 92065

Valley Center Community Resource Center
Valley Center Branch Library
29200 Cole Grade Rd, Valley Center, CA 92082

Warner Springs Community Resource Center
30950 Highway 79, Warner Springs, CA 92086

Note: Due to fire activity and associated road closures, the Dulzura Community Resource Center will not open this morning and customers in the area can visit the Potrero Community Resource Center.

For more information, please log-in to the SDG&E Partner Portal. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at sdge.com/ready. The Public Safety Power Shutoff mobile App, Alerts by SDG&E, is also available for download for updates for potential and active Public Safety Power Shutoff events.

Additional Safety Partner Resources:

A social media kit and community flyer is also available in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) to communicate with your communities and constituents.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

Please do not forward this contact information beyond your government or public safety teams.

AFN Liaison Officer

Emergency Operations Center

E AFNLiaison@sdge.com

Follow Us:



For more information about privacy at SDG&E visit sdge.com/privacy.

Fehse, Matt R

From: AFNLiaison
Sent: Friday, January 24, 2025 1:09 PM
To: 211psps@211sandiego.org; Amanda Bustos; Ali Poorman; Sandra Severns; Jessica Gutierrez; nicholas.nguyen@usw.salvationarmy.org; Jessica Vasquez; DORM-2024-12-10 Hernandez, Christian (Contractor); Amy Arambulo
Cc: Steve Montejano; Mendoza, Julia; Megan Rolen; Raychel Sager; Fehse, Matt R; Hadley, Candace B; AFNLiaison
Subject: SDG&E Restoration Update

This is an important safety message from SDG&E. This information is intended for AFN Support Partners. Please use the social media kit and community flyer provided in the [Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) [\[mqxzz1le.r.us-west-2.awstrack.me\]](#) to share with your communities.

As the weather improves, SDG&E crews have been able to begin patrolling some select areas that were deenergized in order to begin the restoration process. Patrolling and restoration times will vary based on a number of factors, including the ability for crews to be able to inspect the lines safely.

As of Friday, January 24 at 12:00 noon, SDG&E has restored service to appropriately 23 circuits/devices, serving approximately 11,383 customer accounts, including 654 Medical Baseline (MBL) customers in portions of the following communities:

- Alpine
- Borrego Springs
- Campo
- Campo Reservation
- Descanso
- El Cajon
- Escondido
- Fallbrook
- Jamul
- Julian
- La Posta Reservation
- Mesa Grande Reservation
- Pala
- Ramona
- Santa Ysabel Reservation
- Sycuan Reservation
- Valley Center
- Viejas Reservation

Due to restorations, the following CRCs have been deactivated or demobilized:

1. Borrego Springs
2. Dulzura
3. Julian

4. Lake Morena
5. Potrero
6. San Clemente

The CRC listed below opened at 8:00am and will remain open until 10pm or when power is restored:

1. Boulevard
2. Descanso
3. Fallbrook
4. Pine Valley
5. Ramona
6. Valley Center
7. Warner Springs

We estimate roughly 8,700 customers remain without power with anticipated full restoration by Saturday, January 25 at 5:00 p.m. Please note, estimated restoration times are subject to change based on field patrol observations and weather conditions. **Additional and current information can be found at www.sdge.com/ready.**

For more information, please log-in to the [SDG&E Partner Portal \[mqxzz1le.r.us-west-2.awstrack.me\]](http://SDG&E Partner Portal [mqxzz1le.r.us-west-2.awstrack.me]) [mqxzz1le.r.us-west-2.awstrack.me]. A social media kit and community flyer are also available for download in the Resources tab of the SDG&E Partner Portal to communicate with your communities and constituents. If you have not yet signed on the portal, we encourage you to do so at this time. To register, or for support with the Portal, please email eseodsdge@sdge.com.

Additional information can be found at [sdge.com/ready \[mqxzz1le.r.us-west-2.awstrack.me\]](http://sdge.com/ready [mqxzz1le.r.us-west-2.awstrack.me] [mqxzz1le.r.us-west-2.awstrack.me]) [mqxzz1le.r.us-west-2.awstrack.me]. The Public Safety Power Shutoff mobile App, [Alerts by SDG&E \[mqxzz1le.r.us-west-2.awstrack.me\]](http://Alerts by SDG&E [mqxzz1le.r.us-west-2.awstrack.me] [mqxzz1le.r.us-west-2.awstrack.me]) [mqxzz1le.r.us-west-2.awstrack.me], is also available for download for updates for potential and active Public Safety Power Shutoff events.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

AFN Liaison Officer
Emergency Operations Center
E AFNLiaison@sdge.com

Follow Us:



For more information about privacy at SDG&E visit sdge.com/privacy.

Fehse, Matt R

From: AFNLiaison
Sent: Friday, January 24, 2025 4:46 PM
To: AFNLiaison
Subject: SDG&E Restoration Update

This is an important safety message from SDG&E. This information is intended for **AFN Support Partners and CBO partners**. Please do not share this message publicly.

Weather conditions have improved and the Red Flag Warning for San Diego County has expired. This allowed SDG&E crews to safely restore power to all impacted customers. As such, SDG&E's Emergency Operations Center has been de-activated. This is a final notification. All AFN Support Partners and CBO Partners may stand down.

Additional information can be found at sdge.com/ready [mqxzz1le.r.us-west-2.awstrack.me]. The Public Safety Power Shutoff mobile App, Alerts by SDG&E, is also available for download for updates for potential and active Public Safety Power Shutoff events.

Your SDG&E Contact Information:

Access and Functional Needs Liaison
AFNLiaison@sdge.com

We thank you very much for your valuable partnership and continued support during this PSPS.

AFN Liaison Officer
Emergency Operations Center
E AFNLiaison@sdge.com

Follow Us:



For more information about privacy at SDG&E visit sdge.com/privacy.

Appendix 5

PSPS Event Data Workbook (Excel File Filed Via CD-ROM)

SDG&E Post-Event Report Data

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

FILE DESCRIPTION

This file includes all tables and appendices that exceed five (5) rows from the Post Event Report submitted following the De-energization Event.

TABLE OF CONTENTS

SECTION 2: Decision Making Process

Table 2: Factors Considered in the Decision to Shut Off Power

SECTION 3: De-energized Time, Place, Duration and Customers

Table 3: Circuits De-energized

SECTION 4: Damage and Hazards to Overhead Facilities

Table 4: Damages and Hazards

SECTION 5: Notifications

Table 5: Positive Notification

Table 6: Notification Failure

SECTION 6: Local and State Public Safety Partner Engagement

Table 7: Public Safety Partners Contacted

Table 8: Services Provided to Customers with AFN

Table 9: Backup Power – Description, Capacity and Estimated Maximum Duration

Table 10: Community Generator Program Sites

Table 11: Total Number of Backup Generators and Mobile Batteries

Table 12: Critical Facility and Infrastructure Customers

Table 13: Community Generator Program Sites

SECTION 7: Complaints and Claims

Table 14: Number and Nature of Complaints Received

Table 15: Claims Filed Against SDG&E Due to De-energization

SECTION 8: Power Restoration

Table 16: Circuits requiring more than 24 hours to restore

SECTION 9: Community Resource Centers

Table 17: Community Resource Centers

SECTION 10: Mitigations to Reduce Impact

Table 18: Summary of Avoided Customer Impacts

Table 19: Summary of Avoided Customer Impacts by Circuit

Table 20: Summary of Customers Served by Microgrids

SECTION 11: Lessons Learned from this Event

Table 21: Lessons Learned from PSPS Event

APPENDIX

Appendix 1 – Customer Notifications: Descriptions, Dates, Times, and Scripts of Notifications

Appendix 2 – Public Safety Partner Notifications: Descriptions, Dates, Times, and Copies of Notifications

Appendix 3 – CPUC Notifications: Descriptions, Dates, Times, and Copies of Notifications

Appendix 4 – AFN Community Based Organization (CBO) Notifications: Descriptions, Dates, Times, and Copies of Notifications

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 2: Factors Considered in the Decision to Shut Off Power

#	Circuit/Device Name	Sustained Wind Speeds (mph)	Gust Wind Speeds (mph)	Peak Gust Speed (mph)	Temperature (°F)	Humidity (%)	Moisture	Fire Potential Index ¹ (FPI)	Temp Config ² (Y/N)	Vegetation Risk Index ³ (VRI)	Circuit Risk Index ⁴ (CRI)	Alert Speed ⁴ (mph)	WINGS Ops ⁵ (mph)	Wildfire Consequence Score	PSPS Consequence Score	Wildfire/PSPS Ratio ⁶	Ok to De-energize Date/Time
1	79-799R	37	52	102	49	25%	15%	15	N	Low	Low	45	55.48	0.0453	0.0002	242.90	1/20/2025 7:59
2	445-1325F	30	40	77	45	31%	10%	15	Y	Low	Low	35	43.32	0.0240	0.0005	44.02	1/20/2025 8:38
3	445-897R	30	40	77	45	31%	10%	15	Y	Low	Low	35	35.47	0.5015	0.0031	160.30	1/20/2025 8:38
4	212-1177R	22	38	45	53	19%	9%	15	N	Low	Medium	36	---	---	---	---	1/20/2025 12:18
5	CW-12.47KV-1215	27	44	77	46	24%	7%	15	N	Low	Low	45	36.76	1.1973	0.0015	811.87	1/20/2025 13:50
6	79-685R	23	47	73	39	22%	8%	15	N	Low	Low	45	47.34	0.0122	0.0001	187.90	1/20/2025 17:45
7	442-16R	16	42	49	41	12%	7%	15	N	Medium	Low	41	34.15	0.0092	0.0003	34.99	1/20/2025 18:04
8	449-683	32	45	62	46	22%	7%	15	N	Low	High	45	32.77	0.4553	0.0052	87.68	1/20/2025 18:04
9	597-595	27	41	41	60	6%	7%	15	N	Medium	High	35	29.97	0.0258	0.0116	2.23	1/20/2025 18:04
10	TM1-10R	14	35	39	57	12%	8%	15	N	Low	Low	38	39.66	0.0016	0.0003	4.74	1/20/2025 18:04
11	1030-1823F	16	33	40	55	12%	8%	15	Y	Medium	Medium	35	42.27	0.0007	0.0002	3.89	1/20/2025 18:14
12	217-835R	18	42	47	60	11%	8%	16	N	Low	Low	45	21.64	0.2147	0.0017	123.12	1/20/2025 18:43
13	79-679R	18	31	67	45	18%	8%	16	N	Medium	Low	45	46.08	0.0378	0.0016	23.86	1/20/2025 18:43
14	73-678R	29	47	49	49	15%	8%	16	Y	Medium	Low	35	34.81	0.0763	0.0031	24.41	1/20/2025 18:51
15	221-1230F	35	49	79	44	18%	8%	16	Y	Medium	Low	35	---	---	---	---	1/20/2025 19:15
16	STY-12KV-222	35	49	79	44	18%	8%	16	Y	Medium	Low	35	28.04	2.6275	0.0124	211.85	1/20/2025 19:16
17	442-728R	15	38	56	44	19%	7%	16	N	Medium	Low	35	40.66	0.0828	0.0074	11.18	1/20/2025 19:18
18	BUE-12.47KV-444	31	45	59	42	23%	5%	16	N	Low	Low	45	---	---	---	---	1/20/2025 19:48
19	BUE-12.47KV-445	31	45	59	42	23%	5%	16	N	Low	Low	42	31.65	0.2823	0.0082	34.47	1/20/2025 19:49
20	441-23R	36	46	71	40	27%	7%	16	N	Low	Low	45	29.09	1.6509	0.0011	1516.07	1/20/2025 19:49
21	79-658R	24	45	55	41	20%	7%	16	N	Low	Low	39	32.83	0.0389	0.0025	15.88	1/20/2025 19:49
22	211-312R	29	40	48	41	20%	5%	16	N	Low	Low	35	38.32	0.0041	0.0013	3.13	1/20/2025 19:49
23	79-785	31	51	54	44	18%	7%	16	N	Medium	Low	45	31.96	0.0383	0.0055	6.94	1/20/2025 20:00
24	GC-12.47KV-442	19	48	65	41	18%	7%	16	N	Low	Low	45	40.95	0.0919	0.0099	9.31	1/20/2025 20:12
25	VC-12KV-907	32	43	50	57	10%	8%	16	N	Medium	Medium	45	---	---	---	---	1/20/2025 20:15
26	GC-12.47KV-441	22	49	78	46	15%	7%	16	N	Low	Low	45	27.75	0.4173	0.0013	327.19	1/20/2025 20:30
27	73-1163	19	54	57	43	18%	7%	16	Y	Medium	Low	35	35.88	0.1142	0.0062	18.44	1/20/2025 20:35
28	79-1215F	19	54	57	43	18%	7%	16	N	Medium	Low	45	33.58	0.0234	0.0078	3.02	1/20/2025 20:35
29	DE-12KV-78	19	54	57	43	18%	7%	16	N	Medium	Low	45	44.46	0.0326	0.0010	32.38	1/20/2025 20:44
30	RIN-12KV-215	23	50	50	57	9%	8%	16	N	Low	Medium	45	29.30	0.0101	0.0043	2.34	1/20/2025 20:44
31	220-298R	23	43	59	44	15%	8%	16	N	Medium	Low	45	41.94	0.0491	0.0016	31.63	1/20/2025 20:53
32	221-36	27	40	43	39	20%	8%	16	N	High	Low	35	27.52	0.0006	0.0119	0.05	1/20/2025 21:05
33	448-744R	24	46	60	45	13%	8%	16	Y	Low	Low	35	44.81	0.0149	0.0029	5.15	1/20/2025 21:07
34	448-714R	24	46	60	45	13%	8%	16	N	Low	Low	45	48.71	0.0130	0.0046	2.79	1/20/2025 21:07
35	448-735R	24	46	60	45	13%	8%	16	N	Low	Low	50	---	---	---	---	1/20/2025 21:08
36	448-1196F	24	46	60	45	13%	8%	16	N	Low	Medium	35	34.74	0.3016	0.0089	33.76	1/20/2025 21:08
37	STY-12KV-220	25	46	59	46	15%	8%	16	N	Low	Low	42	35.61	0.0630	0.0031	20.30	1/20/2025 21:10
38	448-47R	30	45	59	47	11%	8%	16	N	Low	Low	50	---	---	---	---	1/20/2025 21:07
39	448-724R	13	27	53	46	19%	7%	16	N	Low	Low	43	---	---	---	---	1/20/2025 21:16
40	CN-12.47KV-449	12	27	41	44	13%	7%	16	N	Medium	Medium	42	32.77	0.4553	0.0052	87.68	1/20/2025 21:17
41	220-294R	39	50	68	40	14%	8%	16	N	Low	Low	45	38.69	0.0827	0.0028	29.66	1/20/2025 21:31
42	176-1834R	23	43	53	55	9%	8%	16	N	Medium	Medium	40	23.11	0.1399	0.0098	14.23	1/20/2025 21:37
43	WR-12KV-211	25	39	51	48	9%	6%	16	N	Low	Medium	45	31.82	0.1001	0.0025	39.38	1/20/2025 22:35

44	212-638R	29	44	50	47	11%	6%	16	N	Medium	Low	45	27.37	0.0645	0.0010	62.90	1/20/2025 22:36
45	1090-639R	31	49	59	41	12%	5%	16	N	Low	Low	45	44.88	0.0352	0.0002	143.87	1/21/2025 4:51
46	1030-989R	35	44	63	50	6%	8%	16	N	Low	Low	40	29.26	0.1243	0.0014	89.73	1/21/2025 7:48
47	176-1836R	33	48	51	54	7%	7%	16	N	Medium	Mediu	45	22.93	0.0161	0.0114	1.41	1/21/2025 7:56
48	450-50R	31	45	50	59	5%	8%	16	Y	Medium	Low	35	40.12	0.0233	0.0090	2.59	1/21/2025 9:15
49	454-48F	31	45	50	59	5%	8%	16	N	Medium	Low	39	20.24	0.0847	0.0002	449.22	1/21/2025 9:15
50	454-1814	31	45	50	59	5%	8%	16	N	Medium	Low	45	45.00	0.0000	0.0000	2.43	1/21/2025 9:15
51	175-24R	28	45	48	61	6%	6%	16	N	Low	Mediu	45	19.28	0.8579	0.0106	81.11	1/21/2025 9:34
52	WC-12KV-327	28	45	48	61	6%	6%	16	N	Low	Low	45	25.26	0.0079	0.0000	707.13	1/21/2025 9:34
53	358-682F	29	45	61	69	7%	5%	15	N	Low	Low	45	40.61	0.0756	0.0016	48.58	1/22/2025 9:58
54	1458-519	25	38	59	60	7%	4%	15	Y	Medium	Mediu	35	36.95	0.1660	0.0041	40.06	1/23/2025 4:54
55	217-983R	35	47	71	64	6%	5%	15	N	Low	Low	45	28.35	0.2881	0.0006	450.48	1/23/2025 5:04
56	157-232R	34	50	63	58	9%	5%	15	N	Low	Low	45	35.32	0.0759	0.0032	23.41	1/23/2025 5:11
57	237-1765R	39	56	56	58	9%	4%	15	N	Low	Low	45	40.55	0.0113	0.0011	9.92	1/23/2025 5:54
58	1030-1777	24	42	55	67	6%	6%	15	Y	Medium	Mediu	35	27.54	0.3266	0.0074	44.40	1/23/2025 5:57
59	214-1122R	31	52	62	62	5%	6%	15	N	Medium	Low	45	24.23	0.7777	0.0034	231.71	1/23/2025 5:58
60	OV-12KV-1250	36	41	57	65	7%	6%	15	Y	Medium	Low	35	25.36	1.0445	0.0147	70.85	1/23/2025 7:48
61	LL-12KV-283	32	50	61	66	4%	4%	15	N	Low	Mediu	45	---	---	---	---	1/23/2025 8:49
62	LL-12KV-1166	32	50	61	66	4%	4%	15	N	Low	Mediu	45	20.32	0.0049	0.0014	3.49	1/23/2025 8:49
63	PA-12KV-1233	24	38	48	68	5%	4%	15	N	Medium	Low	36	---	---	---	---	1/23/2025 9:01
64	RB1-433R	17	51	51	69	4%	4%	15	N	Medium	Low	39	37.56	0.0058	0.0004	13.13	1/23/2025 9:40
65	521-14R	30	48	48	69	4%	4%	15	N	Medium	Mediu	43	31.25	0.0370	0.0021	17.39	1/23/2025 9:40
66	520-1527R	30	48	48	69	4%	4%	15	N	Medium	High	35	20.75	0.5224	0.0048	108.51	1/23/2025 9:41
67	972-1582R	32	44	48	67	5%	4%	15	N	Medium	Mediu	38	38.20	0.0251	0.0024	10.29	1/23/2025 9:45
68	971-1973R	32	44	48	67	5%	4%	15	Y	Medium	Mediu	35	38.63	0.0048	0.0018	2.75	1/23/2025 9:45
69	VC-12KV-909	24	55	55	68	6%	5%	15	N	Medium	Mediu	35	25.91	0.0108	0.0038	2.84	1/23/2025 9:57
70	175-64R	31	39	48	67	5%	4%	15	N	Medium	Mediu	40	36.25	0.0099	0.0010	9.93	1/23/2025 10:09
71	176-197F	31	39	48	67	5%	4%	15	N	Medium	Mediu	40	35.99	0.0233	0.0044	5.30	1/23/2025 10:27
72	ARR-12KV-1101	39	49	54	72	5%	8%	15	Y	Low	Low	35	19.12	3.6647	0.0050	733.85	1/23/2025 10:34
73	358-1193F	34	47	59	63	6%	4%	15	N	Medium	Low	45	43.12	0.0040	0.0026	1.55	1/23/2025 10:53
74	WR-12KV-210	41	52	53	54	12%	3%	15	N	Low	Low	35	34.06	0.0532	0.0019	27.72	1/23/2025 11:53
75	WR-12KV-212	41	52	53	54	12%	3%	15	N	Low	Mediu	43	26.54	0.1527	0.0060	25.48	1/23/2025 11:53
76	157-273R	29	45	51	67	7%	4%	15	Y	Medium	Mediu	35	23.79	0.1748	0.0028	62.98	1/23/2025 13:03
77	214-613R	28	44	44	44	8%	1%	15	N	High	Low	36	33.88	0.0221	0.0008	27.54	1/23/2025 19:17
78	357-2049F	25	46	47	60	5%	4%	15	Y	Medium	Low	35	40.79	0.0078	0.0018	4.39	1/23/2025 19:39
79	TL50003	55	67	83	51	11%	4%	15	N	Low	High	70	NA	NA	NA	NA	1/23/2025 7:32
80	TL686	41	52	53	54	12%	3%	15	Y	Medium	High	45	NA	NA	NA	NA	1/23/2025 11:58
81	TL6958	45	65	70	38	16%	7%	16	N	Low	High	55	NA	NA	NA	NA	1/20/2025 21:18
82	TL6923	48	75	88	44	16%	7%	16	N	Low	High	65	NA	NA	NA	NA	1/20/2025 20:57
83	TL625	15	36	48	42	14%	7%	16	N	Low	High	65	NA	NA	NA	NA	1/20/2025 20:53

Note: Missing values are indicated by '---'. SDG&E will integrate these Circuit Breakers into the WINGS-Ops tool.

¹ Fire Potential Index is described in Section 2.2

² Temporary Construction and Compliance Poles (TCC) are assessed by Electrical Distribution and Transmission engineering teams before a PSPS activation. They evaluate compliance

³ VRI and CRI provide a relative assessment of vegetation as well as conductor risk for each segment. Methodologies reported in SDG&E's 2021 WMP, Section 4.5.1.

⁴ This Alert Speed is the recommended wind gust threshold for initiating de-energization during this specific PSPS activation.

⁵ WINGS Ops provides an estimated wind gust threshold at which the expected wildfire risk exceeds the PSPS risk at each feeder segment. This output incorporates both an estimate of

⁶ This ratio depicts the comparison between wildfire consequence score using historical weather events and PSPS consequence score (excludes likelihood of risk). A value greater than

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025
 Appendix 5: PSPS Event Data Workbook
 Table 3: Circuits De-energized

Distribution/ Transmission	Circuit/ Device Name	County	De-energization Date and Time	Restoration Date/Time	Duration	All clear Date/Time	HFTD Tier	Total Customers	Residential Customers	Commercial/ Industrial Customers	MBL Customers	AFN other than MBL Customers ¹	Other Customers
Distribution	LBE 23234	San Diego	1/20/2025 17:27	1/20/2025 19:29	02:02	1/20/2025 19:28	Tier-3	1	0	1	0	0	N/A
Distribution	LBE 30429	San Diego	1/20/2025 17:27	1/20/2025 19:29	02:02	1/20/2025 19:28	Tier-3	1	0	1	0	0	N/A
Distribution	221-1251R	San Diego	1/20/2025 21:37	1/21/2025 1:01	03:24	1/21/2025 1:00	Tier-3	116	99	17	4	31	N/A
Distribution	448-1204	San Diego	1/20/2025 21:44	1/21/2025 4:04	06:20	1/21/2025 4:03	Tier-3	18	0	18	0	0	N/A
Distribution	F2251624	San Diego	1/20/2025 23:11	1/21/2025 8:30	09:19	1/21/2025 6:38	Tier-2	22	3	19	1	1	N/A
Distribution	F2590037	San Diego	1/21/2025 10:45	1/21/2025 14:55	04:10	1/21/2025 14:37	Tier-3	5	4	1	0	0	N/A
Distribution	454-48F	San Diego	1/21/2025 9:21	1/21/2025 15:21	06:00	1/21/2025 14:02	Tier-2	17	9	8	1	1	N/A
Distribution	454-1814	San Diego	1/21/2025 9:23	1/21/2025 15:28	06:05	1/21/2025 14:02	Tier-2	2	2	0	0	0	N/A
Distribution	450-50R	San Diego	1/21/2025 9:22	1/21/2025 15:44	06:22	1/21/2025 14:02	Non HFTD	1,111	1061	50	92	292	N/A
Distribution	217-983R	Riverside, San Diego	1/20/2025 17:31	1/21/2025 16:05	22:34	1/21/2025 14:04	Tier-3	82	76	6	4	16	N/A
Distribution	SCE-218	Riverside, San Diego	1/21/2025 9:45	1/22/2025 2:37	16:52	1/22/2025 2:37	Non HFTD	1	0	1	0	0	N/A
Distribution	1090-639R	San Diego	1/21/2025 4:54	1/22/2025 8:39	27:45	1/22/2025 7:22	Tier-2	16	0	16	0	0	N/A
Distribution	157-232R	San Diego	1/20/2025 18:50	1/22/2025 9:16	38:26	1/22/2025 7:20	Tier-3	94	87	7	9	38	N/A
Distribution	157-189R	San Diego	1/20/2025 18:50	1/22/2025 9:21	38:31	1/22/2025 7:20	Tier-3	248	177	71	4	101	N/A
Distribution	VC-12KV-907	San Diego	1/20/2025 20:23	1/22/2025 9:21	36:58	1/22/2025 7:20	Tier-2	746	621	125	29	124	N/A
Distribution	907-1716R	San Diego	1/20/2025 20:23	1/22/2025 9:26	37:03	1/22/2025 7:20	Tier-2	708	653	55	80	151	N/A
Distribution	907-2820R	San Diego	1/20/2025 20:23	1/22/2025 9:46	37:23	1/22/2025 7:20	Tier-2	1	1	0	0	0	N/A
Distribution	WC-12KV-327	San Diego	1/21/2025 10:08	1/22/2025 9:51	23:43	1/22/2025 7:22	Tier-3	4	0	4	0	0	N/A
Distribution	175-24R	San Diego	1/21/2025 9:39	1/22/2025 9:56	24:17	1/22/2025 7:36	Tier-3	788	741	47	53	80	N/A
Distribution	175-94R	San Diego	1/21/2025 9:39	1/22/2025 10:12	24:33	1/22/2025 7:36	Tier-3	176	136	40	4	6	N/A
Distribution	175-2024R	San Diego	1/21/2025 9:39	1/22/2025 10:16	24:37	1/22/2025 7:36	Tier-3	30	8	22	0	0	N/A
Distribution	907-1702R	San Diego	1/20/2025 20:23	1/22/2025 10:24	38:01	1/22/2025 7:20	Tier-2	73	66	7	7	21	N/A
Distribution	175-90R	San Diego	1/21/2025 9:39	1/22/2025 10:28	24:49	1/22/2025 7:36	Tier-3	166	106	60	11	23	N/A
Distribution	BUJ-12.47KV-444	San Diego	1/20/2025 19:51	1/22/2025 10:28	38:37	1/22/2025 8:44	Tier-2	4	3	1	1	3	N/A
Distribution	444-43R	San Diego	1/20/2025 19:51	1/22/2025 10:33	38:42	1/22/2025 8:44	Tier-2	123	93	30	11	36	N/A
Distribution	175-64R	San Diego	1/21/2025 9:39	1/22/2025 10:42	25:03	1/22/2025 7:36	Tier-3	108	74	34	4	8	N/A
Distribution	176-1836R	San Diego	1/21/2025 8:01	1/22/2025 10:46	26:45	1/22/2025 7:20	Tier-2	196	183	13	13	25	N/A
Transmission	TL682	San Diego	1/21/2025 9:59	1/22/2025 10:51	24:52	1/22/2025 7:19	Tier-2/Tier-3	0	0	0	0	0	N/A
Distribution	1030-989R	San Diego	1/21/2025 7:53	1/22/2025 11:08	27:15	1/22/2025 7:21	Tier-3	153	102	51	5	25	N/A
Distribution	176-1834R	San Diego	1/20/2025 21:49	1/22/2025 11:11	37:22	1/22/2025 7:20	Tier-2	267	238	29	24	22	N/A
Distribution	176-194R	San Diego	1/20/2025 21:49	1/22/2025 11:16	37:27	1/22/2025 7:20	Tier-2	99	72	27	7	12	N/A
Distribution	176-161R	San Diego	1/20/2025 21:49	1/22/2025 11:20	37:31	1/22/2025 7:20	Tier-2	657	578	79	69	88	N/A
Distribution	1233-587R	San Diego	1/21/2025 1:46	1/22/2025 11:23	33:37	1/22/2025 7:20	Tier-3	91	78	13	2	13	N/A
Distribution	176-164R	San Diego	1/20/2025 21:49	1/22/2025 11:25	37:36	1/22/2025 7:20	Tier-2	69	43	26	5	5	N/A
Transmission	TL50003	San Diego	1/21/2025 7:35	1/22/2025 11:30	27:55	1/22/2025 7:19	Tier-3	0	0	0	0	0	N/A
Distribution	176-1845R	San Diego	1/20/2025 21:49	1/22/2025 11:38	37:49	1/22/2025 7:20	Tier-2	70	52	18	4	5	N/A
Distribution	221-1249R	San Diego	1/20/2025 21:37	1/22/2025 11:43	38:06	1/22/2025 7:22	Tier-3	196	158	38	7	43	N/A

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 4: Damages and Hazards

Circuit/ Device Name	County	Structure Identifier	HFTD Tier	Type of Damage/Hazard
449	San Diego	P42621J	3	Broken Pole
476	San Diego	P108167	Non-HFTD	Broken Pole
175	San Diego	P133349	3	Broken Pole

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 5: Positive Notification

Designation	Total Number of Customers	Notification Attempts Made	Timing of Attempts	Who made the Notification Attempt	Successful Positive Notification
MBL	5,927	14,044	1/18 13:28 PDT - 1/21 09:48 PDT	SDGE	5,927
MBL behind a master meter	235	494	1/18 13:28 PDT - 1/21 09:48 PDT	SDGE	N/A

Table 6: Notification Failure

Notifications Sent To	Notification Failure Description	Number of Entities or Customer Accounts	Explanation
Public Safety Partners excluding Critical Facilities and Infrastructure	Entities who did not receive 48- to 72-hour advance notification.	0	
	Entities who did not receive 1–4-hour imminent notification.	0	
	Entities who did not receive any notifications before de-energization	0	
	Entities who were not notified immediately before re-energization	0	
	Entities who did not receive cancellation notification within two hours of the decision to cancel	0	
Critical Facilities and Infrastructure	Facilities who did not receive 48–72-hour advance notification.	0	5 Customers with no Contact Data
	Facilities who did not receive 1-4 hour of imminent notifications.	0	4 Customers with no Contact Data
	Facilities who did not receive any notifications before de-energization.	0	4 Customers with no Contact Data
	Facilities who were not notified at de-energization initiation.	0	4 Customers with no Contact Data
	Facilities who were not notified immediately before re-energization.	0	4 Customers with no Contact Data
	Facilities who were not notified when re-energization is complete.	0	4 Customers with no Contact Data
	Facilities who did not receive cancellation notification within two hours of the decision to cancel	0	1 Customer with no Contact Data
All Other Affected Customers	Customers who did not receive 24–48-hour advance notifications.	190	190 customers did not receive the 48-24 hour notification because they were added to scope after the 24 hour period as a result of rapidly changing weather conditions. Of these 190 customers, there were 2 MBL customers. 1,137 customers with no contact data
	Customers who did not receive 1–4-hour imminent notifications.	2261	The 2,261 customers who did not receive the 1-4 hour notification is due to rapidly changing winds, allowing no time for the message prior to the immediate need to deenergize for safety. 520 customers with no contact data
	Customers who did not receive any notifications before de-energization.	0	539 customers with no contact data
	Customers who were not notified at de-energization initiation.	0	539 customers with no contact data
	Customers who were not notified immediately before re-energization.	586	586 missed notifications due to special underground configuration to minimize de-energized customers. 536 customers with no contact data
	Customers who were not notified when re-energization is complete.	2	2 missed notifications due to special underground configuration to minimize de-energized customers. 539 customers with no contact data
	Customers who did not receive cancellation notification within two hours of the decision to cancel	105	105 shared customers with Edison missed the cancellation notification due to an internal miscommunication. Of these 105 customers, there were 11 MBL customers. 598 customers with no contact data

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
Carlsbad Fire Department	Assistant Director of Emergency Services	Tier-2	See Appendix 2
Carlsbad Water	Supervisor	Tier-2	See Appendix 2
Carlsbad Water	Supervisor	Tier-2	See Appendix 2
Carlsbad Water	Supervisor	Tier-2	See Appendix 2
Charter	Charter	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Charter	Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Charter	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
City of Aliso Viejo	CEO	Non-HFTD	See Appendix 2
City of Aliso Viejo	City Clerk	Non-HFTD	See Appendix 2
City of Aliso Viejo	City Manager	Non-HFTD	See Appendix 2
City of Aliso Viejo	Councilmember	Non-HFTD	See Appendix 2
City of Aliso Viejo	Councilmember	Non-HFTD	See Appendix 2
City of Aliso Viejo	Councilmember	Non-HFTD	See Appendix 2
City of Aliso Viejo	Councilmember	Non-HFTD	See Appendix 2
City of Aliso Viejo	Councilmember	Non-HFTD	See Appendix 2
City of Aliso Viejo	Director of Public Works	Non-HFTD	See Appendix 2
City of Aliso Viejo	Emergency Manager	Non-HFTD	See Appendix 2
City of Aliso Viejo	Executive Assistant	Non-HFTD	See Appendix 2
City of Aliso Viejo	IT Manager	Non-HFTD	See Appendix 2
City of Aliso Viejo	Mayor	Non-HFTD	See Appendix 2
City of Aliso Viejo	Planning Director	Non-HFTD	See Appendix 2
City of Carlsbad	City Manager	Tier-2	See Appendix 2
City of Carlsbad	Council Secretary	Tier-2	See Appendix 2
City of Carlsbad	Councilmember	Tier-2	See Appendix 2
City of Carlsbad	Councilmember	Tier-2	See Appendix 2
City of Carlsbad	Councilmember	Tier-2	See Appendix 2
City of Carlsbad	Councilmember	Tier-2	See Appendix 2
City of Carlsbad	Councilmember	Tier-2	See Appendix 2
City of Carlsbad	Deputy City Manager	Tier-2	See Appendix 2
City of Carlsbad	Intergovernmental Affairs Director	Tier-2	See Appendix 2
City of Carlsbad	Mayor	Tier-2	See Appendix 2
City of Chula Vista	Battalion 51	Tier-2	See Appendix 2
City of Chula Vista	Battalion 52	Tier-2	See Appendix 2
City of Chula Vista	City Manager	Tier-2	See Appendix 2
City of Chula Vista	Councilmember	Tier-2	See Appendix 2
City of Chula Vista	Councilmember	Tier-2	See Appendix 2
City of Chula Vista	Councilmember	Tier-2	See Appendix 2
City of Chula Vista	Deputy City Manager Development Services	Tier-2	See Appendix 2
City of Chula Vista	Emergency Manager	Tier-2	See Appendix 2
City of Chula Vista	Environmental Sustainability Manager	Tier-2	See Appendix 2
City of Chula Vista	Information Technology	Tier-2	See Appendix 2
City of Chula Vista	Mayor	Tier-2	See Appendix 2
City of Chula Vista	Public Works Director	Tier-2	See Appendix 2
City of Coronado	Assistant City Manager	Non-HFTD	See Appendix 2
City of Coronado	City Manager	Non-HFTD	See Appendix 2
City of Coronado	Councilmember	Non-HFTD	See Appendix 2
City of Coronado	Councilmember	Non-HFTD	See Appendix 2
City of Coronado	Councilmember	Non-HFTD	See Appendix 2
City of Coronado	Councilmember	Non-HFTD	See Appendix 2
City of Coronado	Emergency Management Coordinator	Non-HFTD	See Appendix 2
City of Coronado	Mayor	Non-HFTD	See Appendix 2
City of Coronado	Police Dispatch Supv.	Non-HFTD	See Appendix 2
City of Coronado	Public Services Director	Non-HFTD	See Appendix 2
City of Dana Point	CEO	Tier-2	See Appendix 2
City of Dana Point	City Attorney	Tier-2	See Appendix 2
City of Dana Point	City Clerk	Tier-2	See Appendix 2
City of Dana Point	City Manager	Tier-2	See Appendix 2
City of Dana Point	Community Development Director	Tier-2	See Appendix 2
City of Dana Point	Councilmember	Tier-2	See Appendix 2
City of Dana Point	Councilmember	Tier-2	See Appendix 2
City of Dana Point	Councilmember	Tier-2	See Appendix 2
City of Dana Point	Councilmember	Tier-2	See Appendix 2
City of Dana Point	Deputy Public Works Director/City Engineer	Tier-2	See Appendix 2
City of Dana Point	Economic Development	Tier-2	See Appendix 2
City of Dana Point	Emergency Manager	Tier-2	See Appendix 2
City of Dana Point	Emergency Services Coordinator	Tier-2	See Appendix 2
City of Dana Point	Executive Assistant	Tier-2	See Appendix 2
City of Dana Point	Mayor	Tier-2	See Appendix 2
City of Dana Point	Unknown	Tier-2	See Appendix 2
City of Dana Point	Unknown	Tier-2	See Appendix 2
City of Del Mar	Assistant City Manager	Non-HFTD	See Appendix 2
City of Del Mar	City Manager	Non-HFTD	See Appendix 2
City of Del Mar	Councilmember	Non-HFTD	See Appendix 2
City of Del Mar	Councilmember	Non-HFTD	See Appendix 2
City of Del Mar	Councilmember	Non-HFTD	See Appendix 2
City of Del Mar	Emergency Manager	Non-HFTD	See Appendix 2
City of Del Mar	Mayor	Non-HFTD	See Appendix 2
City of Del Mar	Public Works Director	Non-HFTD	See Appendix 2
City of El Cajon	Acting Director of Public Works/City Engineer	Tier-2	See Appendix 2
City of El Cajon	After Hours	Tier-2	See Appendix 2
City of El Cajon	Assistant to City Manager	Tier-2	See Appendix 2
City of El Cajon	City Manager	Tier-2	See Appendix 2
City of El Cajon	Communications Manager	Tier-2	See Appendix 2
City of El Cajon	Councilmember	Tier-2	See Appendix 2
City of El Cajon	Councilmember	Tier-2	See Appendix 2
City of El Cajon	Councilmember	Tier-2	See Appendix 2
City of El Cajon	Councilmember	Tier-2	See Appendix 2
City of El Cajon	Director	Tier-2	See Appendix 2
City of El Cajon	Mayor	Tier-2	See Appendix 2
City of El Cajon	Officer	Tier-2	See Appendix 2
City of El Cajon	Public Works	Tier-2	See Appendix 2
City of El Cajon	Senior Management Analyst	Tier-2	See Appendix 2
City of El Cajon	Unknown	Tier-2	See Appendix 2
City of Encinitas	City Clerk	Tier-2	See Appendix 2
City of Encinitas	City Manager	Tier-2	See Appendix 2

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
City of Encinitas	Councilmember	Tier-2	See Appendix 2
City of Encinitas	Councilmember	Tier-2	See Appendix 2
City of Encinitas	Councilmember	Tier-2	See Appendix 2
City of Encinitas	Development Services Director	Tier-2	See Appendix 2
City of Encinitas	Director of Engineering	Tier-2	See Appendix 2
City of Encinitas	Emergency Manager	Tier-2	See Appendix 2
City of Encinitas	Emergency Manager	Tier-2	See Appendix 2
City of Encinitas	Fire Chief Encinitas, Del Mar, Solana Beach	Tier-2	See Appendix 2
City of Encinitas	Mayor	Tier-2	See Appendix 2
City of Encinitas	Risk Manager	Tier-2	See Appendix 2
City of Escondido	City Manager	Tier-3 Tier-2	See Appendix 2
City of Escondido	Communications Manager	Tier-3 Tier-2	See Appendix 2
City of Escondido	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Escondido	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Escondido	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Escondido	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Escondido	Deputy Director of Utilities	Tier-3 Tier-2	See Appendix 2
City of Escondido	Dispatch	Tier-3 Tier-2	See Appendix 2
City of Escondido	Fire Chief	Tier-3 Tier-2	See Appendix 2
City of Escondido	Mayor	Tier-3 Tier-2	See Appendix 2
City of Escondido	Public Information Officer	Tier-3 Tier-2	See Appendix 2
City of Escondido	Utilities Supervisor	Tier-3 Tier-2	See Appendix 2
City of Escondido	Utilities Supervisor	Tier-3 Tier-2	See Appendix 2
City of Escondido	Wastewater Supervisor	Tier-3 Tier-2	See Appendix 2
City of Escondido	Water Treatment Plant Supervisor	Tier-3 Tier-2	See Appendix 2
City of Imperial Beach	Chief Administrative Officer	Non-HFTD	See Appendix 2
City of Imperial Beach	City Manager	Non-HFTD	See Appendix 2
City of Imperial Beach	Community Dev Dept Director	Non-HFTD	See Appendix 2
City of Imperial Beach	Councilmember	Non-HFTD	See Appendix 2
City of Imperial Beach	Councilmember	Non-HFTD	See Appendix 2
City of Imperial Beach	Councilmember	Non-HFTD	See Appendix 2
City of Imperial Beach	Councilmember	Non-HFTD	See Appendix 2
City of Imperial Beach	Fire Chief	Non-HFTD	See Appendix 2
City of Imperial Beach	Mayor	Non-HFTD	See Appendix 2
City of Imperial Beach	Public Works Director	Non-HFTD	See Appendix 2
City of La Mesa	City Manager	Non-HFTD	See Appendix 2
City of La Mesa	Councilmember	Non-HFTD	See Appendix 2
City of La Mesa	Councilmember	Non-HFTD	See Appendix 2
City of La Mesa	Councilmember	Non-HFTD	See Appendix 2
City of La Mesa	Councilmember	Non-HFTD	See Appendix 2
City of La Mesa	Director of Public Works	Non-HFTD	See Appendix 2
City of La Mesa	Mayor	Non-HFTD	See Appendix 2
City of Laguna Beach	CEO	Tier-2	See Appendix 2
City of Laguna Beach	City Attorney	Tier-2	See Appendix 2
City of Laguna Beach	City Clerk	Tier-2	See Appendix 2
City of Laguna Beach	City Manager	Tier-2	See Appendix 2
City of Laguna Beach	Community Development	Tier-2	See Appendix 2
City of Laguna Beach	Community Development	Tier-2	See Appendix 2
City of Laguna Beach	Councilmember	Tier-2	See Appendix 2
City of Laguna Beach	Councilmember	Tier-2	See Appendix 2
City of Laguna Beach	Councilmember	Tier-2	See Appendix 2
City of Laguna Beach	Councilmember	Tier-2	See Appendix 2
City of Laguna Beach	Councilmember	Tier-2	See Appendix 2
City of Laguna Beach	Executive Assistant	Tier-2	See Appendix 2
City of Laguna Beach	Mayor	Tier-2	See Appendix 2
City of Laguna Hills	City Atty – Woodruff, Spadlin & Smart	Non-HFTD	See Appendix 2
City of Laguna Hills	City Clerk	Non-HFTD	See Appendix 2
City of Laguna Hills	City Manager	Non-HFTD	See Appendix 2
City of Laguna Hills	Community Development Director/Planning Director	Non-HFTD	See Appendix 2
City of Laguna Hills	Councilmember	Non-HFTD	See Appendix 2
City of Laguna Hills	Councilmember	Non-HFTD	See Appendix 2
City of Laguna Hills	Councilmember	Non-HFTD	See Appendix 2
City of Laguna Hills	Councilmember	Non-HFTD	See Appendix 2
City of Laguna Hills	Deputy City Manager/Comm Services	Non-HFTD	See Appendix 2
City of Laguna Hills	Mayor	Non-HFTD	See Appendix 2
City of Laguna Hills	Public Works Director	Non-HFTD	See Appendix 2
City of Laguna Niguel	Chief of Police Services	Tier-2	See Appendix 2
City of Laguna Niguel	City Clerk	Tier-2	See Appendix 2
City of Laguna Niguel	City Manager	Tier-2	See Appendix 2
City of Laguna Niguel	Community Development Director/Planning Director	Tier-2	See Appendix 2
City of Laguna Niguel	Councilmember	Tier-2	See Appendix 2
City of Laguna Niguel	Councilmember	Tier-2	See Appendix 2
City of Laguna Niguel	Councilmember	Tier-2	See Appendix 2
City of Laguna Niguel	Mayor	Tier-2	See Appendix 2
City of Laguna Niguel	Public Works Director	Tier-2	See Appendix 2
City of Lemon Grove	Assistant City Manager/Public Works Director/Superintendent	Non-HFTD	See Appendix 2
City of Lemon Grove	City Manager	Non-HFTD	See Appendix 2
City of Lemon Grove	Councilmember	Non-HFTD	See Appendix 2
City of Lemon Grove	Councilmember	Non-HFTD	See Appendix 2
City of Lemon Grove	Councilmember	Non-HFTD	See Appendix 2
City of Lemon Grove	Mayor	Non-HFTD	See Appendix 2
City of Mission Viejo	CEO	Tier-2	See Appendix 2
City of Mission Viejo	City Attorney	Tier-2	See Appendix 2
City of Mission Viejo	City Clerk/Director of Community Relations	Tier-2	See Appendix 2
City of Mission Viejo	City Engineer	Tier-2	See Appendix 2
City of Mission Viejo	City Manager	Tier-2	See Appendix 2
City of Mission Viejo	Councilmember	Tier-2	See Appendix 2
City of Mission Viejo	Councilmember	Tier-2	See Appendix 2
City of Mission Viejo	Councilmember	Tier-2	See Appendix 2
City of Mission Viejo	Councilmember	Tier-2	See Appendix 2
City of Mission Viejo	Councilmember	Tier-2	See Appendix 2
City of Mission Viejo	Dir of Community Dvlpmnt	Tier-2	See Appendix 2
City of Mission Viejo	Director of Finance	Tier-2	See Appendix 2
City of Mission Viejo	Director of Public Works	Tier-2	See Appendix 2

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
City of Mission Viejo	Emergency Manager	Tier-2	See Appendix 2
City of Mission Viejo	Exec Asst to City Manager	Tier-2	See Appendix 2
City of Mission Viejo	Mayor	Tier-2	See Appendix 2
City of National City	Assistant City Manager	Non-HFTD	See Appendix 2
City of National City	City Manager	Non-HFTD	See Appendix 2
City of National City	City Manager	Non-HFTD	See Appendix 2
City of National City	Councilmember	Non-HFTD	See Appendix 2
City of National City	Councilmember	Non-HFTD	See Appendix 2
City of National City	Councilmember	Non-HFTD	See Appendix 2
City of National City	Councilmember	Non-HFTD	See Appendix 2
City of National City	Emergency Manager	Non-HFTD	See Appendix 2
City of National City	Mayor	Non-HFTD	See Appendix 2
City of National City	Public Works & Engineering Director	Non-HFTD	See Appendix 2
City of Oceanside	Assistant City Manager	Tier-2	See Appendix 2
City of Oceanside	Battalion Chief	Tier-2	See Appendix 2
City of Oceanside	City Manager	Tier-2	See Appendix 2
City of Oceanside	Communications	Tier-2	See Appendix 2
City of Oceanside	Councilmember	Tier-2	See Appendix 2
City of Oceanside	Councilmember	Tier-2	See Appendix 2
City of Oceanside	Councilmember	Tier-2	See Appendix 2
City of Oceanside	Councilmember	Tier-2	See Appendix 2
City of Oceanside	Mayor	Tier-2	See Appendix 2
City of Poway	Assistant City Manager	Tier-3 Tier-2	See Appendix 2
City of Poway	Assistant Director of Public Works for Utilities	Tier-3 Tier-2	See Appendix 2
City of Poway	City Manager	Tier-3 Tier-2	See Appendix 2
City of Poway	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Poway	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Poway	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Poway	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Poway	Director of Public Works	Tier-3 Tier-2	See Appendix 2
City of Poway	Emergency Preparedness Coordinator	Tier-3 Tier-2	See Appendix 2
City of Poway	Fire Chief	Tier-3 Tier-2	See Appendix 2
City of Poway	Mayor	Tier-3 Tier-2	See Appendix 2
City of Poway	Public Works	Tier-3 Tier-2	See Appendix 2
City of Poway	Public Works	Tier-3 Tier-2	See Appendix 2
City of Poway	Public Works Operations Manager	Tier-3 Tier-2	See Appendix 2
City of Poway	Wastewater Utilities Supervisor	Tier-3 Tier-2	See Appendix 2
City of Rancho Santa Margarita	City Clerk	Tier-2	See Appendix 2
City of Rancho Santa Margarita	City Engineer/Director of Public Works	Tier-2	See Appendix 2
City of Rancho Santa Margarita	City Manager	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Councilmember	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Councilmember	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Councilmember	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Councilmember	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Director of Finance	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Director of Planning	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Mayor	Tier-2	See Appendix 2
City of Rancho Santa Margarita	PIO - Emergency Manager	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Principal Engineer	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Public Works Director/City Engineer	Tier-2	See Appendix 2
City of Rancho Santa Margarita	Traffic Engineer	Tier-2	See Appendix 2
City of San Clemente	CEO	Tier-2	See Appendix 2
City of San Clemente	City Clerk	Tier-2	See Appendix 2
City of San Clemente	City Clerk	Tier-2	See Appendix 2
City of San Clemente	City Manager	Tier-2	See Appendix 2
City of San Clemente	City Treasurer	Tier-2	See Appendix 2
City of San Clemente	Councilmember	Tier-2	See Appendix 2
City of San Clemente	Councilmember	Tier-2	See Appendix 2
City of San Clemente	Councilmember	Tier-2	See Appendix 2
City of San Clemente	Director - Community Development	Tier-2	See Appendix 2
City of San Clemente	Electrician	Tier-2	See Appendix 2
City of San Clemente	Emergency Manager	Tier-2	See Appendix 2
City of San Clemente	Maintenance Manager	Tier-2	See Appendix 2
City of San Clemente	Mayor	Tier-2	See Appendix 2
City of San Diego Office of Emergency Services	Emergency Management	Tier-2 Tier-3	See Appendix 2
City of San Diego Office of Emergency Services	Interim Program Manager	Tier-2 Tier-3	See Appendix 2
City of San Diego Water Department	Manager	Tier-2 Tier-3	See Appendix 2
City of San Diego Water Department	Manager	Tier-2 Tier-3	See Appendix 2
City of San Diego Water Department	Manager	Tier-2 Tier-3	See Appendix 2
City of San Diego	Active Transportation & Infrastructure Committee Consultant	Tier-2 Tier-3	See Appendix 2
City of San Diego	Assistant Director of Development Services Department	Tier-2 Tier-3	See Appendix 2
City of San Diego	CFO	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief Building Official, Deputy Director	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief Deputy Engineer	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief Deputy Engineer - Secondary	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief of Staff	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief of Staff - District 8	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief of Staff District 1	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief of Staff District 3	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief of Staff District 5	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief of Staff District 6	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief of Staff District 7	Tier-2 Tier-3	See Appendix 2
City of San Diego	Chief of Staff District 9	Tier-2 Tier-3	See Appendix 2
City of San Diego	CIO Performance + Analytics	Tier-2 Tier-3	See Appendix 2
City of San Diego	COO	Tier-2 Tier-3	See Appendix 2
City of San Diego	Councilmember	Tier-2 Tier-3	See Appendix 2
City of San Diego	Councilmember	Tier-2 Tier-3	See Appendix 2
City of San Diego	Councilmember	Tier-2 Tier-3	See Appendix 2
City of San Diego	Councilmember	Tier-2 Tier-3	See Appendix 2
City of San Diego	Councilmember	Tier-2 Tier-3	See Appendix 2
City of San Diego	Councilmember	Tier-2 Tier-3	See Appendix 2
City of San Diego	Councilmember	Tier-2 Tier-3	See Appendix 2

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
City of San Diego	Councilmember	Tier-2 Tier-3	See Appendix 2
City of San Diego	Councilmember	Tier-2 Tier-3	See Appendix 2
City of San Diego	DCCO	Tier-2 Tier-3	See Appendix 2
City of San Diego	Deputy Chief of Staff	Tier-2 Tier-3	See Appendix 2
City of San Diego	Deputy Chief of Staff District 3	Tier-2 Tier-3	See Appendix 2
City of San Diego	Deputy COO, General Services	Tier-2 Tier-3	See Appendix 2
City of San Diego	Deputy COO, Infrastructure and Public Works	Tier-2 Tier-3	See Appendix 2
City of San Diego	Deputy Director of Sustainability and Mobility Department	Tier-2 Tier-3	See Appendix 2
City of San Diego	Deputy Director Public Works / Chief Deputy Engineer - Tertiary	Tier-2 Tier-3	See Appendix 2
City of San Diego	Development Services Department, Director	Tier-2 Tier-3	See Appendix 2
City of San Diego	Director of Communications	Tier-2 Tier-3	See Appendix 2
City of San Diego	Director of Policy	Tier-2 Tier-3	See Appendix 2
City of San Diego	Economic Development Director, Office of the Mayor	Tier-2 Tier-3	See Appendix 2
City of San Diego	Emergency Services Program Coordinator	Tier-2 Tier-3	See Appendix 2
City of San Diego	Energy Policy and Council Affairs Manager	Tier-2 Tier-3	See Appendix 2
City of San Diego	Executive Assistant	Tier-2 Tier-3	See Appendix 2
City of San Diego	Fire Chief	Tier-2 Tier-3	See Appendix 2
City of San Diego	Interim Deputy Director	Tier-2 Tier-3	See Appendix 2
City of San Diego	Land Use and Housing Committee Consultant	Tier-2 Tier-3	See Appendix 2
City of San Diego	Mayor	Tier-2 Tier-3	See Appendix 2
City of San Diego	Police Chief	Tier-2 Tier-3	See Appendix 2
City of San Diego	Public Utilities Department, Director	Tier-2 Tier-3	See Appendix 2
City of San Diego	Rules Committee Consultant	Tier-2 Tier-3	See Appendix 2
City of San Diego	Rules Committee Consultant	Tier-2 Tier-3	See Appendix 2
City of San Diego	Strategic Capital Projects	Tier-2 Tier-3	See Appendix 2
City of San Diego	Strategic Energy Initiatives Manager	Tier-2 Tier-3	See Appendix 2
City of San Juan Capistrano	CFO/ Finance Director	Tier-2	See Appendix 2
City of San Juan Capistrano	City Clerk	Tier-2	See Appendix 2
City of San Juan Capistrano	City Manager	Tier-2	See Appendix 2
City of San Juan Capistrano	Councilmember	Tier-2	See Appendix 2
City of San Juan Capistrano	Councilmember	Tier-2	See Appendix 2
City of San Juan Capistrano	Councilmember	Tier-2	See Appendix 2
City of San Juan Capistrano	Councilmember	Tier-2	See Appendix 2
City of San Juan Capistrano	Director of Public Works	Tier-2	See Appendix 2
City of San Juan Capistrano	Director of Utilities/ Public Works	Tier-2	See Appendix 2
City of San Juan Capistrano	Emergency Management Consultant	Tier-2	See Appendix 2
City of San Juan Capistrano	Emergency Operations Center Manager - Tertiary	Tier-2	See Appendix 2
City of San Juan Capistrano	HR/Risk Manager	Tier-2	See Appendix 2
City of San Juan Capistrano	Mayor	Tier-2	See Appendix 2
City of San Juan Capistrano	Senior Management Analyst	Tier-2	See Appendix 2
City of San Marcos	City Manager	Tier-2	See Appendix 2
City of San Marcos	Councilmember	Tier-2	See Appendix 2
City of San Marcos	Councilmember	Tier-2	See Appendix 2
City of San Marcos	Councilmember	Tier-2	See Appendix 2
City of San Marcos	Councilmember	Tier-2	See Appendix 2
City of San Marcos	Mayor	Tier-2	See Appendix 2
City of San Marcos	Public Information officer	Tier-2	See Appendix 2
City of Santee	City Manager	Tier-3 Tier-2	See Appendix 2
City of Santee	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Santee	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Santee	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Santee	Councilmember	Tier-3 Tier-2	See Appendix 2
City of Santee	Fire Captain	Tier-3 Tier-2	See Appendix 2
City of Santee	Fire Chief	Tier-3 Tier-2	See Appendix 2
City of Santee	Marketing Manager	Tier-3 Tier-2	See Appendix 2
City of Santee	Mayor	Tier-3 Tier-2	See Appendix 2
City of Solana Beach	Asst. City Manager	Non-HFTD	See Appendix 2
City of Solana Beach	City Manager	Non-HFTD	See Appendix 2
City of Solana Beach	Councilmember	Non-HFTD	See Appendix 2
City of Solana Beach	Councilmember	Non-HFTD	See Appendix 2
City of Solana Beach	Councilmember	Non-HFTD	See Appendix 2
City of Solana Beach	Deputy Mayor	Non-HFTD	See Appendix 2
City of Solana Beach	Management Analyst/Emerg Coordinator	Non-HFTD	See Appendix 2
City of Solana Beach	Mayor	Non-HFTD	See Appendix 2
City of Vista	Asst. City Manager	Non-HFTD Tier-2	See Appendix 2
City of Vista	City Manager	Non-HFTD Tier-2	See Appendix 2
City of Vista	Communications Officer	Non-HFTD Tier-2	See Appendix 2
City of Vista	Councilmember	Non-HFTD Tier-2	See Appendix 2
City of Vista	Councilmember	Non-HFTD Tier-2	See Appendix 2
City of Vista	Councilmember	Non-HFTD Tier-2	See Appendix 2
City of Vista	Councilmember	Non-HFTD Tier-2	See Appendix 2
City of Vista	Deputy Chief	Non-HFTD Tier-2	See Appendix 2
City of Vista	Emergency Manager	Non-HFTD Tier-2	See Appendix 2
City of Vista	Mayor	Non-HFTD Tier-2	See Appendix 2
City of Vista	Public Works Director	Non-HFTD Tier-2	See Appendix 2
Clean Energy Alliance	Board Secretary	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Clean Energy Alliance	CEO	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Clean Energy Alliance	Key Accounts Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Clean Energy Alliance	Local Affairs Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Clean Energy Alliance	Procurement Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Clean Energy Alliance	Regulatory Analyst	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Coronado Fire Department	Division Chief Emergency Manager / Fire Prevention	Non-HFTD	See Appendix 2
Coronado Fire Department	Fire Chief	Non-HFTD	See Appendix 2
Coronado Police Department	Captain	Non-HFTD	See Appendix 2
Coronado Police Department	Dispatcher	Non-HFTD	See Appendix 2
Coronado Police Department	Interim Chief of Police	Non-HFTD	See Appendix 2
County of Orange	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of Orange	Deputy Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego Office of Emergency Services	Back Up Duty Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego Office of Emergency Services	Emergency Management Coordinator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego Office of Emergency Services	Emergency Management Coordinator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego Office of Emergency Services	Emergency Services	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego Office of Emergency Services	Emergency Services Coordinator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
County of San Diego Office of Emergency Services	Staff Duty Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Acting LUEG Deputy CAO	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Assessor/Recorder/County Clerk	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief Administrative Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of County Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of County Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of Energy and Sustainability	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of Staff - District 4	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of Staff District 1	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of Staff District 2	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of Staff District 4	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Chief of Staff/Senior Policy Advisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	County of San Diego	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	County Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Deputy Chief Administrative Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Director of Policy - D2	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	EMS Coordinator, PHPR	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	General Services	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	GIS Analyst	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Group Program Manager, LUEG	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Media & Public Relations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Parks & Recreation	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Policy Advisor / Community Liason	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Policy Aide	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Program Coordinator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Public Works	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
County of San Diego	Supportive Services Program Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Business Continuity Specialist	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Communications Security	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Cox Communications	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Director, State Regulatory Affairs	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Engineer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Field Operations Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Network Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Network Operations Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Sr. Director - Energy, Carbon & Innovation	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Cox Communications	Supervisor, Network Engineering	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
CPUC	CPUC - Requested to be added for workshops	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
CLUEA	Executive Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Deer Springs Fire Protection District	Chief	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Deer Springs Fire Protection District	District Administrator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Deer Springs Fire Protection District	Fire Captain	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Deer Springs Fire Protection District	Firefighter	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Deer Springs Fire Protection District	President	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Descanso Community Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Descanso Community Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
El Cajon Police Department	Captain	Tier-2	See Appendix 2
El Cajon Police Department	Lieutenant	Tier-2	See Appendix 2
El Cajon Police Department	Lieutenant	Tier-2	See Appendix 2
Encina Waste Water Authority	Chief Plant Operator/Director of Operations - Tertiary	Non-HFTD Tier-2 Tier-3	See Appendix 2
Encina Waste Water Authority	Director of Operations	Non-HFTD Tier-2 Tier-3	See Appendix 2
Encina Waste Water Authority	Manager/Director of Operations - Secondary	Non-HFTD Tier-2 Tier-3	See Appendix 2
Encinitas Fire Department	Battalion Chief	Tier-2	See Appendix 2
Encinitas Fire Department	Deputy Fire Chief	Tier-2	See Appendix 2
Encinitas Fire Department	Management Analyst	Tier-2	See Appendix 2
Engineering and Capital Projects Department	Director and City Engineer	Tier-2 Tier-3	See Appendix 2
Escondido Fire Department	Emergency Manager	Tier-3 Tier-2	See Appendix 2
Escondido Police and Fire Communications	Communications Officer	Tier-3 Tier-2	See Appendix 2
Escondido Police and Fire Communications	Executive Assistant	Tier-3 Tier-2	See Appendix 2
Escondido Police and Fire Communications	Public Safety Manager	Tier-3 Tier-2	See Appendix 2
Ewiaapaayp Band of Kumeyaay Indians	CEO	Tier-3 Tier-2 Zone-1	See Appendix 2
Ewiaapaayp Band of Kumeyaay Indians	Director	Tier-3 Tier-2 Zone-1	See Appendix 2
Ewiaapaayp Band of Kumeyaay Indians	Vice Chairman	Tier-3 Tier-2 Zone-1	See Appendix 2
FACT (Facilitating Access to Coordinated Transportation)	Mobility Coordinator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
FACT (Facilitating Access to Coordinated Transportation)	Mobility Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Fallbrook Public Utility District	Field Services Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Fallbrook Public Utility District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Fallbrook Public Utility District	NA	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Fallbrook Public Utility District	Public Works Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Fallbrook Public Utility District	Safety Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Fallbrook Public Utility District	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Fallbrook Public Utility District	System Operator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Fallbrook Public Utility District	System Operator - Secondary	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Family Health Centers San Diego	APM, Manager - Facilities Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Family Health Centers San Diego	Associate Project Manager, Construction Projects/Facility Services	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Family Health Centers San Diego	Manager of Construction	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Family Health Centers San Diego	Manager of Facilities - Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Family Health Centers San Diego	NA	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Family Health Centers San Diego	Vice President of Physical Facilities	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Harrison Park Mutual Water	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Harrison Park Mutual Water	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Heartland Communications	Dispatch Supervisor	Non-HFTD Tier-2	See Appendix 2

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025
Appendix 5: PSPS Event Data Workbook
Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
Heartland Communications	Dispatcher	Non-HFTD Tier-2	See Appendix 2
Heartland Communications	Heartland Fire	Non-HFTD Tier-2	See Appendix 2
Heartland Communications	Operations Manager	Non-HFTD Tier-2	See Appendix 2
Heartland Fire	Division Chief	Non-HFTD Tier-2	See Appendix 2
Heartland Fire	Emergency Manager - El Cajon, La Mesa, Lemon Grove	Non-HFTD Tier-2	See Appendix 2
Heartland Fire	Fire Chief	Non-HFTD Tier-2	See Appendix 2
Helix Water District	Helix Water District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Helix Water District	Water Treatment Plant Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Iipay Nation of Santa Ysabel	Chairman	Tier-3 Tier-2 Zone-1	See Appendix 2
Iipay Nation of Santa Ysabel	Director of Operations	Tier-3 Tier-2 Zone-1	See Appendix 2
Iipay Nation of Santa Ysabel	Environmental Director	Tier-3 Tier-2 Zone-1	See Appendix 2
Iipay Nation of Santa Ysabel	Tribal Enterprise	Tier-3 Tier-2 Zone-1	See Appendix 2
Imperial Beach Fire Department	Assistant Fire Marshall	Non-HFTD	See Appendix 2
Imperial Beach Fire Department	Fire Captain/Paramedic	Non-HFTD	See Appendix 2
Inaja-Cosmit Band of Indians	Administrative Assistant	Tier-3	See Appendix 2
Inaja-Cosmit Band of Indians	Vice Chairwoman	Tier-3	See Appendix 2
Indian Health Council	Board Member	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Indian Health Council	Chief Executive Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Indian Health Council	Chief Operating Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Indian Health Council	Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Jacumba Community Service District	Jacumba Community Service District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Jacumba Community Service District	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Jamul Indian Village A Kumeyaay Nation	Chairwoman	Tier-3	See Appendix 2
Jamul Indian Village A Kumeyaay Nation	Environmental Director	Tier-3	See Appendix 2
Julian Community Service District	Julian Community Service District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Julian Community Service District	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Kaiser Permanente	Area Information Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Kaiser Permanente	Director, Facilities - SMMC & North County Clinics	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Kaiser Permanente	Director, Facilities - SDMC & Central County Clinics	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Kaiser Permanente	Director, Facilities - ZMC & South County Clinics	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Kaiser Permanente	Executive Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Kaiser Permanente	Manager, Facilities - East County Clinics	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
La Jolla Band of Luiseño Indians	Chairwoman	Tier-3	See Appendix 2
La Jolla Band of Luiseño Indians	Councilman	Tier-3	See Appendix 2
La Jolla Band of Luiseño Indians	Environmental Director	Tier-3	See Appendix 2
La Jolla Band of Luiseño Indians	Operations	Tier-3	See Appendix 2
La Jolla Band of Luiseño Indians	Tribal Fire Chief	Tier-3	See Appendix 2
La Jolla Band of Luiseño Indians	Vice Chairman	Tier-3	See Appendix 2
La Posta Band of Mission Indians	Councilman	Tier-3 Zone-1	See Appendix 2
La Posta Band of Mission Indians	Councilwoman	Tier-3 Zone-1	See Appendix 2
La Posta Band of Mission Indians	Councilwoman	Tier-3 Zone-1	See Appendix 2
La Posta Band of Mission Indians	Emergency Mitigation Specialist	Tier-3 Zone-1	See Appendix 2
La Posta Band of Mission Indians	Vice Chairman	Tier-3 Zone-1	See Appendix 2
Laguna Niguel Police Services	Chief	Tier-2	See Appendix 2
Laguna Niguel Police Services	Sr. Emergency Management Program Coordinator	Tier-2	See Appendix 2
Lakeside Fire Protection District	Fire Chief	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Lakeside Water District	General Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Lakeside Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Leucadia Wastewater Water District	Supervisor	Tier-3 Tier-2	See Appendix 2
Leucadia Wastewater Water District	Supervisor	Tier-3 Tier-2	See Appendix 2
Los Coyotes Band of Indians	Chairman	Tier-2 Zone-1	See Appendix 2
Los Coyotes Band of Indians	Environmental Director	Tier-2 Zone-1	See Appendix 2
Los Coyotes Band of Indians	Executive Council Member	Tier-2 Zone-1	See Appendix 2
Los Coyotes Band of Indians	Executive Council Member	Tier-2 Zone-1	See Appendix 2
Los Coyotes Band of Indians	Executive Council Member	Tier-2 Zone-1	See Appendix 2
Los Tules Mutual Water Company	Water System Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Manzanita Band of the Kumeyaay Nation	Administrator	Tier-3 Tier-2	See Appendix 2
Manzanita Band of the Kumeyaay Nation	Chairwoman	Tier-3 Tier-2	See Appendix 2
Manzanita Band of the Kumeyaay Nation	Environmental Director	Tier-3 Tier-2	See Appendix 2
Manzanita Band of the Kumeyaay Nation	Executive Council Member	Tier-3 Tier-2	See Appendix 2
Mesa Grande Band of Mission Indians	Chairman	Tier-3 Zone-1	See Appendix 2
Mesa Grande Band of Mission Indians	Councilman	Tier-3 Zone-1	See Appendix 2
Mesa Grande Band of Mission Indians	Vice Chairman	Tier-3 Zone-1	See Appendix 2
Metropolitan Water District of Southern California	Duty Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Metropolitan Water District of Southern California	Jacumba Community Service District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Metropolitan Water District of Southern California	Metropolitan Water District EOC	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Mission Hospital Laguna Beach	Manager Facilities, Engineering	Tier-2	See Appendix 2
Mission Hospital Mission Viejo	Director Facilities Services	Tier-2	See Appendix 2
Mission Hospital Mission Viejo	Facilities Manager - Mission Viejo	Tier-2	See Appendix 2
Mission Hospital Mission Viejo	Office Coordination, Safety and Security	Tier-2	See Appendix 2
Monte Vista Fire Dispatch Center	Dispatch Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Moulton Niguel Water District	Director of Operations	Non-HFTD Tier-2 Zone-1	See Appendix 2
Moulton Niguel Water District	GIS Analyst	Non-HFTD Tier-2 Zone-1	See Appendix 2
Moulton Niguel Water District	Information Systems Officer	Non-HFTD Tier-2 Zone-1	See Appendix 2
Moulton Niguel Water District	Moulton Niguel MWD	Non-HFTD Tier-2 Zone-1	See Appendix 2
Municipal Water District of Orange County	Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Municipal Water District of Orange County	Director of Emergency Management	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Municipal Water District of Orange County	Director of Emergency Management	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Municipal Water District of Orange County	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Naval Base Coronado	Duty Officer	Non-HFTD Tier-2 Tier-3	See Appendix 2
Naval Base Coronado	Emergency Management	Non-HFTD Tier-2 Tier-3	See Appendix 2
Naval Base Coronado	Emergency Management Specialist	Non-HFTD Tier-2 Tier-3	See Appendix 2
Naval Base Coronado	Naval Base Coronado Emergency Operations Center	Non-HFTD Tier-2 Tier-3	See Appendix 2
Navy Region Southwest	Deputy Director for Emergency Management	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
North County Dispatch Center	Dispatch Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
North County Dispatch Center	Operations Division Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
North County Fire Protection District	Deputy Fire Chief	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
North County Fire Protection District	Fire Chief	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Oceanside Fire Department	Fire Chief	Tier-2	See Appendix 2
Oceanside Police Department	Police Chief	Tier-2	See Appendix 2
Office of Representative Darrell Issa	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Office of Representative Juan Vargas	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Office of Representative Mike Levin	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook
Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
Office of Representative Sara Jacobs	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Office of Representative Sara Jacobs	Military and Veterans Liaison/Community Representative	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Office of Representative Sara Jacobs	Staff Assistant	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Office of Representative Scott Peters	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Office of Senator Catherine Blakespear	District Representative	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Olivenhain Municipal Water District	Assistant General Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Olivenhain Municipal Water District	Olivenhain MWD	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Olivenhain Municipal Water District	Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Olivenhain Municipal Water District	Operations Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Olivenhain Municipal Water District	Water System Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Orange County Board of Supervisors	Supervisor 1st District	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County Board of Supervisors	Supervisor 2nd District	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County Board of Supervisors	Supervisor 3rd District	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County Board of Supervisors	Supervisor 4th District	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County Board of Supervisors	Supervisor 5th District	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County Fire Authority	Director of Communications	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County Fire Authority	Fire Chief	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County OES	Office of Emergency Management	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County Sheriff's Department	Senior Emergency Management Coordinator	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County Sheriff's Department	Sergeant	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County Sheriff's Department	Sergeant	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County United Way, 2-1-1 Orange County	Contact Center Manager	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County United Way, 2-1-1 Orange County	Duty Officer	Non-HFTD Tier-2 Zone-1	See Appendix 2
Orange County United Way, 2-1-1 Orange County	Sr. Program Manager	Non-HFTD Tier-2 Zone-1	See Appendix 2
Otay Water District	Chief of Water Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Otay Water District	Lead Water System Operator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Otay Water District	Otay Water District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Otay Water District	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Otay Water District	Utility Maintenance Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Padre Dam Municipal Water District	Maintenance Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Padre Dam Municipal Water District	NULL	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Padre Dam Municipal Water District	NULL	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Padre Dam Municipal Water District	Padre Dam MWD	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Padre Dam Municipal Water District	Systems Operator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Pala Band of Mission Indians	Chairman	Tier-3 Tier-2	See Appendix 2
Pala Band of Mission Indians	Chief	Tier-3 Tier-2	See Appendix 2
Pala Band of Mission Indians	Environmental Director	Tier-3 Tier-2	See Appendix 2
Pala Band of Mission Indians	Fire Chief	Tier-3 Tier-2	See Appendix 2
Pala Band of Mission Indians	IT Director	Tier-3 Tier-2	See Appendix 2
Pala Band of Mission Indians	Public Safety Director	Tier-3 Tier-2	See Appendix 2
Pala Band of Mission Indians	Utility Department	Tier-3 Tier-2	See Appendix 2
Pala Band of Mission Indians	Veterans Program Director	Tier-3 Tier-2	See Appendix 2
Pala Band of Mission Indians	Vice Chair	Tier-3 Tier-2	See Appendix 2
Palomar Health San Marcos Medical Office	Emergency Management and Safety Coordinator	Tier-2	See Appendix 2
Palomar Health	Emergency Management	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Palomar Health	Sr. Director/Facility Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Palomar Medical Center Escondido	Emergency Mgmt and Safety Specialist, Disaster Preparedness	Tier-3 Tier-2	See Appendix 2
Palomar Medical Center Escondido	PMC Escondido Facility Manager	Tier-3 Tier-2	See Appendix 2
Palomar Medical Center Poway	PMC Poway Facility Manager	Tier-3 Tier-2	See Appendix 2
Palomar Mountain Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Paradise Valley Hospital	Director, Plant Operations	Non-HFTD	See Appendix 2
Paradise Valley Hospital	Plant Services Director/Paradise Village	Non-HFTD	See Appendix 2
Paradise Valley Hospital	Plant Services Engineering	Non-HFTD	See Appendix 2
Pauma Band of Luiseño Indians	Chairman	Tier-3 Tier-2 Zone-1	See Appendix 2
Pauma Band of Luiseño Indians	Controller	Tier-3 Tier-2 Zone-1	See Appendix 2
Pauma Band of Luiseño Indians	Fire Chief	Tier-3 Tier-2 Zone-1	See Appendix 2
Pauma Band of Luiseño Indians	Tribal Administrator	Tier-3 Tier-2 Zone-1	See Appendix 2
Pechanga Band of Indians	Utilities Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Pine Valley Mutual Water Company	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Port of San Diego Harbor Police Department	Harbor Port Dispatch	Tier-2 Tier-3	See Appendix 2
Port of San Diego Harbor Police Department	Harbor Port Dispatch	Tier-2 Tier-3	See Appendix 2
Port of San Diego Harbor Police Department	Lead Public Safety Dispatcher	Tier-2 Tier-3	See Appendix 2
Port of San Diego Harbor Police Department	Port Security Manager	Tier-2 Tier-3	See Appendix 2
Port of San Diego	Emergency Manager	Tier-2 Tier-3	See Appendix 2
Rady Children's Hospital San Diego	Admin Assoc	Tier-2 Tier-3	See Appendix 2
Rady Children's Hospital San Diego	Business Unit Coordinator/Plant Operations & Maintenance	Tier-2 Tier-3	See Appendix 2
Rady Children's Hospital San Diego	Sr Director Plant Operations	Tier-2 Tier-3	See Appendix 2
Rady Children's Hospital San Diego	Sr. Director Plant Operations and Maintenance	Tier-2 Tier-3	See Appendix 2
Rady Children's Hospital	Assoc Chief Operating Officer	Tier-2 Tier-3	See Appendix 2
Rainbow Municipal Water District	Chief Operating Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rainbow Municipal Water District	NA	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rainbow Municipal Water District	NA	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rainbow Municipal Water District	Operations Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rainbow Municipal Water District	Rainbow MWD	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Ramona Municipal Water District	General Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Ramona Municipal Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Ramona Municipal Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Ramona Municipal Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Ramona Municipal Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Ramona Municipal Water District	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Ramona Municipal Water District	Utilities Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Pauma Mutual Water Company	Consultant	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Pauma Mutual Water Company	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Pauma Mutual Water Company	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Pauma Mutual Water Company	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Pauma Mutual Water Company	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Pauma Mutual Water Company	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Santa Fe Assn.	Rancho Santa Fe Assn.	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Santa Fe Assn.	Rancho Santa Fe Assn.	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Santa Fe Assn.	Rancho Santa Fe Association Mgr	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rancho Santa Teresa Water	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rincon Band of Luiseño Indians	Chairman	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Council	Tier-3 Tier-2	See Appendix 2

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
Rincon Band of Luiseño Indians	Council	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Council	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Environmental Director	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Fire Chief	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Group Emergency Email	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Housing Manager	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Public Safety Director	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Public Safety Manager	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Public Works Manager	Tier-3 Tier-2	See Appendix 2
Rincon Band of Luiseño Indians	Vice Chair	Tier-3 Tier-2	See Appendix 2
Rincon Del Diablo Municipal Water District	Consultant	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rincon Del Diablo Municipal Water District	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rincon Del Diablo Municipal Water District	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rincon Del Diablo Municipal Water District	Water System Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Rincon Del Diablo Municipal Water District	Water System Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Saddleback College	Chief of Police	Tier-2	See Appendix 2
San Diego Community Power	Account Services Analyst	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Community Power	Director of Data Analytics & Account Services	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Community Power	Director of Power Services	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Community Power	Director of Programs	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Community Power	Director of Public Affairs	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Community Power	Key Accounts/Program Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Community Power	Key Accounts/Program Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Community Power	Senior Account Services Analyst	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Community Power	Senior Manager of Strategic Partnerships	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Community Power	Senior Marketing & Communications Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Regional Airport Authority	Emergency Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Regional Airport Authority	Emergency Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Sheriff's Department	Dispatch Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Sheriff's Department	Emergency Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Sheriff's Department	Emergency Planning Detail	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Sheriff's Department	Emergency Planning Detail	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Sheriff's Department	Emergency Planning Detail	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Sheriff's Department	Emergency Services	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Water Authority	24/7 Control Desk	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Water Authority	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Water Authority	Principal Engineer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Water Authority	Risk and Safety Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego County Water Authority	System Operator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Fire Rescue	Chief	Tier-2 Tier-3	See Appendix 2
San Diego Fire Rescue	On-Duty Fire Dispatch Supervisor	Tier-2 Tier-3	See Appendix 2
San Diego Fire Rescue	San Diego Fire Department	Tier-2 Tier-3	See Appendix 2
San Diego Fire Rescue	SDFD Duty Command BC	Tier-2 Tier-3	See Appendix 2
San Diego Fire Rescue	Unknown	Tier-2 Tier-3	See Appendix 2
San Diego Law Enforcement Coordination Center	Exercise Program Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Police Department	Dispatch Administrator	Tier-2 Tier-3	See Appendix 2
San Diego Zoo Wildlife Alliance - Safari Park	Associate Director, Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Zoo Wildlife Alliance - Safari Park	Director of Facilities	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Zoo Wildlife Alliance - Safari Park	Executive Director, SVP Wildlife Alliance	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Zoo Wildlife Alliance - Safari Park	Unknown	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Diego Zoo Wildlife Alliance - Safari Park	VP and Deputy Director, San Diego Safari Park	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Elijo Joint Powers Authority	Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Elijo Joint Powers Authority	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Elijo Joint Powers Authority	Systems Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
San Marcos Fire Department	Battalion Chief	Tier-2	See Appendix 2
San Marcos Fire Department	Division Chief	Tier-2	See Appendix 2
San Marcos Fire Department	Emergency Manager	Tier-2	See Appendix 2
San Marcos Fire Department	Fire Chief	Tier-2	See Appendix 2
San Marcos Fire Department	Fire Chief - Secondary	Tier-2	See Appendix 2
San Marcos Fire Department	Fire Chief - Tertiary	Tier-2	See Appendix 2
San Marcos Fire Department	On Duty Battalion Chief	Tier-2	See Appendix 2
San Pasqual Band of Mission Indians	Chairman	Tier-3 Zone-1	See Appendix 2
San Pasqual Band of Mission Indians	Chief of Police	Tier-3 Zone-1	See Appendix 2
San Pasqual Band of Mission Indians	Environmental Director	Tier-3 Zone-1	See Appendix 2
San Pasqual Band of Mission Indians	Fire Chief	Tier-3 Zone-1	See Appendix 2
San Pasqual Band of Mission Indians	Sergeant	Tier-3 Zone-1	See Appendix 2
San Pasqual Band of Mission Indians	Utilities Manager	Tier-3 Zone-1	See Appendix 2
Santa Fe Irrigation District	Chief Operator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Santa Fe Irrigation District	NA	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Santa Fe Irrigation District	Operations and Maintenance Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Santa Fe Irrigation District	Safety Coordinator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Santa Fe Irrigation District	Santa Fe Irrigation District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Santa Fe Irrigation District	Water Treatment Plant Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Santa Margarita Water District	Duty Officer	Tier-2 Zone-1	See Appendix 2
Santa Margarita Water District	Manager	Tier-2 Zone-1	See Appendix 2
Santa Margarita Water District	Manager	Tier-2 Zone-1	See Appendix 2
Santa Margarita Water District	Manager	Tier-2 Zone-1	See Appendix 2
Santa Margarita Water District	Manager	Tier-2 Zone-1	See Appendix 2
Santa Margarita Water District	Operator	Tier-2 Zone-1	See Appendix 2
Santa Margarita Water District	Safety Officer	Tier-2 Zone-1	See Appendix 2
Santa Margarita Water District	Superintendent, Field Ops	Tier-2 Zone-1	See Appendix 2
Santa Margarita Water District	Utilities Manager	Tier-2 Zone-1	See Appendix 2
Santa Margarita Water District	Water System Supervisor	Tier-2 Zone-1	See Appendix 2
Scripps Health	Corporate Safety Officer/EM Corporate	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Scripps Health	Corporate VP, Facilities and Support	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Scripps Health	Energy Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Scripps Health	Engineering Operations Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Scripps Health	Engineering Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Scripps Health	Manager Data Center Operations/Data Center Outage	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Scripps Health	NA	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Scripps Health	Sr. Director, Facilities/Support Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	AFN Liaison	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	CRC Support	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
SDG&E	Customer Outreach & Eng. Supv.	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	Director of Tribal Affairs	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	Liaisons Officer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	Partner Portal Support Contact Email	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	SDG&E CCA Strategy & Policy Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	SDG&E Director - Emergency Management	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	SDG&E Emergency Services Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	SDG&E EOC Documentation Unit DL	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	SDG&E Internal	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	SDG&E Internal	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	SDG&E Public Affairs Team DL	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	Sr. Tribal Affairs Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
SDG&E	VP Customer Services	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	Chief Engineer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	Chief Engineer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	Director of Engineering (Sharp Chula Vista)	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	Director of Engineering at Sharp Metropolitan Hospital	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	Director of Engineering for Sharp Coronado Hospital	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	Engineering Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	FMD/Program Coord	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	Interim Chief Engineer/Plant, Operations and Maintenance	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	Plant Operations and Maintenance Director/Sodexo at Sharp Grossmont Hospital	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sharp Healthcare	Power Plant Lead	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
South Coast Water District	Manager	Tier-2	See Appendix 2
South Coast Water District	Manager	Tier-2	See Appendix 2
South Orange County Water Authority	Chief Plant Operator	Non-HFTD Tier-2 Zone-1	See Appendix 2
South Orange County Water Authority	Director	Non-HFTD Tier-2 Zone-1	See Appendix 2
South Orange County Water Authority	Manager	Non-HFTD Tier-2 Zone-1	See Appendix 2
South Orange County Water Authority	Manager	Non-HFTD Tier-2 Zone-1	See Appendix 2
Southern Indian Health Council	Director of Facilities	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Southern Indian Health Council	Indian Health Council	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Southern Indian Health Council	Safety Coordinator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Southern Indian Health Council	Southern Indian Health Council	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Southern Indian Health Council	Southern Indian Health Council (COO)	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California Department of Water Resources	Principal Engineer	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California Department of Water Resources	Risk Management	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Assemblymember	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Assemblymember	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Assemblymember	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Assemblymember	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Assemblymember	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Assemblymember, AD 75	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Assemblymember, AD 76	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Assemblymember, AD 79	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Capitol Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Capitol Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Capitol Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Capitol Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Capitol Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Capitol Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Capitol Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff - AD 77	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff - Asmbly, Laurie Davies	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff - Toni Atkins	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff, AD	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff, AD 75	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff, AD 79	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Chief of Staff, SD 39	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Communications Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Communications Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Director - SD40	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Mgr - SD39	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	District Representative	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Executive Assistant - S18	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Legislative Aide	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Legislative Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Legislative Director	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Representative 18th State Senate District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	SCHEDULER	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Senator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Senator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Senator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Senator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Senator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Senator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Senator	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Senator, SD 37	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 7: Public Safety Partners Contacted

Jurisdiction/Organization	Title	HFTD Tier	Date/Time Contacted
State of California	Senator, SD39	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Sr Field Rep - SD 36	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Staff - Asmby, Laurie Davies	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
State of California	Staff - Asmby, Laurie Davies	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sweetwater Water Authority	Director, Water Quality	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sweetwater Water Authority	Engineering Tech & Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sweetwater Water Authority	Plant Maintenance Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sweetwater Water Authority	Program Specialist	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sweetwater Water Authority	Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sweetwater Water Authority	Sweetwater Water Authority	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sweetwater Water Authority	Water Quality Laboratory Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sweetwater Water Authority	Water Treatment Plant Operator Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sweetwater Water Authority	Watershed Caretaker	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Sycuan Band of the Kumeyaay Nation	Battalion Chief	Tier-3 Tier-2 Zone-1	See Appendix 2
Sycuan Band of the Kumeyaay Nation	Chairman	Tier-3 Tier-2 Zone-1	See Appendix 2
Sycuan Band of the Kumeyaay Nation	Chief Administrative Officer	Tier-3 Tier-2 Zone-1	See Appendix 2
Sycuan Band of the Kumeyaay Nation	Chief of Police	Tier-3 Tier-2 Zone-1	See Appendix 2
Sycuan Band of the Kumeyaay Nation	Distribution List - Facilities	Tier-3 Tier-2 Zone-1	See Appendix 2
Sycuan Band of the Kumeyaay Nation	Fire Chief	Tier-3 Tier-2 Zone-1	See Appendix 2
Sycuan Band of the Kumeyaay Nation	Planning & Development Manager	Tier-3 Tier-2 Zone-1	See Appendix 2
Sycuan Band of the Kumeyaay Nation	Planning & Development Manager	Tier-3 Tier-2 Zone-1	See Appendix 2
T-Mobile/Sprint	Engineering Operations Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Senior Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	Sprint	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	T-Mobile	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	T-Mobile	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
T-Mobile/Sprint	T-Mobile	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Tri-City Medical Center	Director of Facilities	Tier-2	See Appendix 2
Tri-City Medical Center	Engineering Supervisor	Tier-2	See Appendix 2
Tri-City Medical Center	Facilities Manager	Tier-2	See Appendix 2
Tri-City Medical Center	NA	Tier-2	See Appendix 2
Tri-City Medical Center	Plant Supervisor	Tier-2	See Appendix 2
VA Medical Ctr	Assistant Chief, Engineering	Tier-2 Tier-3	See Appendix 2
VA Medical Ctr	Chief Maintenance Engineer	Tier-2 Tier-3	See Appendix 2
VA Medical Ctr	Healthcare Engineer	Tier-2 Tier-3	See Appendix 2
VA Medical Ctr	Project Engineer	Tier-2 Tier-3	See Appendix 2
VA Medical Ctr	Utilities Supervisor of Engineering	Tier-2 Tier-3	See Appendix 2
VA Medical Ctr	VA Hospital	Tier-2 Tier-3	See Appendix 2
Vallecitos Water District	Operations and Maintenance Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Vallecitos Water District	PIO	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Vallecitos Water District	Vallecitos Water District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Vallecitos Water District	Water System Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Valley Center Municipal Water District	Sr Technician	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Valley Center Municipal Water District	Valley Center Municipal Water District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Verizon Wireless	Network Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Verizon Wireless	Network Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Verizon Wireless	Sr. Manager - Network Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Verizon Wireless	Sr. Manager - Network Operations	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Verizon Wireless	Verizon Wireless	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Verizon Wireless	Verizon Wireless	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Verizon Wireless	Verizon Wireless	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Viejas Band of Kumeyaay Indians	Chairman	Tier-3	See Appendix 2
Viejas Band of Kumeyaay Indians	Councilman	Tier-3	See Appendix 2
Viejas Band of Kumeyaay Indians	Resource Manager Director	Tier-3	See Appendix 2
Viejas Band of Kumeyaay Indians	Resource Project Officer	Tier-3	See Appendix 2
Viejas Band of Kumeyaay Indians	Secretary	Tier-3	See Appendix 2
Viejas Band of Kumeyaay Indians	Vice Chairman	Tier-3	See Appendix 2
Vista Fire Department	Fire Chief	Non-HFTD Tier-2	See Appendix 2
Vista Irrigation District	Director of Water Resources	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Vista Irrigation District	Director of Water Resources - Secondary	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Vista Irrigation District	Engineering Specialist	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Vista Irrigation District	Vista Irrigation District	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Vista Irrigation District	Water Distribution Supervisor	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Vista Irrigation District	Water Resource Supervisor/Director of Water Resources - Tertiary	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
West Cuca Mutual Water Company	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
West Cuca Mutual Water Company	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
West Cuca Mutual Water Company	Rep	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Yuima Municipal Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2
Yuima Municipal Water District	Manager	Non-HFTD Tier-2 Tier-3 Zone-1	See Appendix 2

Section 6 – Local and State Public Safety Partner Engagement

Table 7.1 Entity List

Entity Name	Type
Alpine Union School District	Critical Facilities and Infrastructure
American Tower Corporation	Critical Facilities and Infrastructure & Public Safety Partner
Barona Band of Mission Indians	Critical Facilities and Infrastructure & Public Safety Partner
Bonsall Unified School District	Critical Facilities and Infrastructure
Borrego Springs Unified School District	Critical Facilities and Infrastructure
Borrego Water District	Critical Facilities and Infrastructure & Public Safety Partner
Cajon Valley Union School District	Critical Facilities and Infrastructure
Caltrans	Critical Facilities and Infrastructure & Public Safety Partner
Campo Band of Kumeyaay Indians	Critical Facilities and Infrastructure & Public Safety Partner
Charter Communications	Critical Facilities and Infrastructure & Public Safety Partner
City of Imperial Beach	Critical Facilities and Infrastructure & Public Safety Partner
City of Lemon Grove	Critical Facilities and Infrastructure & Public Safety Partner
City of Oceanside	Critical Facilities and Infrastructure & Public Safety Partner
City of Poway	Critical Facilities and Infrastructure & Public Safety Partner
City of San Diego	Critical Facilities and Infrastructure & Public Safety Partner
City of San Marcos	Critical Facilities and Infrastructure & Public Safety Partner
City of Santee	Critical Facilities and Infrastructure & Public Safety Partner
County of San Diego	Critical Facilities and Infrastructure & Public Safety Partner
Cox Communications	Critical Facilities and Infrastructure & Public Safety Partner
Dehesa School District	Critical Facilities and Infrastructure
Escondido Union High School District	Critical Facilities and Infrastructure
Escondido Union School District	Critical Facilities and Infrastructure
Ewiiapaayp Band of Kumeyaay Indians	Critical Facilities and Infrastructure & Public Safety Partner
Fallbrook Public Utility District	Critical Facilities and Infrastructure & Public Safety Partner
Fallbrook Union School District	Critical Facilities and Infrastructure
Federal Aviation Administration	Critical Facilities and Infrastructure & Public Safety Partner
Fortistar	Critical Facilities and Infrastructure
General Services Administration	Critical Facilities and Infrastructure
Julian Union High School District	Critical Facilities and Infrastructure
Julian Union School District	Critical Facilities and Infrastructure
Kumeyaay Wind LLC	Critical Facilities and Infrastructure
La Jolla Band of Luiseno Indians	Critical Facilities and Infrastructure & Public Safety Partner
La Posta Band of Mission Indians	Critical Facilities and Infrastructure & Public Safety Partner
Lakeside Union School District	Critical Facilities and Infrastructure
Level 3 Communications	Critical Facilities and Infrastructure & Public Safety Partner
Los Coyotes Band of Cahuilla and Cupeño Indians	Critical Facilities and Infrastructure & Public Safety Partner
MAAC Project	Critical Facilities and Infrastructure
Manzanita Band of the Kumeyaay Nation	Critical Facilities and Infrastructure & Public Safety Partner
Mesa Grande Band of Diegueño Mission Indians	Critical Facilities and Infrastructure & Public Safety Partner
Mountain Empire Unified School District	Critical Facilities and Infrastructure
North County Transit District	Critical Facilities and Infrastructure & Public Safety Partner
NRG Energy	Critical Facilities and Infrastructure
Olivenhain Municipal Water District	Critical Facilities and Infrastructure & Public Safety Partner
Orange Grove Energy	Critical Facilities and Infrastructure
Otay Water District	Critical Facilities and Infrastructure & Public Safety Partner
Padre Dam Municipal Water District	Critical Facilities and Infrastructure & Public Safety Partner
Pala Band of Mission Indians	Critical Facilities and Infrastructure & Public Safety Partner

Palomar Community College	Critical Facilities and Infrastructure
Pauma Band of Luiseno Indians	Critical Facilities and Infrastructure & Public Safety Partner
Poway Unified School District	Critical Facilities and Infrastructure
Rainbow Municipal Water District	Critical Facilities and Infrastructure & Public Safety Partner
Ramona Municipal Water District	Critical Facilities and Infrastructure & Public Safety Partner
Ramona Unified School District	Critical Facilities and Infrastructure
Rancho Santa Fe School District	Critical Facilities and Infrastructure
Rincon Band of Luiseño Indians	Critical Facilities and Infrastructure & Public Safety Partner
Rincon del Diablo Municipal Water District	Critical Facilities and Infrastructure & Public Safety Partner
San Diego County Office of Education	Critical Facilities and Infrastructure & Public Safety Partner
San Diego County Water Authority	Critical Facilities and Infrastructure & Public Safety Partner
San Diego State University	Critical Facilities and Infrastructure
San Diego Zoo Wildlife Alliance	Critical Facilities and Infrastructure
San Dieguito Water District	Critical Facilities and Infrastructure & Public Safety Partner
San Marcos Unified School District	Critical Facilities and Infrastructure
San Pasqual Band of Mission Indians	Critical Facilities and Infrastructure & Public Safety Partner
San Pasqual Union School District	Critical Facilities and Infrastructure
Santa Fe Irrigation District	Critical Facilities and Infrastructure & Public Safety Partner
Santa Margarita Water District	Critical Facilities and Infrastructure & Public Safety Partner
Santee School District	Critical Facilities and Infrastructure
Southern California Tribal Chairman Association	Critical Facilities and Infrastructure & Public Safety Partner
Southern Indian Health Council	Critical Facilities and Infrastructure & Public Safety Partner
Spencer Valley School	Critical Facilities and Infrastructure
State of California	Critical Facilities and Infrastructure & Public Safety Partner
Sweetwater Authority	Critical Facilities and Infrastructure & Public Safety Partner
Sycuan Band of the Kumeyaay Nation	Critical Facilities and Infrastructure & Public Safety Partner
Tegna Inc - CBS News 8	Critical Facilities and Infrastructure
T-Mobile	Critical Facilities and Infrastructure & Public Safety Partner
U.S. Customs and Border Protection	Critical Facilities and Infrastructure & Public Safety Partner
U.S. Department of Agriculture Forest Service	Critical Facilities and Infrastructure & Public Safety Partner
U.S. Marine Corps - Marine Corps Base Camp Pendleton	Critical Facilities and Infrastructure
U.S. Navy - Naval Special Warfare Command	Critical Facilities and Infrastructure
University of California San Diego	Critical Facilities and Infrastructure
Vallecitos School District	Critical Facilities and Infrastructure
Vallecitos Water District	Critical Facilities and Infrastructure & Public Safety Partner
Valley Center Municipal Water District	Critical Facilities and Infrastructure & Public Safety Partner
Valley Center-Pauma Unified School District	Critical Facilities and Infrastructure
Verizon Wireless	Critical Facilities and Infrastructure & Public Safety Partner
Viejas Band of Kumeyaay Indians	Critical Facilities and Infrastructure & Public Safety Partner
Vista Irrigation District	Critical Facilities and Infrastructure & Public Safety Partner
Warner Unified School District	Critical Facilities and Infrastructure
YMCA of San Diego County	Critical Facilities and Infrastructure
Yuima Municipal Water District	Critical Facilities and Infrastructure & Public Safety Partner

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 8: Services Provides to Customers with AFN

Type of Service	Number Provided
Accessible Transportation Trips	2
Over Night Hotel Stays (AFN)	62
Over Night Hotel Stays (non-AFN)	8
Food Support Meals Provided	4,875
Generators Provided	68
\$50 Gift Cards distributed	7
211 calls received for PSPS Information & Referral	123

Public Safety Power Shutoff Post-Event Report: JANUARY 20 - JANUARY 24, 2025

Appendix 5: PPS Event Data Workbook

Location	# of Generators/Batteries	Type of Backup Power	Generator/Battery Size	Maximum Duration of Operation	Actual PPS Operation Status
CSC - Borrego Springs, Highway 9400 (Priority Road) Rd., CA 92004	1	Generator	250 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:00 PDT - 01/24/2025 09:51 PDT
CSC - Lake Mead, 29768 Oak Drive, Campo CA 91906	1	Generator	125 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 21:47 PDT - 01/24/2025 11:07 PDT
CSC - Fontana, 24550 Hwy 94, Fontana, CA 91763	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 18:55 PDT - 01/22/2025 09:30 PDT, 01/23/2025 06:35 PDT - 01/24/2025 11:00 PDT
CSC - Pine Valley, 26990 Old Hwy Rt. Pine Valley, CA 91962	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:00 PDT - 01/24/2025 12:55 PDT
CSC - Woodstock Woods, Catholic Camp Reservoir, Center Building, 11608 Harrison Park Rd., Julian, CA 92036	1	Generator	125 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 19:50 PDT - 01/24/2025 10:35 PDT
CSC - Woodstock Woods, Catholic Camp Reservoir, Station 1706 Harrison Park Rd., Julian, CA 92036	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:09 PDT - 01/24/2025 10:35 PDT
CSC - Boulevard, 9023 CA 94, Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:33 PDT - 01/24/2025 11:50 PDT
CSC - Julian, 1138 Community Building Rd., Julian, CA 91917	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:25 PDT - 01/24/2025 08:45 PDT
CSC - Fallbrook Library, 124 S. Mission Rd., Fallbrook, CA 92028	1	Generator	125 kVA	Generators can run indefinitely, based on fuel supply	Stand By
CSC - Valley Center, 29000 Oak Grove Rd., Valley Center, CA 92582	1	Generator	125 kVA	Generators can run indefinitely, based on fuel supply	Stand By
CSC - Ramona, 1275 Main St., Ramona, CA 92065	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	Stand By
Department Julian, 1901 4th St., Julian, CA 92036	1	Generator	1 MVA	Generators can run indefinitely, based on fuel supply	Stand By
Shafter Valley, 7879 Great Southern Overland Stage Route, Julian, CA 92036	3	Generator	3,300 kVA	Generators can run indefinitely, based on fuel supply	01/21/2025 00:07 PDT - 01/23/2025 18:47 PDT
Butterfield Branch, 14926 Great Southern Overland Stage Route, Julian, CA 92036	3	Generator	3,300 kVA	Generators can run indefinitely, based on fuel supply	01/21/2025 01:02 PDT - 01/23/2025 20:20 PDT
Saltillo Canyon, 1339 Buckman Springs Rd., Campo, CA 91906	2	Generator	2,300 kVA	Generators can run indefinitely, based on fuel supply	01/21/2025 04:04 PDT - 01/24/2025 12:03 PDT
Ramona All Areas & Res., 2495 Monroche Rd., Ramona, CA 92065	1	Battery	500 kW/2 MWh	3-days	Stand By
Mountain Empire High School, 3395 Buckman Springs Rd., Pine Valley, CA 91962	2	Generator	2,450 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 19:40 PDT - 01/24/2025 11:53 PDT
Mountain Empire High School, 3005 Buckman Springs Rd., Pine Valley, CA 91962	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:50 PDT - 01/24/2025 16:35 PDT
Mountain Empire High School, 3005 Buckman Springs Rd., Pine Valley, CA 91962	1	Generator	320 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:50 PDT - 01/24/2025 14:25 PDT
Mountain Empire High School, 3039 Buckman Springs Rd., Pine Valley, CA 91962	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 18:00 PDT - 01/24/2025 14:20 PDT
Stone Ridge Facilities, 36109 Highway 79, Warner Springs, CA 92086	1	Generator	1.8 MVA	Generators can run indefinitely, based on fuel supply	01/20/2025 11:09 PDT - 01/24/2025 16:05 PDT
Lamson Dental Lab, 36190 Church Rd., Campo, CA 91906	1	Generator	40 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 23:11 PDT - 01/24/2025 12:45 PDT
Golden Assen Group, 1890 Golden Assen Way, Campo, CA 91906	3	Generator	3-70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 08:00 PDT
LA Honda Emergency Center, 8 Crestwood Rd., Redwood, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 14:20 PDT - 01/24/2025 13:35 PDT
Urgi Oaks Market, 17820 Old Hwy 40, Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 08:48 PDT - 01/24/2025 12:15 PDT
Mountain Top Market, 3910 Old Hwy 40, Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:15 PDT - 01/24/2025 12:00 PDT
LA Gas Station, 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:45 PDT - 01/24/2025 09:00 PDT
DC Market, 872 Palm Canyon Dr., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:45 PDT - 01/24/2025 09:55 PDT
Borrego Springs Youth and Senior Center, Inc., 390 Circle J Dr., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:50 PDT - 01/24/2025 10:15 PDT
Borrego Springs Resort, 1112 Tilling T Dr., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:49 PDT - 01/24/2025 09:51 PDT
La Casa Del Janso Resort, 10845 Yaque Pass Rd., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:40 PDT - 01/24/2025 09:52 PDT

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 10: Community Generator Program Sites

Location	# of Gens or Batteries	Type of Backup Power	Generator/Battery Size	Maximum Duration of Operation	Actual PPS Operation Status
<u>Live Oaks Market</u> , 37820 Old Hwy 80, Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 08:48 PDT - 01/24/2025 12:15 PDT
<u>Mountain Top Market</u> , 39710 Old Hwy 80, Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:15 PDT - 01/24/2025 12:00 PDT
<u>X.L.Co.Gas Station</u> , 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:45 PDT - 01/24/2025 09:00 PDT
<u>DG Market</u> , 872 Palm Canyon Dr., Borrego Springs, CA 92004	1	Generator	200 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:45 PDT - 01/24/2025 09:55 PDT
<u>Borrego Springs Youth and Seniors Center, Inc.</u> , 580 Circle J Dr., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:50 PDT - 01/24/2025 10:15 PDT
<u>Borrego Springs Resort</u> , 1112 Tilling T Dr., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 12:49 PDT - 01/24/2025 09:51 PDT
<u>La Casa Del Zorro Resort</u> , 03845 Yaqui Pass Rd., Borrego Springs, CA 92004	1	Generator	300 kVA	Generators can run indefinitely, based on fuel supply	01/23/2025 13:40 PDT - 01/24/2025 09:52 PDT
<u>Mountain Empire High School Cafeteria</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	2	Generator	2-650 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 19:40 PDT - 01/24/2025 17:53 PDT
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:50 PDT - 01/24/2025 16:55 PDT
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	Generator	320 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 20:50 PDT - 01/24/2025 14:25 PDT
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	Generator	70kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 18:00 PDT - 01/24/2025 14:20 PDT
<u>Stone Ridge Estates</u> , 35109 Highway 79, Warner Springs, CA 92086	1	Generator	1.8 MVA	Generators can run indefinitely, based on fuel supply	01/20/2025 11:09 PDT - 01/24/2025 16:05 PDT
<u>Campo Tribal Hall</u> , 36190 Church Rd., Campo, CA 91906	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 23:11 PDT - 01/24/2025 12:45 PDT
<u>Golden Acorn Casino</u> , 1800 Golden Acorn Wy., Campo, CA 91906	3	Generator	3-70 kVA	Generators can run indefinitely, based on fuel supply	01/21/2025 10:30 PDT - 01/25/2025 08:00 PDT
<u>La Posta Emergency Center</u> , 8 Crestwood Rd., Boulevard, CA 91905	1	Generator	70 kVA	Generators can run indefinitely, based on fuel supply	01/20/2025 14:20 PDT - 01/24/2025 13:35 PDT

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025
 Appendix 5: PPS Event Data Workbook

Table 11: Total Number of Backup Generators and Mobile Batteries

Location	# of Gens or Batteries	Generator/Battery Size	Fuel Type
CRC - Borrego Springs Library, 2580 Country Club Rd., CA 92004	1	250 kVA	Diesel
CRC - Lake Morona, 29765 Oak Drive, Campo CA 91906	1	125 kVA	Diesel
CRC - Poltrero, 24550 Hwy 94, Poltrero, CA 91963	1	70 kVA	Diesel
CRC - Pine Valley, 28890 Old Hwy 80, Pine Valley, CA 91962	1	70 kVA	Diesel
CRC - Whispering Winds Catholic Camp, Resource Center Building, 17606 Harrison Park Rd., Julian, CA 92036	1	125 kVA	Diesel
CRC - Whispering Winds Catholic Camp, Pump Station, 17606 Harrison Park Rd., Julian, CA 92036	1	70 kVA	Diesel
CRC - Boulevard, 39223 CA-94, Boulevard, CA 91905	1	70 kVA	Diesel
CRC - Dulzura, 1136 Community Building Rd., Dulzura, CA 91917	1	70 kVA	Diesel
CRC - Fallbrook Library, 124 S. Mission Rd., Fallbrook, CA 92028	1	125 kVA	Diesel
CRC - Valley Center, 29200 Cole Grade Rd., Valley Center, CA 92082	1	125 kVA	Diesel
CRC - Ramona, 1275 Main St., Ramona, CA 92065	1	70 kVA	Diesel
Downtown Julian, 1901 4th St., Julian, CA 92036	1	1 MVA	Diesel
Shuttler Valley, 7878 Great Southern Overland Stage Route, Julian, CA 92036	3	300 kVA	Diesel
Butterfield Ranch, 14926 Great Southern Overland Stage Route, Julian, CA 92036	3	300 kVA	Diesel
Cameron Corners, 1339 Buckman Springs Rd., Campo, CA 91906	2	300 kVA	Diesel
Ramona Air Attack Base, 2498 Montecito Rd., Ramona, CA 92065	1	500 kW/2 MWh	Battery
Mountain Empire High School, Cafeteria, 3305 Buckman Springs, Rd., Pine Valley, CA 91962	2	650 kVA	Diesel
Mountain Empire High School, 3306 Buckman Springs, Rd., Pine Valley, CA 91962	1	70 kVA	Diesel
Mountain Empire High School, 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	320 kVA	Diesel
Mountain Empire High School, 3305 Buckman Springs, Rd., Pine Valley, CA 91962	1	70 kVA	Diesel
Stone Ridge Estates, 35109 Highway 79, Warner Springs, CA 92086	1	1.8 MVA	Diesel
Campo Tribal Hall, 36190 Church Rd., Campo, CA 91906	1	40 kVA	Diesel
Golden Acorn Casino, 1800 Golden Acorn Wy., Campo, CA 91906	3	70 kVA	Diesel
La Posta Emergency Center, 8 Crestwood Rd., Boulevard, CA 91905	1	70 kVA	Diesel
Live Oaks Market, 37820 Old Hwy 80, Boulevard, CA 91905	1	70 kVA	Diesel
Mountain Top Market, 39710 Old Hwy 80, Boulevard, CA 91905	1	70 kVA	Diesel
X.I. Co Gas Station, 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	70 kVA	Diesel
DG Market, 872 Palm Canyon Dr., Borrego Springs, CA 92004	1	200 kVA	Diesel
Borrego Springs Youth and Seniors Center, Inc., 980 Circle J Dr., Borrego Springs, CA 92004	1	300 kVA	Diesel
Borrego Springs Resort, 1112 Tilling T Dr., Borrego Springs, CA 92004	1	300 kVA	Diesel
La Casa Del Zorro Resort, 03845 Yaqui Pass Rd., Borrego Springs, CA 92004	1	300 kVA	Diesel

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025
 Appendix 5: PSPS Event Data Workbook
 Table 12: Critical Facility and Infrastructure Customers

Location	# of Customers	Critical Facility and Infrastructure Customers
CRC - Borrego Springs Library, 2580 Country Club Rd., CA 92004	1	Community Resource Center
CRC - Lake Morona, 29765 Oak Drive, Campo CA 91906	1	Community Resource Center
CRC - Potrero, 24550 Hwy 94, Potrero, CA 91963	1	Community Resource Center
CRC - Pine Valley, 28890 Old Hwy 80, Pine Valley, CA 91962	1	Community Resource Center
CRC - Whispering Winds Catholic Camp Resource Center Building, 17606 Harrison Park Rd., Julian, CA 92036	1	Community Resource Center
CRC - Whispering Winds Catholic Camp Pump Station, 17606 Harrison Park Rd., Julian, CA 92036	1	Community Resource Center
CRC - Boulevard, 39223 CA-94, Boulevard, CA 91905	1	Community Resource Center
CRC - Dulzura, 1136 Community Building Rd., Dulzura, CA 91917	1	Community Resource Center
CRC Fallbrook Library, 124 S. Mission Rd., Fallbrook, CA 92028	1	Community Resource Center
CRC - Valley Center, 29200 Cole Grade Rd., Valley Center, CA 92082	1	Community Resource Center
CRC - Ramona, 1275 Main St., Ramona, CA 92065	1	Community Resource Center
Downtown Julian, 1901 4th St., Julian, CA 92036	124	<ul style="list-style-type: none"> Schools Food and Markets Veterinary Hospital Telecommunications Postal Service
Shelter Valley, 7878 Great Southern Overland Stage Route, Julian, CA 92036	219	<ul style="list-style-type: none"> Stagecoach Trails Campground & RV Park SD County Fire Station Library Water Wells Infrastructure Sewage Infrastructure
Butterfield Ranch, 14926 Great Southern Overland Stage Route, Julian, CA 92036	119	<ul style="list-style-type: none"> Butterfield Manufactured Home & RV Community Water Wells Infrastructure Sewage Infrastructure Cal Fire
Cameron Corners, 1339 Buckman Springs Rd., Campo, CA 91906	13	<ul style="list-style-type: none"> ATT Telecom Hub Library - Cool Zone San Ysidro Health Center Schools Food and Markets Gas Stations
Ramona Air Attack Base, 2498 Montecito Rd., Ramona, CA 92065	2	<ul style="list-style-type: none"> Cal Fire US Forest Service
Mountain Empire High School, 3305 Buckman Springs Rd., Pine Valley, CA 91962	5	<ul style="list-style-type: none"> Mountain Empire School District food refrigeration and commercial kitchen School & Childcare for School District
Stone Ridge Estates, 35109 Highway 79, Warner Springs, CA 92086	1	Primary-Metered Senior Residential Community
Campo Tribal Hall, 36190 Church Rd., Campo, CA 91906	4	<ul style="list-style-type: none"> Restrooms Showers Security Light Tower Food Service
Golden Acorn Casino, 1800 Golden Acorn Wy., Campo, CA 91906	3	<ul style="list-style-type: none"> Lighting Food Service
La Posta Emergency Center, 8 Crestwood Rd., Boulevard, CA 91905	1	Government and Community Resource Center
Live Oaks Market, 37820 Old Hwy 80, Boulevard, CA 91905	1	<ul style="list-style-type: none"> Food and Market Gas Station
Mountain Top Market, 39710 Old Hwy 80, Boulevard, CA 91905	1	<ul style="list-style-type: none"> Food and Market Gas Station
X L Co Gas Station, 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	Gas Station
DC Market, 872 Palm Canyon Dr., Borrego Springs, CA 92004	1	Grocery Store
Borrego Springs Youth and Seniors Center, Inc., 580 Circle J Dr., Borrego Springs, CA 92004	1	Youth and Senior Center
Borrego Springs Resort, 1112 Tilling T Dr., Borrego Springs, CA 92004	1	<ul style="list-style-type: none"> Hotel and Lodging Cool Zone
La Casa Del Zorro Resort, 03845 Yaqui Pass Rd., Borrego Springs, CA 92004	1	<ul style="list-style-type: none"> Hotel and Lodging Food Refrigeration & Restaurant Cool Zone

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 13: Community Generator Program Sites

Location	# of Customers	Community Generator Program Sites
<u>Mountain Empire High School</u> , 3305 Buckman Springs, Rd., Pine Valley, CA 91962	5	Mountain Empire School District commercial kitchen and child care for the entire school district
<u>Stone Ridge Estates</u> , 35109 Highway 79, Warner Springs, CA 92086	1	Primary-Metered Senior Citizen Residential Community
<u>Campo Tribal Hall</u> , 36190 Church Rd., Campo, CA 91906	4	Restrooms, showers, food service and security lighting
<u>Golden Acorn Casino</u> , 1800 Golden Acorn Wy., Campo, CA 91906	3	Lighting and food service
<u>La Posta Emergency Center</u> , 8 Crestwood Rd., Boulevard, CA 91905	1	Government and Community Resource Center
<u>Live Oaks Market</u> , 37820 Old Hwy 80, Boulevard, CA 91905	1	Local and convenient location for food and fuel in the Boulevard Community
<u>Mountain Top Market</u> , 39710 Old Hwy 80, Boulevard, CA 91905	1	Local and convenient location for food and fuel in the Boulevard Community
<u>X L Co Gas Station</u> , 525 Palm Canyon Dr., Borrego Springs, CA 92004	1	Local and convenient location for fuel in the Borrego Springs Community
<u>DG Market</u> , 872 Palm Canyon Dr., Borrego Springs, CA 92004	1	Local and convenient location for food in the Borrego Springs Community
<u>Borrego Springs Youth and Seniors Center, Inc.</u> , 580 Circle J Dr., Borrego Springs, CA 92004	1	Borrego Springs community center
<u>Borrego Springs Resort</u> , 1112 Tilting T Dr., Borrego Springs, CA 92004	1	Borrego Springs hotel/lodging and cool zone
<u>La Casa Del Zorro Resort</u> , 03845 Yaqui Pass Rd., Borrego Springs, CA 92004	1	Borrego Springs hotel/lodging, restaurant and cool zone

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 14: Number and Nature of Complaints Received

Nature of Complaint	Number of Complaints
PSPS Frequency/Duration Including, but not limited to complaints regarding the frequency and/or duration of PSPS events, delays in restoring power, scope of PSPS and dynamic of weather conditions	21
Safety/Health Concern Including, but not limited to complaints regarding difficulties experienced by AFN/MBL populations, traffic accidents due to non-operating traffic lights, inability to get medical help, well water or access to clean water, inability to keep property cool/warm during outage raising health concern	6
Communications/Notifications Including, but not limited to complaints regarding lack of notice, excessive notices, confusing notice, false alarm notice, problems with getting up-to-date information, inaccurate information provided, not being able to get information in the prevalent languages and/or information accessibility, complaints about website, Public Safety Partner Portal, REST/DAM sites (as applicable)	9
Outreach/Assistance Including, but not limited to complaints regarding community resource centers, community crew vehicles, backup power, hotel vouchers, other assistance provided by utility to mitigate impact of PSPS	6
General PSPS Dissatisfaction/Other Including, but not limited to complaints about being without power during PSPS event and related hardships such as food loss, income loss, inability to work/attend school, plus any PSPS-related complaints that do not fall into any other category	61
Total:	103

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 15: Claims Filed Against SDG&E Due to De-energization

Nature of Claim	Number of Claims
Property Damage	4
Solar Related	0
Food Loss	29
Inconvenience of Being Without Power	5
Business Loss	1
Hotel Stays	0
Generator	4
Total:	43

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 16: Circuits requiring more than 24 hours to restore

Circuit Name	Reason the Utility was Unable to Restore the Circuit Within 24 Hours
N/A	N/A

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025
 Appendix 5: PSPS Event Data Workbook
 Table 17: Community Resource Centers

#	County	Site Name	Address	Operating Hours	Attendance	Site Type	Amenities Provided
1	San Diego	Borrego Springs CRC	2580 Country Club Rd Borrego Springs, CA 92004	1/23/2025: 13:20 - 22:00 1/24/2025: 08:00 - 9:50	242	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, and Warming Items
2	San Diego	Boulevard CRC	39919 Ribbonwood Rd Boulevard, CA 91905	1/20/2025: 08:50 - 22:00 1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 13:13	1380	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, Warming Items, Warm Meals, Water Truck, and Warm Showers
3	San Diego	Descanso CRC	9545 River Dr Descanso, CA 91916	1/20/2025: 08:43 - 22:00 1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 13:58	289	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, Warming Items, and Water Truck
4	San Diego	Dulzura CRC	1136 Community Building Rd Dulzura, CA 91917	1/23/2025: 13:36 - 22:00	14	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, and Warming Items
5	San Diego	Fallbrook CRC	124 S Mission Rd Fallbrook, CA 92028	1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 15:05	162	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, and Warming Items
6	San Diego	Julian CRC	17606 Harrison Park Rd Julian, CA 92036	1/20/2025: 19:25 - 22:00 1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 11:43	48	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, Warming Items, and Water Truck
7	San Diego	Lake Morena CRC	29765 Oak Dr Campo, CA 91906	1/20/2025: 19:49 - 22:00 1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 11:51	391	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, Warming Items, and Water Truck
8	San Diego	Pine Valley CRC	28890 Old Highway 80 Pine Valley, CA 91962	1/20/2025: 19:28 - 22:00 1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 13:04	483	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, Warming Items, and Water Truck
9	San Diego	Potrero CRC	24550 Hwy 94 Potrero, CA 91963	1/20/2025: 18:58 - 22:00 1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 10:43	76	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, and Warming Items
10	San Diego	Ramona CRC	1275 Main St Ramona, CA 92065	1/20/2025: 19:25 - 22:00 1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 14:34	72	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, and Warming Items
11	San Diego	Valley Center CRC	29200 Cole Grade Rd Valley Center, CA 92082	1/20/2025: 18:31 - 22:00 1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 15:05	189	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car power Inverter, Battery Bank, Emergency Light, and Warming Items
12	San Diego	Warner Springs CRC	20950 CA-79 Warner Springs, CA 92086	1/20/2025: 11:02 - 22:00 1/21/2025: 08:00 - 22:00 1/22/2025: 08:00 - 22:00 1/23/2025: 08:00 - 22:00 1/24/2025: 08:00 - 16:03	168	Brick & Mortar	Water, WiFi, Medical Device Charging, Snacks, Phone Charging, Ice, Car Power Inverter, Battery Bank, Emergency Light, Warming Items, and Water Truck

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 18: Summary of Avoided Customer Impacts

Mitigation Action	Avoided Impacts
Sectionalizing Devices	15,225
Temporary Generation	200
Microgrids	353
Permanent Backup Generation	828
Strategic Undergrounding	1,206
Situational Awareness	35,838
Total:	53,650

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 19: Summary of Avoided Customer Impacts by Circuit

Circuit	Avoided Impacts
67	587
73	1
79	12
157	370
171	6
172	3
175	196
176	60
212	1
214	1
215	1

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 20: Summary of Customers Served by Microgrids

Microgrid Location	Total Customers
Shelter Valley, 7878 Great Southern Overland Stage Route, Julian, CA 92036	219
Butterfield Ranch, 14926 Great Southern Overland Stage Route, Julian, CA 92036	119
Cameron Corners, 1339 Buckman Springs Rd., Campo, CA 91906	13
Ramona Air Attack Base, 2498 Montecito Rd., Ramona, CA 92065	2
Total:	353

Public Safety Power Shutoff Post-Event Report: JANUARY 20 – JANUARY 24, 2025

Appendix 5: PSPS Event Data Workbook

Table 21: Lessons Learned from PSPS Event

Issue	Discussion	Resolution
Meteorology Staffing	Having one meteorologist assigned to an operational period was not sufficient.	Two meteorologists were assigned to support each operational period.
Customer Notifications	It was challenging to quickly identify and send targeted notifications to customers on special switching plans prior to the completion of post-patrols.	Surgical notifications have been identified as an enhancement to the new Customer Notification System prior to the next PSPS season.

Appendix 6

**Zipped Geodatabase File PSPS_Event_Jan 20-24
2025_DeEnergized_CircuitOutageAreas**

(Filed Via CD-ROM)

Appendix 7

**Zipped Geodatabase File PSPS_Event_ Jan 20-24
2025_Damages_Hazards
(Filed Via CD-ROM)**