SDG&E's Business Energy Solutions Program 2019 Product Catalog



ID	Product	Unit	Cost (\$)	Instant Rebate (\$)	Co-Pay (\$)
	LIGHTING				
	LED Integral Lamp (Bulb)				
464349	LED PAR30 14W	Lamp	9.00	9.00	-
464355	LED PAR30 15W	Lamp	10.00	10.00	-
464361	LED PAR30 16W	Lamp	10.50	10.50	-
464367	LED PAR30 17W	Lamp	11.75	11.75	-
464373	LED PAR30 18W	Lamp	12.50	12.50	-
464379	LED PAR30 19W	Lamp	13.50	13.50	-
464385	LED PAR30 20W	Lamp	14.25	14.25	-
464475	LED PAR38 25W	Lamp	14.50	14.50	-
464481	LED PAR38 26W	Lamp	15.00	15.00	_
464487	LED PAR38 >27W	Lamp	15.00	15.00	-
464709	LED R/BR Lamp 12W	•	5.75	5.75	
		Lamp			-
464715	LED R/BR Lamp 13W	Lamp	5.75	5.75	-
100001	Interior LED 4' LED T8 Lamp		45.00	45.00	
463991	Interior 4' LED T8 Lamp	Lamp	15.00	15.00	-
	LED Troffers			<u> </u>	
464226*	Interior LED New Luminaire - Size 2x4, >=125 to 139 LPW Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		5.00	
464227*	Interior LED New Luminaire - Size 2x2, >=125 to 139 LPW	KiloLumen		4.25	
404227	Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		4.23	
464228*	Interior LED New Luminaire - Size 1x4, >=125 to 139 LPW Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		5.00	
464229*	Interior Integrated LED Retrofit Kits - Size 2x4, >=125 to 139 LPW	KiloLumen		5.00	
404229	Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		5.00	
464230*	Interior Integrated LED Retrofi Kits - Size 2x2, >=125 to 139 LPW Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		4.25	
464231*	Interior Integrated LED Retrofit Kits - Size 1x4, >=125 to 139 LPW	Vilal uman		Г 00	
404231	Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen	Varies	5.00	Varies
464232*	Interior LED New Luminaire - Size 2x4, >=140 LPW Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		6.00	
464222*	Interior LED New Luminaire - Size 2x2, >=140 LPW	IX!I = I		6.00	
464233*	Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		6.00	
464234*	Interior LED New Luminaire - Size 1x4 Rated >=140 LPW	KiloLumen		6.00	
	Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture Interior Integrated LED Retrofit Kits - Size 2x4, >=140 LPW				
464235*	Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		6.00	
464236*	Interior Integrated LED Retrofi Kits - Size 2x2, >=140 LPW Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		6.00	
464237*	Interior Integrated LED Retrofit Kits - Size 1x4, >=140 LPW Rebate is calculated per kilolumen, not to exceed 4.5 kilolumens per fixture	KiloLumen		6.00	

^{*}This measure must be installed by March 31, 2019 to receive a rebate.

Interior LED Fixture: High/Low Bay, 120 LPW to <130 LPW, 0 to <48W Fixture	ID	Product	Unit	Cost (\$)	Instant Rebate (\$)	Co-Pay (\$)
12.00		LIGHTING (continued)		1 (.,	(.)	(.,
465261* Interior LED Fixture: High/Low Bay, 110 LPW to <130 LPW, 0 to <48W Fixture 465262* Interior LED Fixture: High/Low Bay, 110 LPW to <130 LPW, 0 to <130 LPW, 15 to <90W Fixture 15.00		Interior LED High/Low Bay Fixtures				
		Tier 1				
18.00 18.0	465261*	Interior LED Fixture: High/Low Bay, 110 LPW to <130 LPW, 0 to <48W	Fixture		12.00	
A65264* Interior LED Fixture: High/Low Bay, 120 LPW to <130 LPW, 90 to <125W Fixture Fix	465262*	Interior LED Fixture: High/Low Bay, 110 LPW to <130 LPW, 48 to <71W	Fixture		15.00	
465269* Interior LED Fixture: High/Low Bay, 120 LPW to <130 LPW, 125 to <153W Fixture 465271* Interior LED Fixture: High/Low Bay, 125 LPW to <135 LPW, 187 to <1212W Fixture 465278* Interior LED Fixture: High/Low Bay, 125 LPW to <135 LPW, 187 to <212W Fixture 33.00	465263*	Interior LED Fixture: High/Low Bay, 110 LPW to <130 LPW, 71 to <90W	Fixture		18.00	
A65271* Interior LED Fixture: High/Low Bay, 125 LPW to <135 LPW, 187 to <212W Fixture	465264*	Interior LED Fixture: High/Low Bay, 120 LPW to <130 LPW, 90 to <125W	Fixture		21.00	
A65273* Interior LED Fixture: High/Low Bay, 125 LPW to <135 LPW, 187 to <212W Fixture 30.00	465269*	Interior LED Fixture: High/Low Bay, 120 LPW to <130 LPW, 125 to <153W	Fixture	Varies	25.00	Varies
A65275* Interior LED Fixture: High/Low Bay, 125 LPW to <135 LPW, 212 to <246W Fixture	465271*	Interior LED Fixture: High/Low Bay, 125 LPW to <135 LPW, 153 to <187W	Fixture		27.00	
Interior LED Fixture: High/Low Bay, 125 LPW, 10 to <135 LPW, 246 to <283W Fixture	465273*	Interior LED Fixture: High/Low Bay, 125 LPW to <135 LPW, 187 to <212W	Fixture]	30.00	
Tie 2	465275*	Interior LED Fixture: High/Low Bay, 125 LPW to <135 LPW, 212 to <246W	Fixture		33.00	
A65265* Interior LED Fixture: High/Low Bay, >=130 LPW, 0 to <42W Fixture	465278*	Interior LED Fixture: High/Low Bay, 125 LPW to <135 LPW, 246 to <283W	Fixture]	36.00	
465266* Interior LED Fixture: High/Low Bay, >=130 LPW, 42 to <60W Fixture		Tier 2				
465267* Interior LED Fixture: High/Low Bay, >=130 LPW, 60 to <82W Fixture 465268* Interior LED Fixture: High/Low Bay, >=130 LPW, 82 to <113W Fixture 465270* Interior LED Fixture: High/Low Bay, >=130 LPW, 113 to <140W Fixture 455272* Interior LED Fixture: High/Low Bay, >=135 LPW, 140 to <174W Fixture 455276* Interior LED Fixture: High/Low Bay, >=135 LPW, 140 to <174W Fixture 465276* Interior LED Fixture: High/Low Bay, >=135 LPW, 140 to <227W Fixture 465277* Interior LED Fixture: High/Low Bay, >=135 LPW, 194 to <227W Fixture 465277* Interior LED Fixture: High/Low Bay, >=135 LPW, 27 to <262W Fixture 465278* Interior LED Fixture: High/Low Bay, >=135 LPW, 227 to <262W Fixture 465279* Interior LED Fixture: High/Low Bay, >=135 LPW, 227 to <262W Fixture 465270* Interior LED Fixture: High/Low Bay, >=135 LPW, 227 to <262W Fixture 465270* Interior LED Fixture: High/Low Bay, >=135 LPW, 227 to <262W Fixture 465270* Interior LED Fixture: High/Low Bay, >=135 LPW, 227 to <262W Fixture 464108* LED Outdoor Pole/Arm-Mounted Fixture: 0 to 29W Fixture 464108* LED Outdoor Pole/Arm-Mounted Fixture: 30 to 45W Fixture 464109* LED Outdoor Pole/Arm-Mounted Fixture: 91 to 107W Fixture 464111* LED Outdoor Pole/Arm-Mounted Fixture: 198 to 146W Fixture 464111* LED Outdoor Pole/Arm-Mounted Fixture: 199 to 571W Fixture 464111* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 464115* LED Outdoor Parking Garage Fixture: 39 - 56W Fixture 464116* LED Outdoor Parking Garage Fixture: 57 - 88W Fixture 464116* LED Outdoor Parking Garage Fixture: 57 - 88W Fixture 464118* LED Outdoor Parking Garage Fixture: 57 - 88W Fixture 464118* LED Outdoor Wall-Mounted Fixture: 9 - 2500 Varies 464119* LED Outdoor Wall-Mounted Fixture: 0 - 250W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 0 - 250W Varies 464119* LED Outdoor Wall-Mounted Fixture:	465265*	Interior LED Fixture: High/Low Bay, >=130 LPW, 0 to <42W	Fixture		20.00	
465268* Interior LED Fixture: High/Low Bay, >=130 LPW, 82 to <113W Fixture 465270* Interior LED Fixture: High/Low Bay, >=130 LPW, 113 to <140W Fixture 45000 Fixture 450272* Interior LED Fixture: High/Low Bay, >=135 LPW, 140 to <174W Fixture 45000 Fixture 45000 Fixture 45000 Fixture 45000 Fixture 45000 Fixture 45000 465276* Interior LED Fixture: High/Low Bay, >=135 LPW, 174 to <194W Fixture 465277* Interior LED Fixture: High/Low Bay, >=135 LPW, 194 to <227W Fixture 464105* LED Outdoor Pole/Arm-Mounted Fixture: 0 to 29W Fixture 464106* LED Outdoor Pole/Arm-Mounted Fixture: 30 to 45W Fixture 464106* LED Outdoor Pole/Arm-Mounted Fixture: 30 to 45W Fixture 464106* LED Outdoor Pole/Arm-Mounted Fixture: 46 to 68W Fixture 464108* LED Outdoor Pole/Arm-Mounted Fixture: 91 to 107W Fixture 464109* LED Outdoor Pole/Arm-Mounted Fixture: 108 to 146W Fixture 464111* LED Outdoor Pole/Arm-Mounted Fixture: 128 to 146W Fixture 464112* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W Fixture 464113* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 464114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 464115* LED Outdoor Parking Garage Fixture: 0 – 38W Fixture 464116* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 464116* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 89 – 113W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 90 – 25W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 464119* LED Outdoor W	465266*	Interior LED Fixture: High/Low Bay, >=130 LPW, 42 to <60W	Fixture		20.00	
Marcian Marc	465267*	Interior LED Fixture: High/Low Bay, >=130 LPW, 60 to <82W	Fixture]	25.00	Varies
A65272* Interior LED Fixture: High/Low Bay, >=135 LPW, 140 to <174W Fixture	465268*	Interior LED Fixture: High/Low Bay, >=130 LPW, 82 to <113W	Fixture		30.00	
465274* Interior LED Fixture: High/Low Bay, >=135 LPW, 174 to <194W	465270*	Interior LED Fixture: High/Low Bay, >=130 LPW, 113 to <140W	Fixture	Varies	24.00	
465276* Interior LED Fixture: High/Low Bay, >=135 LPW, 194 to <227W Fixture 55.00 465277* Interior LED Fixture: High/Low Bay, >=135 LPW, 227 to <262W Fixture 60.00 LED Outdoor Pole/Arm-Mounted Area Lighting 464105* LED Outdoor Pole/Arm-Mounted Fixture: 0 to 29W Fixture 25.00 464106* LED Outdoor Pole/Arm-Mounted Fixture: 30 to 45W Fixture 30.00 464107* LED Outdoor Pole/Arm-Mounted Fixture: 69 to 90W Fixture 40.00 464108* LED Outdoor Pole/Arm-Mounted Fixture: 91 to 107W Fixture 45.00 Varies 464111* LED Outdoor Pole/Arm-Mounted Fixture: 108 to 146W Fixture 55.00 Varies 464112* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W Fixture 60.00 65.00 464114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 70.00 Varies 464115* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 20.00 Varies 464116* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 25.00 Varies 464118* LED Outdoor	465272*	Interior LED Fixture: High/Low Bay, >=135 LPW, 140 to <174W	Fixture		45.00	
A65277* Interior LED Fixture: High/Low Bay, >=135 LPW, 227 to <262W Fixture	465274*	Interior LED Fixture: High/Low Bay, >=135 LPW, 174 to <194W	Fixture		50.00	
LED Outdoor Pole/Arm-Mounted Area Lighting	465276*	Interior LED Fixture: High/Low Bay, >=135 LPW, 194 to <227W	Fixture		55.00	
464105* LED Outdoor Pole/Arm-Mounted Fixture: 0 to 29W Fixture 25.00 464106* LED Outdoor Pole/Arm-Mounted Fixture: 30 to 45W Fixture 30.00 464107* LED Outdoor Pole/Arm-Mounted Fixture: 69 to 90W Fixture 40.00 464108* LED Outdoor Pole/Arm-Mounted Fixture: 91 to 107W Fixture 40.00 464109* LED Outdoor Pole/Arm-Mounted Fixture: 108 to 146W Fixture 55.00 464111* LED Outdoor Pole/Arm-Mounted Fixture: 147 to 235W Fixture 60.00 464112* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W Fixture 65.00 464114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 70.00 LED Outdoor Parking Garage Fixture: 0 – 38W Fixture 20.00 464115* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 25.00 464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 25.00 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 30.00 Varies Varies	465277*	Interior LED Fixture: High/Low Bay, >=135 LPW, 227 to <262W	Fixture		60.00	
A64106* LED Outdoor Pole/Arm-Mounted Fixture: 30 to 45W Fixture A64107* LED Outdoor Pole/Arm-Mounted Fixture: 46 to 68W Fixture A64108* LED Outdoor Pole/Arm-Mounted Fixture: 69 to 90W Fixture A64109* LED Outdoor Pole/Arm-Mounted Fixture: 91 to 107W Fixture A64111* LED Outdoor Pole/Arm-Mounted Fixture: 108 to 146W Fixture A64112* LED Outdoor Pole/Arm-Mounted Fixture: 147 to 235W Fixture A64113* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W Fixture A64114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture A64115* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture A64116* LED Outdoor Parking Garage Fixture: 0 – 38W Fixture A64116* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture A64117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture A64118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture A64118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture A64118* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture A64119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture A64119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture A64119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture A64119* Varies		LED Outdoor Pole/Arm-Mounted Area Ligh	nting	<u> </u>		
464107* LED Outdoor Pole/Arm-Mounted Fixture: 46 to 68W 464108* LED Outdoor Pole/Arm-Mounted Fixture: 69 to 90W 464109* LED Outdoor Pole/Arm-Mounted Fixture: 91 to 107W 464111* LED Outdoor Pole/Arm-Mounted Fixture: 108 to 146W 464112* LED Outdoor Pole/Arm-Mounted Fixture: 147 to 235W 464113* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W 464114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 464115* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 464116* LED Outdoor Parking Garage Fixture: 0 – 38W 464116* LED Outdoor Parking Garage Fixture: 39 – 56W 464117* LED Outdoor Parking Garage Fixture: 57 – 88W 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture Varies Varies Varies Varies Varies Varies Varies Varies	464105*	LED Outdoor Pole/Arm-Mounted Fixture: 0 to 29W	Fixture		25.00	
464108* LED Outdoor Pole/Arm-Mounted Fixture: 69 to 90W Fixture 464109* LED Outdoor Pole/Arm-Mounted Fixture: 91 to 107W Fixture 464111* LED Outdoor Pole/Arm-Mounted Fixture: 108 to 146W Fixture 464112* LED Outdoor Pole/Arm-Mounted Fixture: 147 to 235W Fixture 464113* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W Fixture 464114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 464115* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 464116* LED Outdoor Parking Garage Fixture: 0 – 38W Fixture 464116* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Varies Varies Varies Varies Varies Varies Varies Varies	464106*	LED Outdoor Pole/Arm-Mounted Fixture: 30 to 45W	Fixture		30.00	
464109* LED Outdoor Pole/Arm-Mounted Fixture: 91 to 107W Fixture Varies 45.00 Varies 464111* LED Outdoor Pole/Arm-Mounted Fixture: 108 to 146W Fixture 55.00 464112* LED Outdoor Pole/Arm-Mounted Fixture: 147 to 235W Fixture 60.00 464113* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W Fixture 65.00 464114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 70.00 464115* LED Outdoor Parking Garage Fixture: 0 – 38W Fixture 464116* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 464119* LED Outdoor Wall-Mounted Area Lighting 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Varies 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Varies 464119* Varies 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Varies 464119* Varies 464119* Varies 45.00 Varies 464119* Varies 464119* Varies 45.00 Varies 464119* Varies 45.00 Varies 45.00 Varies 464119* Varies 45.00 Varies 464119* Varies 45.00 Varies 464119* Varies 464119	464107*	LED Outdoor Pole/Arm-Mounted Fixture: 46 to 68W	Fixture		35.00	
464111* LED Outdoor Pole/Arm-Mounted Fixture: 108 to 146W Fixture 464112* LED Outdoor Pole/Arm-Mounted Fixture: 147 to 235W Fixture 464113* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W Fixture 464114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture **EED Outdoor Parking Garage Lighting** 464115* LED Outdoor Parking Garage Fixture: 0 – 38W Fixture 464116* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture **LED Outdoor Wall-Mounted Area Lighting** **LED Outdoor Wall-Mounted Fixture** **LED Outdoor Wall-Mounted Fixture** **Varies** **Varie	464108*	LED Outdoor Pole/Arm-Mounted Fixture: 69 to 90W	Fixture		40.00	
464112* LED Outdoor Pole/Arm-Mounted Fixture: 147 to 235W Fixture 65.00 464113* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W Fixture 65.00 464114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 70.00 **EED Outdoor Parking Garage Lighting** 464115* LED Outdoor Parking Garage Fixture: 0 – 38W Fixture 15.00 464116* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 20.00 464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 25.00 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 30.00 **LED Outdoor Wall-Mounted Area Lighting** **LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 25.00 Varies Varie	464109*	LED Outdoor Pole/Arm-Mounted Fixture: 91 to 107W	Fixture	Varies	45.00	Varies
464113* LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W Fixture 65.00 464114* LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 70.00 **LED Outdoor Parking Garage Lighting** 464115* LED Outdoor Parking Garage Fixture: 0 – 38W Fixture 15.00 464116* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 20.00 464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 25.00 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 30.00 **LED Outdoor Wall-Mounted Area Lighting** **LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 25.00 Varies V	464111*	LED Outdoor Pole/Arm-Mounted Fixture: 108 to 146W	Fixture		55.00	
LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W Fixture 70.00 LED Outdoor Parking Garage Lighting 464115* LED Outdoor Parking Garage Fixture: 0 – 38W Fixture 15.00 464116* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 20.00 464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 25.00 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 30.00 LED Outdoor Wall-Mounted Area Lighting 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture Varies	464112*	LED Outdoor Pole/Arm-Mounted Fixture: 147 to 235W	Fixture		60.00	
LED Outdoor Parking Garage Lighting464115*LED Outdoor Parking Garage Fixture: 0 – 38WFixture15.00464116*LED Outdoor Parking Garage Fixture: 39 – 56WFixture20.00464117*LED Outdoor Parking Garage Fixture: 57 – 88WFixture25.00464118*LED Outdoor Parking Garage Fixture: 89 – 113WFixture30.00LED Outdoor Wall-Mounted Area Lighting464119*LED Outdoor Wall-Mounted Fixture: 0 – 25WFixtureVaries	464113*	LED Outdoor Pole/Arm-Mounted Fixture: 236 to 390W	Fixture		65.00	
464115* LED Outdoor Parking Garage Fixture: 0 – 38W Fixture 464116* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 30.00 LED Outdoor Wall-Mounted Area Lighting 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture Varies Varies Varies Varies Varies Varies	464114*	LED Outdoor Pole/Arm-Mounted Fixture: 391 to 571W	Fixture		70.00	
464116* LED Outdoor Parking Garage Fixture: 39 – 56W Fixture 464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 25.00 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 30.00 LED Outdoor Wall-Mounted Area Lighting 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture Varies Varies Varies Varies Varies Varies		LED Outdoor Parking Garage Lighting			1	
464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 25.00 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 30.00 LED Outdoor Wall-Mounted Area Lighting 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 25.00 Varies	464115*	LED Outdoor Parking Garage Fixture: 0 – 38W	Fixture		15.00	
464117* LED Outdoor Parking Garage Fixture: 57 – 88W Fixture 25.00 464118* LED Outdoor Parking Garage Fixture: 89 – 113W Fixture 30.00 LED Outdoor Wall-Mounted Area Lighting 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture 25.00 Varies	464116*	LED Outdoor Parking Garage Fixture: 39 – 56W	Fixture	1	20.00	
LED Outdoor Wall-Mounted Area Lighting 464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture Varies Varies	464117*	LED Outdoor Parking Garage Fixture: 57 – 88W	Fixture	Varies	25.00	Varies
464119* LED Outdoor Wall-Mounted Fixture: 0 – 25W Fixture Varies Varies	464118*	LED Outdoor Parking Garage Fixture: 89 – 113W	Fixture	1	30.00	
Varies Varies		LED Outdoor Wall-Mounted Area Lightin	ıg			
464120* LED Outdoor Wall-Mounted Fixture: 26 – 39W Fixture Varies 30.00	464119*	LED Outdoor Wall-Mounted Fixture: 0 – 25W	Fixture	., .	25.00	
	464120*	LED Outdoor Wall-Mounted Fixture: 26 – 39W	Fixture	Varies	30.00	Varies

^{*}This measure must be installed by March 31, 2019 to receive a rebate.

^{© 2019} San Diego Gas & Electric Company. All copyright and trademark rights reserved. Trademarks are property of their respective owners'.

ID	Product	Unit	Cost (\$)	Instant Rebate (\$)	Co-Pay (\$)		
	LIGHTING (continued)						
	LED Outdoor Wall-Mounted Area Lighting (co	ntinued)					
464121*	LED Outdoor Wall-Mounted Fixture: 40 – 58W	Fixture		35.00			
464122*	LED Outdoor Wall-Mounted Fixture: 59 – 78W	Fixture		40.00			
464123*	LED Outdoor Wall-Mounted Fixture: 79 – 97W	Fixture		45.00			
464124*	LED Outdoor Wall-Mounted Fixture: 98 – 126W	Fixture	Varies	60.00	Varies		
464125*	LED Outdoor Wall-Mounted Fixture: 127 – 203W	Fixture		70.00			
464126*	LED Outdoor Wall-Mounted Fixture: 204 – 337W	Fixture		90.00			
464127*	LED Outdoor Wall-Mounted Fixture: 338 – 493W	Fixture		105.00			
	LED Outdoor Fuel Canopy Lighting						
464128*	LED Outdoor Fuel Canopy Fixture: 0 – 19W	Fixture		15.00			
464129*	LED Outdoor Fuel Canopy Fixture: 20 – 29W	Fixture		20.00			
464130*	LED Outdoor Fuel Canopy Fixture: 30 – 46W	Fixture		25.00			
464131*	LED Outdoor Fuel Canopy Fixture: 47 – 59W	Fixture	Varies	30.00	Varies		
464132*	LED Outdoor Fuel Canopy Fixture: 60 – 73W	Fixture		35.00			
464133*	LED Outdoor Fuel Canopy Fixture: 74 – 99W	Fixture		40.00			
464134*	LED Outdoor Fuel Canopy Fixture: 100 – 153W	Fixture		45.00			

^{*}This measure must be installed by March 31, 2019 to receive a rebate.

	FOOD SERVICE				
463498	Combination Oven – Electric (<15 Pans)	Oven		1350.00	
463499	Combination Oven – Electric (15 to 28 Pans)	Oven		1375.00	
463500	Combination Oven – Electric (>28 Pans)	Oven		5000.00	
463501	Combination Oven – Gas (<15 Pans)	Oven		1100.00	
463502	Combination Oven – Gas (15 to 28 Pans)	Oven		1450.00	
463503	Combination Oven – Gas (>28 Pans)	Oven		2400.00	
402029	Commercial Gas Rack Oven – Double, Cooking Efficiency ≥ 50%	Unit		2000.00	
402026	Convection Oven – Electric	Oven		750.00	
402027	Convection Oven – Gas	Oven		500.00	
402032	Ventilation Control – Retrofit	Rated HP		1500.00	
402033	Ventilation Control – New	Rated HP	Varies	750.00	Varies
402004	Fryer – Electric	Vat		650.00	
402005	Fryer – Gas	Vat		750.00	
462971	Griddle – Electric	Linear Ft		150.00	
462972	Griddle – Gas	Linear Ft		100.00	
402135	Steam Cooker – Electric	Steamer		1250.00	
402136	Steam Cooker – Gas	Steamer		2000.00	
464054	Commercial Ice Machines SCU <110 lbs/day	Unit		50.00	
464056	Commercial Ice Machines SCU 110-200 lbs/day	Unit		75.00	
464058	Commercial Ice Machines SCU >200 lbs/day	Unit		100.00	
464060	Commercial Ice Machines IMH <300 lbs/day	Unit		75.00	

^{© 2019} San Diego Gas & Electric Company. All copyright and trademark rights reserved. Trademarks are property of their respective owners'.

ID	Product	Unit	Cost (\$)	Instant Rebate (\$)	Co-Pay (\$)
	FOOD SERVICE (continued)				
464062	Commercial Ice Machines IMH 300 to 799 lbs/day	Unit		125.00	
464064	Commercial Ice Machines IMH 800 to 1499 lbs/day	Unit		200.00	
464066	464066 Commercial Ice Machines IMH >1500 lbs/day		Varies	300.00	Varies
464068	Commercial Ice Machines RCU <988 lbs/day	Unit	200.00		
464070	Commercial Ice Machines RCU 988 or greater lbs/day	Unit		300.00	

	HEATING				
463332	Hot water boiler (<300 kBtuh, 90.0 AFUE, condensing)	kBtuh	100.00	2.00	98.00

	REFRIGERATION					
402256	Evaporative Fan Controller for Walk-in Coolers	Controller	327.00	75.00	252.00	
464028	High Efficiency Ultra Low Temperature Freezer (<=23 cubic feet)	Freezer	Varies	300.00	Varies	

	WATER HEATING				
402038	Commercial Boiler	MBtuh	150.00	0.50	149.50
464073	Aerator Faucet for Commercial Buildings – Public – 0.5 gpm	Each	8.50	8.50	
464075	Aerator Faucet for Commercial Buildings – Public – 1.0 gpm	Each	8.50	8.50	-
464079	Laminar Flow Restrictor – Health Care Facilities – 0.5 GPM flow rate	Each	17.50	17.50	
464080	Laminar Flow Restrictor – Health Care Facilities – 1.0 GPM flow rate	Each	17.50	17.50	-
464081	Laminar Flow Restrictor – Health Care Facilities – 1.5 GPM flow rate	Each	17.50	17.50	-

LIGHTING

GENERAL REQUIREMENTS

- Customers must have a San Diego Gas & Electric (SDG&E) non-residential electric account.
- All new lighting fixtures, retrofit kits, and components must carry the appropriate, designated Underwriters Laboratory (UL) or Intertek's Electrical Testing Labs (ETL) listed mark, and must be Restriction of Hazardous Substances Directive (RoHS) compliant.
- In all cases, the wattage of the replacement lighting equipment must be less than the wattage of the existing lighting equipment.
- All installations must be new replacements or retrofits and are based on a one-for-one replacement.
- All fixtures must be hardwired.
- It is the responsibility of the customer to ensure the equipment to be installed adheres to all state, local, and national building codes and ordinances, as well as the manufacturer's requirements.
- Customers are responsible for determining if the retrofit will maintain adequate light levels.
- 2016 Title 24 is triggered, under the Luminaire Component Modifications rule, if there are more than 69 modifications-in-place per annum in one space as defined by code.
- Screw-base to screw-base replacement (e.g. incandescent to CFL) is considered a repair. There is no limit on the number of repairs per space.

LED PAR and R/BR TYPE LAMPS

Requirements:

- New LED integral lamps must be listed on ENERGY STAR: http://www.energystar.gov/productfinder.
- LED reflector-lamps must replace existing incandescent, halogen, or compact fluorescent lamps.
- New LED lamps must have an integral LED driver.
- New LED lamps must be compatible with existing lighting controls and/or fixture components.

Exclusions:

Adapters that convert LED lamp sockets from one base type to another are not allowed (e.g. GU 24 pin base to E26 screw base).

Additional Details:

• Rebate is based on lamp wattage, not total fixture wattage.

INTERIOR LED T8 LAMP

Requirements:

- Only 4-foot UL Type A LED T8 lamps installed on an interior fixture qualify
- New LED T8 Lamp must replace an existing 4-foot linear fluorescent T8 lamp
- The lamp must be listed under the Primary Use Category "Replacement Lamps ('plug and play") (UL Type A)" on the following list:
 - o DLC: http://www.designlights.org/QPL
- New LED T8 Lamp must also meet the efficiency requirements as shown in the table below.

Performance Metric	SDG&E Program Requirement (no tolerance)
Luminaire Efficacy	≥110 LPW
CRI	<u>≥</u> 80
ССТ	<u><</u> 5,000K
Power Factor	<u>≥</u> 0.9
Total Harmonic Distortion	<u><</u> 20%
Lamp System Wattage	≤ 17.7 Watts
Minimum Warranty	5 years

Additional Details:

- The LED T8 Lamp specification sheet must also list all the compatible ballast model numbers to ensure proper operation of the measure
- Lamp System Wattage is based on a Normal Ballast Factor of 0.88

COMMERICAL INTERIOR LED TROFFER - Only available until March 31, 2019

Requirements:

- Must be a one for one replacement for a Linear Fluorescent Fixture with T8 or T5 lamps
- Must be a Design Lights Consortium (DLC) approved New Luminaire or an Integrated Retrofit Kit, listed on the qualified product list as Luminaires/Integrated Retrofit Kits for Ambient Lighting of Interior Commercial Spaces in one of the following sizes: 2x4, 2x2, 1x4
- Must be listed as DLC Premium by the Design Lights Consortium, version 4
- DLC-listed initial light output must be ≥ 2200 lm and ≤ 4999 lm
- Linear LED replacement lamps do not qualify
- Only Fixtures and Retrofit kits that include new lenses between the LED package and the viewer qualify.
- Self-ballasted or screw-based lamps do not qualify.
- 5-year warranty minimum
- Must meet the minimum efficacy requirements ≥ 125

DLC requirements for Integrated Retrofit Kits and Luminaires for Ambient Lighting of Interior Commercial Spaces include:

- 5-vear warrantv
- 50,000 hour L70 Lumen Maintenance
- 36,000 hour L90 Lumen Maintenance
- ≥ 80 Color Rendering Index (CRI)
- DLC requirements have changed to have ≥ 125 lumens / Watt to meet premium qualifications
- ≤ 5000 Kelvin Correlated Color Temperature (CCT)

Exclusions:

- Other fixture configurations, including LED troffer linear retrofit kits, linear ambient luminaires (direct/indirect) or external driver lamp-style retrofit kits (Underwriters Laboratories, Type C), do not qualify for this rebate
- Exterior or high/low-bay installations of these products do not qualify for this rebate

INTERIOR LED HIGH/LOW BAY FIXTURE - Only available until March 31, 2019

Requirements:

Only interior installations of LED fixtures or retrofit kits listed on DesignLights Consortium (DLC) under the following DLC categories, qualify for this rebate:

- High-Bay Luminaires (fixtures and retrofit kits)
- Low-Bay Luminaires (fixtures and retrofit kits)
- High-Bay Aisle Luminaires (fixtures)

Measure codes and rebates are defined by and set according to efficacy and wattage and grouped as follows:

- Tier 1 measures: Products must meet or exceed DLC Standard Classification
- Tier 2 measures: Products must meet or exceed DLC Premium Classification

Exclusions:

- Self-ballasted, screw-based or pin-based lamps and LED tube-style lamps do not qualify
- Products not listed in the high-bay or low-bay categories above, including LED troffers, retrofit kits, linear LED retrofit kits, lamp style
 retrofit kits, linear ambient luminaires, or any lighting products classified in the outdoor/exterior categories, do not qualify for this
 reparts.
- Horticultural installations do not qualify for this rebate
- Exterior installations do not qualify for this rebate

LED OUTDOOR AREA LIGHTING - Only available until March 31, 2019

Requirements:

Products must adhere to the below qualifying categories and must be listed as DesignLights Consortium (DLC) Premium Classification to qualify for a rebate:

- Outdoor Pole/Arm-mounted Area and Roadway Luminaires (fixtures and retrofit kits)
- Large Outdoor Pole/Arm-mounted Area and Roadway Luminaires (retrofit kits)
- Outdoor Pole/Arm-mounted Decorative Luminaires (fixtures and retrofit kits)
- Parking Garage Luminaires (fixtures and retrofit kits)
- Outdoor Non/Semi/Full-cutoff Wall-mounted Area Luminaires (fixtures)
- Outdoor Full-cutoff Wall-mounted Area Luminaires (retrofit kits)
- Fuel Pump Canopy Luminaires (fixtures and retrofit kits)

Exclusions:

- Self-ballasted, screw-based or pin-based lamps do not qualify
- Architectural Flood and Spot Luminaires, Landscape/Accent Flood and Spot Luminaires, and Bollards do not qualify
- Interior installations do not qualify for a rebate

FOOD SERVICES

GENERAL REQUIREMENTS

- Customers must have a SDG&E non-residential electric account if applying for an electric measure, and a gas account if applying for a
 gas measure.
- All rebates apply toward the purchase of new or replacement energy-efficient equipment. Used or rebuilt equipment is not eligible.
- Contractor must provide proof that the appliance(s) meet the energy efficiency requirements.
- New equipment must replace existing equipment. A new addition is not eligible.
- All food service equipment must be listed on California Energy Wise: caenergywise.com to qualify or www.energystar.gov/products, unless otherwise noted in the product requirement section.

COMBINATION OVEN - ELECTRIC & GAS

Requirements:

- The combination oven must be listed on California Energy Wise: <u>caenergywise.com</u> or meet ENERGY STAR® specifications for energy efficiency to qualify.
- Electric ovens must have a tested steam mode cooking energy efficiency of \geq 50%.
- Electric ovens must have a tested convection mode cooking energy efficiency of ≥ 70%.
- Gas ovens must have a tested steam mode cooking energy efficiency of ≥ 38%.
- Gas ovens must have a tested convection mode cooking energy efficiency of ≥ 44%.

COMMERCIAL GAS RACK OVEN

Requirements:

The natural gas rack oven must be listed on California Energy Wise: caenergywise.com or meet ENERGY STAR® specifications for energy efficiency to qualify.

CONVECTION OVEN - ELECTRIC & GAS

Requirements:

• The convection oven must be listed on California Energy Wise: <u>caenergywise.com</u> or be listed in the California Energy Commission database and meet ENERGY STAR® specifications for energy efficiency to qualify.

VENTILATION CONTROL – RETROFIT OR NEW

Requirements:

- This rebate applies towards the purchase and installation of a new commercial kitchen exhaust hood control system installed in an existing or new dedicated commercial kitchen exhaust hood and make-up air system.
- The control system must be used in conjunction with variable speed fan motor controls.
- New hood installations must have total kitchen hood airflow less than 5,000 cfm.
- Rebate is based on the unit fan horsepower.

FRYER - ELECTRIC & GAS

- The fryer must be listed on California Energy Wise: caenergywise.com or meet ENERGY STAR® specifications for energy efficiency to qualify.
- Multiple vat configurations are paid per qualifying vat.

GRIDDLE - ELECTRIC & GAS

Requirements:

• The griddle must be listed on California Energy Wise: <u>caenergywise.com</u> or meet ENERGY STAR® specifications for energy efficiency to qualify.

STEAM COOKER - ELECTRIC & GAS

Requirements:

• The steam cooker must be listed on California Energy Wise: <u>caenergywise.com</u> or meet ENERGY STAR® specifications for energy efficiency to qualify.

ICE MACHINE

- Qualifying models must be listed in the California Energy Commission (CEE) database.
- Qualifying models must meet Qualified Ice Maker specifications listed on California Energy Wise: <u>caenergywise.com</u>.
- Models must meet Energy Star Version 3.0 specifications
- Ice Machines must be tested in accordance with the AHRI Standard 810. Visit ahrinet.org to learn more about product information and testing procedures.
- This specification covers machines generating 60 grams (2oz.) or lighter ice cubes, as well as flaked, crushed and fragmented ice.
- Only air-cooled machines; self-contained (SCU), ice making heads (IMH) or remote condensing (RCU), are eligible.
- To qualify the entire Air Conditioning, Heat and Refrigeration Institute (AHRI) tested ice-making system. Remote machines must be purchased with qualifying remote condenser or remote condenser/compressor unit.
- Rebate amount depends on ice making rate (lbs./day). 'Day' is defined as
- Installation address must have a commercial electric account with SDG&E

HEATING

GENERAL REQUIREMENTS

- Customers must have a SDG&E non-residential gas account.
- All rebates apply toward the purchase of new or replacement energy-efficient equipment. Used or rebuilt equipment is not eligible.
- The California Energy Commission (CEC) and/or Gas Appliance Manufacturers Association (GAMA) equipment efficiency listed rating prevail over all submitted technical documentation, unless otherwise approved.

HOT WATER BOILER

- Only natural gas boilers <300 kBtuh qualify.
- Boiler must be used for space heating to induce human comfort.
- Boiler must meet 90.0 AFUE.
- Boiler must be equipped with automatic controls that reset the boiler supply temperature (between 140°F 165°F) based on building loads or outside air temperature.
- Must include manufacturer's specification sheet documenting boiler type, input rating and efficiency rating.
- In accordance with California Public Utilities Code section 399.4(b), proof of permit closure may be required.

REFRIGERATION

GENERAL REQUIREMENTS

- Customers must have a SDG&E non-residential electric account if applying for an electric measure, and a non-residential gas account if applying for a gas measure.
- All rebates apply toward the purchase of new or replacement energy-efficient equipment. Used or rebuilt equipment is not eligible.
- Medium temperature refers to refrigerated space temperatures between 1°F and 35°F. Low temperature covers temperatures below 0°F

EVAPORATIVE FAN CONTROLLER FOR WALK-IN COOLERS

Requirements:

- Must install an advanced controller on a refrigeration system of an existing walk-in cooler to decrease energy consumption by optimized control.
- Must reduce airflow of evaporator fans in medium-temperature walk-in coolers when compressor(s) cycle off and there is no refrigerant flow through the evaporator.
- Controller must be installed on an existing evaporative fan.
- Controller must be compatible with the existing refrigeration system so it does not degrade system performance.

Exclusions:

- Not eligible for the controller rebate if installing a new evaporative fan.
- This measure cannot be used in conjunction with a demand defrost controller.
- Do not install if the evaporator fan does not run 24/7 at full speed.

Additional Details:

• This measure applies to medium temperature ("cooler" – above 32°F).

HIGH EFFICIENCY ULTRA LOW TEMP FREEZERS

- Qualifying freezers must be listed on Energy Star® to be eligible
- Doors mounted on vertical hinges
- Volume must be between 15 and 23 ft³ (0.425 -0.651 meters³)
- Freezer must be capable of maintaining temperatures down to -80°C

WATER HEATING

GENERAL REQUIREMENTS

- Customers must have a SDG&E non-residential gas account.
- All rebates apply toward the purchase of new or replacement energy-efficient equipment. Used or rebuilt equipment is not eligible.
- The California Energy Commission (CEC) and/or Gas Appliance Manufacturers Association (GAMA) equipment efficiency listed rating prevail over all submitted technical documentation, unless otherwise approved.

COMMERCIAL BOILER

Requirements:

- Only natural gas boilers > 75,000 Btuh qualify.
- Must meet a minimum thermal efficiency of 84%.
- Must include a manufacturer's specification sheet documenting these characteristics.

Exclusions:

- Rebate does not apply to new construction.
- Boiler must not be used for space conditioning for human comfort.
- Boiler must not be used for industrial (process) end-use.
- Equipment used for pools and spas does not qualify.
- Industrial customers do not qualify.

AERATOR FAUCET FOR COMMERCIAL BUILDINGS

Requirements:

- Installation of low-flow faucet aerators (0.5 GPM, 1.0 GPM flow rates) in commercial facilities to reduce water consumption and save energy associated with water heating.
- This energy efficiency measure is applicable to existing faucets in commercial buildings that have a maximum flow rate of 2.2 GPM or greater
- Measure must be installed on Public lavatory faucets only. Public lavatory faucets are defined as those found in bathrooms shared by a communal area such as a school, restaurant, hotel lobby, or office building. Private lavatory faucets are defined as those that are found in individual dwelling units such as a hotel/motel guest room, dorm room, or nursing home room.
- Only facilities that utilize natural gas-powered water heating equipment are eligible to receive incentives for this measure. Natural gas much be supplied by an investor owned utilities (IOU).

LAMINAR FLOW RESTRICTOR (LFR)

- This rebate is restricted to the health care industry and facilities that are subject to OSHPD code and regulation.
- Facility must utilize natural gas-powered water-heating equipment
- LFRs installed must meet OSHPD code and regulation
- Rebates do not apply to new construction
- LFR models must be labeled as vandal proof for faucets, with the exception of dialysis and scrub sink locations that require an additional adaptor
- Verify product eligibility at: http://www.watersaversolutions.com/rebate

Products offered through SDG&E's Business Energy Solutions program are also provided through the Energy Efficiency Business Rebates program. Customers that are already working with a Trade Professional (e.g. project manager and installation companies) should visit sdge.com/businessrebates or call our Energy Savings Center at 1.800.644.6133 for details.

SDG&E makes no representations as to the safety, reliability, and/or efficiency of goods and services selected. SDG&E makes no warranty, whether express or implied, including warranty or merchantability or fitness for any particular purpose, use or application of selected goods and services. The program is funded by California Utility customers and administered by SDG&E under the auspices of the California Public Utilities Commission (CPUC). Program funds will be made on a first-come, first-served basis until program funds are no longer available. This program may be modified or terminated without prior notice. The selection, purchase and ownership of goods and services are the sole responsibility of the customer.

The website links contained herein are for information purposes only. SDG&E does not endorse these web sites, or any goods and services offered thereon. Particularly, SDG&E has not verified the privacy policies applicable to these web sites, or determined what actions will be taken by third parties regarding the privacy of visitors. In no event shall SDG&E be responsible for any third-party web site policies or actions.

1-800-644-6133 Energy Savings Center sdge.com/bes