## Schedule DT - SUBMETERED MULTI-FAMILY SERVICE - MOBILEHOME PARK (Closed)

The following are the CARE rates associated with service under Schedule DT. Schedule DT provides service for multi-family accommodations in a mobilehome park receiving service through a single meter and submetered to all individual tenants. This schedule has been closed since January 1, 1997.

PPP NE   0.00334 0.00   0.00334 0.00   0.00334 0.00   0.00334 0.00   0.00334 0.00   0.00334 0.00   0.00334 0.00	046 0 046 0 046 0 046 0	CTC 0.00197 0.00197 0.00197 0.00197	RS 0.00051 0.00051 0.00051 0.00051	TRAC (0.06667) (0.05578) 0.04694 0.04694	UDC Total 0.02183 0.04200 0.14472 0.14472	0.10684 0.10684 0.10684 0.10684	0.12867 0.14884 0.25156 0.25156	Discount (0.02573) (0.02977) (0.05031) (0.05031)	CARE Surcharge (0.00241) (0.00241) (0.00241) (0.00241) (0.00241)	0.11666 0.19884
0.00334 0.00 0.00334 0.00 0.00334 0.00	046 0 046 0 046 0	0.00197 0.00197	0.00051 0.00051	(0.05578) 0.04694	0.04200 0.14472	0.10684 0.10684	0.14884 0.25156	(0.02977) (0.05031)	(0.00241) (0.00241)	0.11666 0.19884
0.00334 0.00 0.00334 0.00 0.00334 0.00	046 0 046 0 046 0	0.00197 0.00197	0.00051 0.00051	(0.05578) 0.04694	0.04200 0.14472	0.10684 0.10684	0.14884 0.25156	(0.02977) (0.05031)	(0.00241) (0.00241)	0.10053 0.11666 0.19884 0.19884
0.00334 0.00 0.00334 0.00	046 0 046 0	0.00197	0.00051	0.04694	0.14472	0.10684	0.25156	(0.05031)	(0.00241)	0.19884
0.00334 0.00	046 0				-			· · · · · ·	· · · · · · · · · · · · · · · · · · ·	
		0.00197	0.00051	0.04694	0.14472	0.10684	0.25156	(0.05031)	(0.00241)	0.19884
0.00334 0.00										
0.00334 0.00										
0.0000- 0.00	046 0	0.00197	0.00051	(0.03904)	0.04946	0.07921	0.12867	(0.02573)	(0.00241)	0.10053
0.00334 0.00	046 0	0.00197	0.00051	(0.02815)	0.06963	0.07921	0.14884	(0.02977)	(0.00241)	0.11666
0.00334 0.00	046 0	0.00197	0.00051	0.05984	0.15762	0.07921	0.23683	(0.04737)	(0.00241)	0.18705
0.00334 0.00	046 0	0.00197	0.00051	0.05984	0.15762	0.07921	0.23683	(0.04737)	(0.00241)	0.18705
0.000 0.	000	0.000	0.000	0.000	(0.272)		(0.272)			
0.000 0.	000	0.000	0.000	0.000	0.170		0.170			
000	0.00334 0.00 0.00334 0.00 0.000 0. 0.000 0. under Schedule	0.0034 0.00046 0.00334 0.00046 0.000 0.000 0.000 0.000 under Schedule DT - 0	.00334 0.00046 0.00197   .00334 0.00046 0.00197   0.000 0.000 0.000   0.000 0.000 0.000   0.000 0.000 0.000   under Schedule DT - CARE and 0.001	.00334 0.00046 0.00197 0.00051   .00334 0.00046 0.00197 0.00051   0.000 0.000 0.000 0.000   0.000 0.000 0.000 0.000   0.000 0.000 0.000 0.000   under Schedule DT - CARE and the generati 0.000 0.000	.00334 0.00046 0.00197 0.00051 0.05984   .00334 0.00046 0.00197 0.00051 0.05984   0.000 0.0000 0.000 0.000 0.000   0.000 0.000 0.000 0.000 0.000   0.000 0.000 0.000 0.000 0.000   under Schedule DT - CARE and the generation rates ass 0.000 0.000 0.000	.00334 0.00046 0.00197 0.00051 0.05984 0.15762   .00334 0.00046 0.00197 0.00051 0.05984 0.15762   0.000 0.000 0.00051 0.05984 0.15762   0.000 0.000 0.000 0.000 0.000   0.000 0.000 0.000 0.000 0.000   0.000 0.000 0.000 0.000 0.170   under Schedule DT - CARE and the generation rates associated with	.00334 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921   .00334 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921   0.000 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921   0.000 0.000 0.000 0.000 0.000 0.07921   0.000 0.000 0.000 0.000 0.000 0.07921   under Schedule DT - CARE and the generation rates associated with Schedule EECC 0.000 0.000 0.000	.00334 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921 0.23683   .00334 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921 0.23683   0.000 0.000 0.00051 0.05984 0.15762 0.07921 0.23683   0.000 0.000 0.000 0.000 0.000 (0.272) (0.272)   0.000 0.000 0.000 0.000 0.170 0.170   under Schedule DT - CARE and the generation rates associated with Schedule EECC. In addition, th	0.00334 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921 0.23683 (0.04737)   0.00334 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921 0.23683 (0.04737)   0.000 0.000 0.00051 0.05984 0.15762 0.07921 0.23683 (0.04737)   0.000 0.000 0.000 0.000 0.000 (0.272) (0.272) (0.272)   0.000 0.000 0.000 0.000 0.170 0.170 0.170	.00334 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921 0.23683 (0.04737) (0.00241)   .00334 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921 0.23683 (0.04737) (0.00241)   .00334 0.00046 0.00197 0.00051 0.05984 0.15762 0.07921 0.23683 (0.04737) (0.00241)   0.000 0.000 0.000 0.000 (0.272) (0.272) (0.272)

separately from the PPP rate component.